

**LISTERINE TOTAL CARE KIDS ANTICAVITY FLUORIDE RINSE BUBBLE BLAST-  
sodium fluoride mouthwash  
Kenvue Brands LLC**

-----  
**Listerine Total Care Kids Anticavity Fluoride Rinse Bubble Blast**

***Drug Facts***

**Active ingredient**

Sodium fluoride 0.02% (0.01% w/v fluoride ion)

**Purpose**

Anticavity

**Use**

Aids in the prevention of dental cavities

**Warnings**

**Keep out of reach of children.** If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Adults and children 6 years of age and older:
- Use twice a day after brushing your teeth with a toothpaste
- Vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
- Do not swallow the rinse
- Do not eat or drink for 30 minutes after rinsing
- Instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- Supervise children as necessary until capable of using without supervision
- Children under 6 years of age: consult a dentist or doctor

**Other information**

- Store at room temperature
- Cold weather may temporarily cloud this product

**Inactive ingredients**

Water, Sorbitol, Flavor, Phosphoric Acid, Sucralose, Cetylpyridinium Chloride, Disodium Phosphate, Sodium Saccharin, Menthol, Blue 1, Green 3

## Questions?

call toll-free **888-222-0182** or **215-273-8755** (collect).

Distributed by:  
Kenvue brands LLC

Summit, NJ 07901

## **PRINCIPAL DISPLAY PANEL - 500 mL Bottle Label**

ALCOHOL FREE

ADA

Accepted

American

Dental

Association ®

24-HR CAVITY

PROTECTION †

†when used twice daily

kid-approved taste

ANTICAVITY FLUORIDE RINSE

LISTERINE ®

TOTAL CARE KIDS

SODIUM FLUORIDE & ACIDULATED PHOSPHAHE TOPICAL SOLUTION

6IN1

BENEFITS\*

BUBBLE

BLAST

KID-APPROVED

TASTE

500mL (16.9 Fl Oz)

IMPORTANT: Read

directions for proper use.



\*1. ALL DAY CAVITY PROTECTION 2. KILLS BAD BREATH GERMS 3. STRENGTHENS TEETH 4. KID APPROVED TASTE 5. FRESHENS BREATH 6. CLEANS WHOLE MOUTH

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredient</b> Sodium fluoride 0.02% (0.01% w/v fluoride ion)	Anticavity
<b>Use</b> Aids in the prevention of dental cavities	
<b>Warnings</b> <b>Keep out of reach of children.</b> If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Adults and children 6 years of age and older: • Use twice a day after brushing your teeth with a toothpaste. • Vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out. • Do not swallow the rinse. • Do not eat or drink for 30 minutes after rinsing. • Instruct children under 12 years of age in good rinsing habits (to minimize swallowing) • Supervise children as necessary until capable of using without supervision. • Children under 6 years of age: consult a dentist or a doctor.	
<b>Other information</b> • Store at room temperature • Cold weather may temporarily cloud this product	
<b>Inactive ingredients</b> Water, Sorbitol, Flavor, Phosphoric Acid, Sucralose, Cetylpyridinium Chloride, Disodium Phosphate, Sodium Saccharin, Menthol, Blue 1, Green 3	
<b>Questions?</b> call toll-free 888-222-0182 or 215-273-8755 (collect).	

TO OPEN: SQUEEZE the cap and TURN.  
TO CLOSE: Turn cap until it locks.

The LISTERINE® bottle design is a registered trademark.

12547 11580 3

30058256

Distributed by:  
KENVIE BRANDS LLC  
Summit, NJ 07901  
© Kenvue Brands 2024  
Pat. www.kenvuepat.com

ADA Accepted American Dental Association

Helps prevent cavities

Empty & Replace Cap

PLASTIC BOTTLE

EXP LOT

**LISTERINE TOTAL CARE KIDS ANTICAVITY FLUORIDE RINSE BUBBLE BLAST**

sodium fluoride mouthwash

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0903
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>SODIUM FLUORIDE</b> (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	SODIUM FLUORIDE	0.1 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>CETYLPYRIDINIUM CHLORIDE</b> (UNII: D9OM4SK49P)	

**SODIUM PHOSPHATE, DIBASIC, ANHYDROUS** (UNII: 22ADO53M6F)

**SACCHARIN SODIUM** (UNII: SB8ZUX40TY)

**MENTHOL, UNSPECIFIED FORM** (UNII: L7T10EIP3A)

**FD&C BLUE NO. 1** (UNII: H3R47K3TBD)

**FD&C GREEN NO. 3** (UNII: 3P3ONR6O1S)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0903-5	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/11/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	12/11/2024	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 2/2025

Kenvue Brands LLC