

CREST DEEP CLEANSE CAVITY DEFENSE- sodium fluoride rinse
The Procter & Gamble Manufacturing Company

Crest Deep Cleanse Cavity Defense Rinse

Drug Facts

Active ingredient

Sodium Fluoride 0.02% (0.01% w/v fluoride ion)

Purpose

Anticavity

Use

Aids in the prevention of dental cavities

Warning

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 6 years & older:
 - Use twice a day after brushing your teeth with a toothpaste.
 - Vigorously swish 10 mL of rinse between your teeth for 1 minute and then spit out.
 - Do not swallow the rinse.
 - Do not eat or drink for 30 minutes after rinsing.
 - Instruct children under 12 years of age in good rinsing habits (to minimize swallowing).
 - Supervise children as necessary until capable of using without supervision.
- Children under 6 years of age: consult a dentist or doctor.

Inactive ingredients

water, propylene glycol, poloxamer 407, polysorbate 80, benzoic acid, flavor, sucralose, sodium benzoate, phosphoric acid, disodium phosphate

Questions?

1-800-285-9139

DISTR. BY PROCTER & GAMBLE,

CINCINNATI, OH 45202

PRINCIPAL DISPLAY PANEL - 475 mL Bottle Label

DENTIST

DEVELOPED

CREST

ANTICAVITY FLUORIDE MOUTHWASH

DEEP

CLEANSE

MOUTHWASH

CAVITY DEFENSE

CLEAN MINT

No Burn of Alcohol

ALCOHOL

0%

FREE

SLS

FREE

WITH FORTIFYING

FLUORIDE

IMPORTANT: Read directions for proper use.

475 mL (16 FL OZ)



DENTIST
DEVELOPED



ANTICAVITY FLUORIDE MOUTHWASH

DEEP
CLEANSE
MOUTHWASH

CAVITY DEFENSE

CLEAN MINT

No Burn of Alcohol



IMPORTANT: Read directions for proper use.

475 mL (16 FL OZ)

CAVITY DEFENSE IN 3 STEPS

POUR
Pour 10 mL of rinse in the dosing cup

SWISH
Swish around your mouth for 1 minute then spit

REPEAT
Use twice per day for Cavity Defense

Drug Facts

Active Ingredient Sodium Fluoride 0.02% (0.01 w/v fluoride ion)	Purpose Anticavity
Use • Aids in the prevention of dental cavities	
Warnings Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.	
Directions • adults and children 6 yrs. & older: • Use twice a day after brushing your teeth with a toothpaste. • Vigorously swish 10 mL of rinse between your teeth for 1 minute and then spit out. • Do not swallow the rinse. • Do not eat or drink for 30 minutes after rinsing. • Instruct children under 12 years of age in good rinsing habits (to minimize swallowing.) • Supervise children as necessary until capable of using without supervision. • Children under 6 years of age: consult a dentist or doctor.	
Inactive Ingredients water, propylene glycol, polyoxamer 407, polysorbate 80, benzoic acid, flavor, sucralose, sodium benzoate, phosphoric acid, disodium phosphate	
Questions? 1-800-285-0139	

If you are not satisfied with your results, Crest will refund your purchase via pre-paid card. Simply return your receipt and copy of bottle UPC within 90 days of purchase. Call 1-877-789-8794 for more information.

CAP SEALED WITH PRINTED SLEEVE

DISTR. BY PROCTER & GAMBLE, CINCINNATI, OH 45202

P&G www.pg.com www.crest.com
Patents: www.pg.com/patents © 2024 P&G



CREST DEEP CLEANSE CAVITY DEFENSE

sodium fluoride rinse

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84126-607
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080)		FLUORIDE ION	0.1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POLOXAMER 407 (UNII: TUF2IWW3M2)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84126-607-16	475 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	01/01/2024	

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 1/2026

The Procter & Gamble Manufacturing Company