# SUPREME ANTACID - calcium carbonate, magnesium hydroxide liquid Discount Drug Mart, Inc

-----

# **Supreme Antacid Mint Creme**

# ACTIVE INGREDIENT (in each 5 mL)

Calcium carbonate 400 mg Magnesium hydroxide 135 mg

#### **PURPOSE**

Antacid Antacid

### USE(S)

relieves:

- · acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

#### WARNINGS

Do not take more than 18 teaspoonfuls in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

#### ASK A DOCTOR BEFORE USE IF YOU HAVE

- kidney disease
- a magnesium-restricted diet

#### ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

• presently taking a prescription drug. Antacids may interact with certain prescription drugs.

## STOP USE AND ASK DOCTOR

if symptoms last more than two weeks

#### **KEEP OUT OF REACH OF CHILDREN**

In case of overdose get medical help or contact a Poison Control Center immediately.

#### **DIRECTIONS**

- shake well before use
- adults and children 12 years and older: take 2 to 4 teaspoonfuls two times a day, or as directed by a doctor
- children under 12 years: consult a doctor

#### OTHER INFORMATION

- each 10 mL contains: magnesium 60 mg, sodium 5 mg
- store at controlled room temperature 20°C-25°C (68°-77°F)
- do not freeze

#### **INACTIVE INGREDIENTS**

benzyl alcohol, ethyl alcohol, flavor, hydroxyethyl cellulose, purified water, saccharin sodium, simethicone, sodium carbonate, sorbitol, xanthan gum.

#### PRINCIPAL DISPLAY PANEL

\*Compare to the Active Ingredients in MYLANTA® Supreme **DISCOUNT drug mart** 


**FOOD FAIR** 

Supreme Antacid MINT CREME

**Calcium Rich** 

## **Taste Great!**

Fast Relief of
Heartburn & Acid Indigestion
12 FL OZ (355 mL)
Alcohol content 0.4% v/v



# Drug Facts DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

# Active ingredients (in each 5 mL tsp.) Purpose Calcium carbonate 400 mg......Antacid Magnesium hydroxide 135 mg.....Antacid

**Uses** relieves: ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach associated with these symptoms

#### Warnings

Do not take more than 18 teaspoonfuls in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are ■ presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than two weeks.

Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center immediately.

**Directions** ■ shake well before use ■ adults and children 12 years and older: take 2 to 4 teaspoonfuls two times a day, or as directed by a doctor ■ children under 12 years: consult a doctor

Other information ■ each teaspoon contains:
magnesium 60 mg, sodium 5 mg ■ store at controlled room
temperature 20°C-25°C (68°F-77°F) ■ do not freeze

Inactive ingredients benzyl alcohol, ethyl alcohol, flavor, hydroxyethyl cellulose, purified water, simethicone, sodium carbonate, sodium saccharin, sorbitol, xanthan gum.

\*This product is not manufactured or distributed by JOHNSON & JOHNSON MERCK, the distributor of MYLANTA® Supreme. Distributed by: Drug Mart Food Fair Medina, OH 44256

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UMABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, MAKE ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE



# SUPREME ANTACID

calcium carbonate, magnesium hydroxide liquid

# **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:53943-614

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
	MAGNESIUM HYDROXIDE	135 mg in 5 mL

**CALCIUM CARBONATE** (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB,

CARBONATE ION - UNII:7UJQ5OPE7D)

XANTHAN GUM (UNII: TTV12P4NEE)

CALCIUM CARBONATE 400 mg in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
BENZYL ALCOHOL (UNII: LKG8494WBH)		
ALCOHOL (UNII: 3K9958V90M)		
HYDROXYETHYL CELLULOSE (2000 MPA.S AT 1%) (UNII: S38J6RZ N16)		
WATER (UNII: 059QF0KO0R)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		
SORBITOL (UNII: 506T60A25R)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
SODIUM CARBONATE (UNII: 45P3261C7T)		

Product Characteristics			
Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

ı	Packaging				
	# Item Code Package Description		Marketing Start Date	Marketing End Date	
	1 NDC 05	:53943-614-	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/26/2025	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M001	02/26/2025		

# **Labeler -** Discount Drug Mart, Inc (047741335)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Guardian Drug Company		119210276	MANUFACTURE(53943-614)		

Revised: 2/2025 Discount Drug Mart, Inc