

PINK BISMUTH REGULAR STRENGTH - bismuth subsalicylate liquid
Discount Drug Mart, Inc

Pink Bismuth Regular Strength

ACTIVE INGREDIENT(in each 30 mL)

Bismuth subsalicylate 525 mg

PURPOSE

Upset stomach reliever and anti-diarrheal

USE(S)

relieves:

- diarrhea
- heartburn
- indigestion
- nausea
- upset stomach associate with these symptoms

WARNINGS

Reye's Syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's Syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

DO NOT USE IF YOU HAVE

- an ulcer
- bloody or black stool
- a bleeding problem

ASK A DOCTOR BEFORE USE IF YOU HAVE

- fever
- mucus in the stool

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

WHEN USING THIS PRODUCT

a temporary, but harmless darkening of the stool and/or tongue may occur

STOP USE AND ASK DOCTOR IF

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

IF PREGNANT OR BREAST-FEEDING,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center immediately.

DIRECTIONS

- **shake well before use**
- mL = milliliter
- TBSP = tablespoon
- adults and children 12 years and over: 1 dose (2 TBSP or 30 mL) every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 TBSP or 240 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of fluids to help prevent dehydration caused by diarrhea

OTHER INFORMATION

- **each 30 mL or 2 TBSP contains:**

- potassium 25 mg
- salicylate 260 mg
- sodium 8 mg
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)
- dosage cup provided

INACTIVE INGREDIENTS

benzoic acid, D&C red # 22, D&C red # 28, flavor, hydroxyethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum

PRINCIPAL DISPLAY PANEL

*COMPARE TO THE ACTIVE INGREDIENT IN REGULAR STRENGTH PEPTO-BISMOL® CHERRY FLAVOR

DISCOUNT drug mart
FOOD FAIR

Pink Bismuth

Regular Strength

SOOTHING COATING ACTION

PROVIDES RELIEF FOR:

- **Upset stomach**
- **Indigestion**
- **Nausea**
- **Heartburn**
- **Diarrhea**

CHERRY FLAVOR

16 FL OZ(1 PT) (473 mL)

DO NOT USE IF IMPRINTED SHRINKBAND IS MISSING OR BROKEN.

Drug Facts

Active ingredient (in each 30 mL) **Purpose**
Bismuth subsalicylate 525 mg Upset stomach reliever and anti-diarrheal

Uses relieves: ■ diarrhea ■ heartburn ■ indigestion ■ nausea ■ upset stomach associated with these symptoms

Warnings
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are
■ allergic to salicylates (including aspirin)
■ taking other salicylate products

Do not use if you have ■ an ulcer ■ bloody or black stool ■ a bleeding problem

Ask a doctor before use if you have
■ fever ■ mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for ■ anticoagulation (thinning of the blood) ■ diabetes ■ gout ■ arthritis

When using this product a temporary, but harmless darkening of the stool and/or tongue may occur

Stop use and ask a doctor if ■ symptoms get worse ■ ringing in the ears or loss of hearing occurs ■ diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.

DISCOUNT
drug mart
FOOD FAIR

Pink Bismuth

Regular Strength

SOOTHING COATING ACTION

PROVIDES RELIEF FOR:
• Upset Stomach • Indigestion
• Nausea • Heartburn • Diarrhea

CHERRY FLAVOR

16 FL OZ (1 PT) (473 mL)

THE ACTIVE INGREDIENT IN REGULAR STRENGTH PEPTO-BISMOL® CHERRY FLAVOR

Drug Facts (continued)

Directions ■ shake well before use
■ mL = milliliter ■ TBSP = tablespoon ■ adults and children 12 years and over: 1 dose (2 TBSP or 30 mL) every 1/2 to 1 hour as needed ■ do not exceed 8 doses (16 TBSP or 240 mL) in 24 hours ■ use until diarrhea stops but not more than 2 days ■ children under 12 years: ask a doctor ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information ■ each 30 mL or 2 TBSP contains:
• potassium 25 mg • salicylate 260 mg • sodium 8 mg
■ protect from freezing. ■ avoid excessive heat (over 104°F or 40°C). ■ dosage cup provided

Inactive ingredients benzoic acid, D&C red # 22, D&C red # 28, flavor, hydroxyethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum.

*This product is not manufactured or distributed by Procter & Gamble, Inc., the distributor of Pepto-Bismol®.


0 93351 11653 7

Distributed by: Drug Mart - Food Fair Medina, OH 44256
www.discount-drugmart.com

SATISFACTION GUARANTEED
IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED.
IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DR., MEDINA, OH 44256

MPRA 53041
REV 0815

Drug Facts continued

PINK BISMUTH REGULAR STRENGTH

bismuth subsalicylate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-535
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RRI) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	525 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
D&C RED NO. 22 (UNII: 1678RKX8RT)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
HYDROXYETHYL CELLULOSE (1500 MPA.S AT 1%) (UNII: L605B5892V)	

DIMETHICONE (UNII: 92RU3N3Y1O)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Product Characteristics				
Color	PINK	Score		
Shape		Size		
Flavor	CHERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-535-06	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/26/2025	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008		02/26/2025	

Labeler - Discount Drug Mart, Inc (047741335)

Establishment			
Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	MANUFACTURE(53943-535)