PINK BISMUTH ORIGINAL - bismuth subsalicylate 525 mg liquid Discount Drug Mart, Inc

Pink Bismuth Original Formula

ACTIVE INGREDIENT(in each 30 mL)

Bismuth subsalicylate 525 mg

PURPOSE

Upset stomach reliever and anti-diarrheal

USE(S)

relieves:

- diarrhea
- heartburn
- indigestion
- nausea
- upset stomach associated with these symptoms

WARNINGS

Reye's Syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's Syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

DO NOT USE IF YOU HAVE

- an ulcer
- bloody or black stool
- a bleeding problem

ASK A DOCTOR BEFORE USE IF YOU HAVE

- fever
- mucus in the stool

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

WHEN USING THIS PRODUCT

a temporary, but harmless darkening of the stool and/or tongue may occur

STOP USE AND ASK DOCTOR IF

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

IF PREGNANT OR BREAST-FEEDING,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center immediately.

DIRECTIONS

- shake well before use
- mL = milliliter
- TBSP = tablespoon
- adults and children 12 years and over: 1 dose (2 TBSP or 30 mL) every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 TBSP or 240 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of fluids to help prevent dehydration caused by diarrhea

OTHER INFORMATION

- each 30 mL or 2 TBSP contains:
- potassium 25 mg
- salicylate 260 mg
- sodium 8 mg

- protect from freezing
- avoid excessive heat (over 104°F or 40°C)
- dosage cup provided

INACTIVE INGREDIENTS

benzoic acid, D&C red # 22, D&C red # 28, flavor, hydroxyethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum

PRINCIPAL DISPLAY PANEL

*Compare to the Active Ingredient in Pepto-Bismol[®]

DISCOUNT drug mart FOOD FAIR

PINK Bismuth

Protective coating

Original Formula

Provides Soothing Relief For:

- Upset stomach
- Indigestion
- Nausea
- Heartburn
- Diarrhea

16 FL OZ (1 PT) (473 mL)

Active ingredient (in each 30 mL) Purpo. Bismuth subsalicylate 525 mg Upset stomach relie	
and anti-diarrh	ver eal
Uses relieves: diarrhea heartburn indigestion nause upset stomach associated with these symptoms	a
Warnings	_
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not us this product. When using this product, if changes in behavior wi nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare bul serious illness.	th
Allergy alert: Contains salicylate. Do not take if you are allergic to salicylates (including aspirin) taking other salicylate products	-
Do not use if you have an ulcer bloody or black stool a bleeding problem	-
sk a doctor before use if you have I fever	-
sk a doctor or pharmacist before use if you are taking any rug for ■ anticoagulation (thinning of the blood) ■ diabetes gout ■ arthritis	-
hen using this product a temporary, but harmless darkening the stool and/or tongue may occur	•
op use and ask a doctor if symptoms get worse ringing in the ears or loss of hearing occurs diarrhea lasts more than 2 days	
pregnant or breast-leeding, ask a health professional before e. Keep out of reach of children. In case of overdose, get edical help or contact a Poison Control Center immediately.	



MFR# 53041

REV UR15

PINK BISMUTH ORI						
oismuth subsalicylate 525 m	y iiquiu					
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (S	Source)	NDC:5	3943-529	
Route of Administration	ORAL					
Active Ingredient/Active	Moiety					
Ingredient Name Basis of Strengt				ngth	Strength	
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:0414PZ4LPZ)			BISMUTH SUBSALICYLATE		525 mg	
UNII:0414PZ4LPZ)			SUBSALICTLATE		in 30 mL	
UNII:U414Y24LY2)			SUBSALICTLATE		in 30 mL	
			SUBSALICTLATE		in 30 mL	
			SUBSALICTLATE			
Inactive Ingredients	Ingredient Name	1	SUBSALICTLATE		Strength	
Inactive Ingredients	•		SUBSALICTLATE			
Inactive Ingredients BENZOIC ACID (UNII: 85KN0B0M	M)		SUBSALICTLATE			
Inactive Ingredients BENZOIC ACID (UNII: 85KN0B0M D&C RED NO. 22 (UNII: 1678RKX	M) 8RT)		SUBSALICTLATE			
Inactive Ingredients BENZOIC ACID (UNII: 85KN0B0M D&C RED NO. 22 (UNII: 1678RKX D&C RED NO. 28 (UNII: 767IP0Y5	M) 8RT) SNH)	9	SUBSALICTLATE			
Inactive Ingredients BENZOIC ACID (UNII: 85KN0B0M D&C RED NO. 22 (UNII: 1678RKX D&C RED NO. 28 (UNII: 767IP0Y5 POTASSIUM HYDROXIDE (UNII: 1	M) 8RT) SNH)	1	SUBSALICTLATE			
Inactive Ingredients BENZOIC ACID (UNII: 85KN0B0M D&C RED NO. 22 (UNII: 1678RKX D&C RED NO. 28 (UNII: 767IP0Y5 POTASSIUM HYDROXIDE (UNII: 1 WATER (UNII: 059QF0K00R)	M) 8RT) 5NH) NZ H3C48M4T)	2	SUBSALICTLATE			
Inactive Ingredients BENZOIC ACID (UNII: 85KN0B0M D&C RED NO. 22 (UNII: 1678RKX D&C RED NO. 28 (UNII: 767IP0Y5 POTASSIUM HYDROXIDE (UNII: 1 WATER (UNII: 059QF0K00R) SACCHARIN SODIUM (UNII: SB82	M) 8RT) 5NH) NZ H3C48M4T) Z UX40TY)		SUBSALICITATE			
Inactive Ingredients BENZOIC ACID (UNII: 85KN0B0M D&C RED NO. 22 (UNII: 1678RKX D&C RED NO. 28 (UNII: 767IP0Y5 POTASSIUM HYDROXIDE (UNII: Y WATER (UNII: 059QF0K00R) SACCHARIN SODIUM (UNII: SB82 SALICYLIC ACID (UNII: 0414PZ4)	M) 8RT) 5NH) MZ H3C48M4T) 2UX40TY) _PZ)		SUBSALICITATE			
Inactive Ingredients BENZOIC ACID (UNII: 85KN0B0M D&C RED NO. 22 (UNII: 1678RKX D&C RED NO. 28 (UNII: 767IP0Y5 POTASSIUM HYDROXIDE (UNII: Y WATER (UNII: 059QF0K00R) SACCHARIN SODIUM (UNII: SB82 SALICYLIC ACID (UNII: 0414PZ4I HYDROXYETHYL CELLULOSE (1 DIMETHICONE (UNII: 92RU3N3Y1	M) 8RT) 5NH) MZ H3C48M4T) ZUX40TY) _PZ) .500 MPA.S AT 1%) (UNII: 1		SUBSALICITATE			

Product Charac	teristics					
Color		PINK	Score			
Shape	hape Size					
-lavor Imprint Code			9			
Contains						
Deckering						
Packaging						
# Item Code	Pack	age Descrip	otion	Marketing Start Date	Marketing End Date	
NDC:53943-529- 06473 mL in 1 BOTTLE; Type 0: Not a Combination Product			t a Combination	02/26/2025		
Marketing Ir	formatio	on				
· · · · · · · · · · · · · · · · · · ·	Applicatio	on Number o	r Monograph	Marketing Start	Marketing End	
Marketing Category	Application	Citation		Date	Date	

Labeler - Discount Drug Mart, Inc (047741335)

Establishment								
Name	Address	ID/FEI	Business Operations					
Guardian Drug Company		119210276	MANUFACTURE(53943-529)					

Revised: 2/2025

Discount Drug Mart, Inc