

HAN SHIN GAMKONAL EXTRACT GRANULES- dry ginger, glycyrrhiza, peony root granule
Lydia Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Facts

Dry Ginger 1.90g

Glycyrrhiza 1.90g

Peony Root 1.90g

corn starch, Lactose Hydrate

■ Bronchitis, Bronchial asthma, Coryza, Runny nose, Cough with dilute phlegm, rhinitis
keep out of reach of the children

■ Take a packet of medicine (one dose) of an adult three times a day before or between meals.

Warnings

When using this product

■ Do not use in patients with genetic problems such as galactose intolerance, Lapp lactase deficiency, or glucose-galactose malabsorption since this drug contains lactose.

■ Do not use it for more than 1 month unless the symptoms improve. Long-term use should only be done under medical supervision.

■ When used in combination with potassium-containing agents, licorice-containing drugs, and diuretics (e.g., furosemide, ethacrynic acid, trichlormethiazide), myopathy is likely to occur, so take it carefully.

■ When combined with MaHuang or ephedrine-containing agents, MAO inhibitors, thyroid agents (thyroxine, liothyronine), catecholamine agents (epinephrine, isoprenaline), and xanthin agents (theophylline, dipropylene), symptoms such as insomnia, excessive sweat, rapid pulse, frequent urination, palpitations, general weakness, and mental excitement are likely to appear, so take them carefully.

Ask a doctor before use if you have high blood pressure, edema, heart or kidney problems, rash, redness, diabetic, another disease.

Stop use and ask a doctor if the following serious side effects occur. These may be signs of a serious condition.

■ Gastric aldosteronism (decreased urine, swollen face, hands, feet, eyelids, etc.)

■ Myopathy (muscle weakness, cramps, paralysis)

■ Interstitial pneumonia (fever, cough, shortness of breath, lung sound abnormalities)

■ Liver disorders (elevated liver enzymes, jaundice)

■ Skin reactions (rash, hives)

■ Digestive issues (loss of appetite, stomach discomfort)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children, In case of overdose, get medical help or contact a poison control center right away

for oral use only

HAN SHIN GAMKONAL Extract Granules

Drug Facts	
Active Ingredients (in each dosage unit 3.5g)	Purpose
Dry Ginger 1.90g	Antiinflammatory activities
Glycyrrhiza 1.90g	Antitussive effect
Peony Root 1.90g	Immunity improvement
Uses	
■ Bronchitis, Bronchial asthma, Coryza, Runny nose, Cough with dilute phlegm, rhinitis	
Warnings	
When using this product	
■ Do not use in patients with genetic problems such as galactose intolerance, Lapp lactase deficiency, or glucose-galactose malabsorption since this drug contains lactose.	
■ Do not use it for more than 1 month unless the symptoms improve. Long-term use should only be done under medical supervision.	
■ When used in combination with potassium-containing agents, licorice-containing drugs, and diuretics (e.g., furosemide, ethacrynic acid, trichlormethiazide), myopathy is likely to occur, so take it carefully.	
■ When combined with MaHuang or ephedrine-containing agents, MAO inhibitors, thyroid agents (thyroxine, liothyronine), catecholamine agents (epinephrine, isoprenaline), and xanthin agents (theophylline, dipropylene), symptoms such as insomnia, excessive sweat, rapid pulse, frequent urination, palpitations, general weakness, and mental excitement are likely to appear, so take them carefully.	
Ask a doctor before use if you have high blood pressure, edema, heart or kidney problems, rash, redness, diabetic, another disease.	
Stop use and ask a doctor if the following serious side effects occur. These may be signs of a serious condition.	
■ Gastric aldosteronism (decreased urine, swollen face, hands, feet, eyelids, etc.)	
■ Myopathy (muscle weakness, cramps, paralysis)	
■ Interstitial pneumonia (fever, cough, shortness of breath, lung sound abnormalities)	
■ Liver disorders (elevated liver enzymes, jaundice)	
■ Skin reactions (rash, hives)	
■ Digestive issues (loss of appetite, stomach discomfort)	
if pregnant or breast-feeding , ask a health professional before use.	
Keep out of reach of children , In case of overdose, get medical help or contact a poison control center right away	
Directions	
■ Take a packet of medicine (one dose) of an adult three times a day before or between meals.	
Other Information	
■ Store at room temperature, 1–30°C (34–86°F)	
Inactive Ingredient	
corn starch, Lactose Hydrate	
Questions or comments ?	
Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405	

Distributed by : B AND A TRADING CORP.
325 WASHINGTON AVE. ,CARLSTADT, NJ 07072, USA
Made in South Korea

HAN SHIN GAMKONAL EXTRACT GRANULES

dry ginger, glycyrrhiza, peony root granule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72988-0051
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P) (PAEONIA LACTIFLORA ROOT - UNII:3Z3866YW6P)	PAEONIA LACTIFLORA ROOT	1.9 g in 3.5 g
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	1.9 g in 3.5 g
LICORICE (UNII: 61ZBX54883) (LICORICE - UNII:61ZBX54883)	LICORICE	1.9 g in 3.5 g

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72988-0051-1	120 in 1 PACKAGE	02/01/2025	
1		3.5 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/01/2025	

Labeler - Lydia Co., Ltd. (695735569)

Registrant - Lydia Co., Ltd. (695735569)

Establishment

Name	Address	ID/FEI	Business Operations
Lydia Co., Ltd.		695735569	manufacture(72988-0051) , label(72988-0051)

Revised: 2/2025

Lydia Co., Ltd.