

**HAN SHIN EUNGYOSAN EXTRACT GRANULES- honeysuckle flower, forsythia fruit, mentha herb granule**  
**Lydia Co., Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Drug Facts**

Honeysuckleflower 1420mg

ForsythiaFruit 1420mg

Mentha Herb 852mg

corn starch, Lactose Hydrate

■ Pharyngolaryngeal pain due to common cold, thirst, cough and mouth being dry, headache from cold

keep out of reach of the children

**Directions**

■ adult and children 15 years of age and older: one packet (one dose)

■ children 7 to 14 years of age : 1/2 of the adult capacity

■ children 5 to 6 years of age : 1/4 of the adult capacity

**Warnings**

When using this product

■ Do not use Infants and toddlers under the age of five.

■ Do not use in patients with genetic problems such as galactose intolerance, Lapp lactase deficiency, or glucose-galactose malabsorption since this drug contains lactose.

■ Do not use it if the symptoms do not improve after taking it for several days.

■ When used in combination with potassium-containing agents, licorice-containing drugs, and diuretics (e.g., furosemide, ethacrynic acid, trichlormethiazide), myopathy is likely to occur, so take it carefully.

Ask a doctor before use if you have high blood pressure, edema, heart or kidney problems, rash, redness, diabetic, another disease.

Stop use and ask a doctor if the following serious side effects occur. These may be signs of a serious condition.

■ Gastric aldosteronism (decreased urine, swollen face, hands, feet, eyelids, etc.)

■ Myopathy (muscle weakness, cramps, paralysis)

■ Interstitial pneumonia (fever, cough, shortness of breath, lung sound abnormalities)

■ Liver disorders (elevated liver enzymes, jaundice)

■Skin reactions (rash, hives)

■Digestive issues (loss of appetite, stomach discomfort)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children, In case of overdose, get medical help or contact a poison control center right away

for oral use only

### HAN SHIN EUNGYOSAN Extract Granules

<b>Drug Facts</b>	
<b>Active Ingredients</b> (in each dosage unit 3.5g)	<b>Purpose</b>
Honeysuckle flower 1420mg Forsythia Fruit 1420mg Mentha Herb 852mg	Anti-inflammatory action Antibacterial activity Relief of headaches
<b>Uses</b> ■Pharyngolaryngeal pain due to common cold, thirst, cough and mouth being dry, headache from cold	
<b>Warnings</b> <b>When using this product</b> ■Do not use Infants and toddlers under the age of five. ■Do not use in patients with genetic problems such as galactose intolerance, Lapp lactase deficiency, or glucose-galactose malabsorption since this drug contains lactose. ■Do not use it if the symptoms do not improve after taking it for several days. ■When used in combination with potassium-containing agents, licorice-containing drugs, and diuretics (e.g., furosemide, ethacrynic acid, trichlormethiazide), myopathy is likely to occur, so take it carefully. <b>Ask a doctor before use if</b> you have high blood pressure, edema, heart or kidney problems, rash, redness, diabetic, another disease. <b>Stop use and ask a doctor if</b> the following serious side effects occur. These may be signs of a serious condition. ■Gastric aldosteronism (decreased urine, swollen face, hands, feet, eyelids, etc.) ■Myopathy (muscle weakness, cramps, paralysis) ■Interstitial pneumonia (fever, cough, shortness of breath, lung sound abnormalities) ■Liver disorders (elevated liver enzymes, jaundice) ■Skin reactions (rash, hives) ■Digestive issues (loss of appetite, stomach discomfort) <b>If pregnant or breast-feeding</b> , ask a health professional before use. <b>Keep out of reach of children</b> , In case of overdose, get medical help or contact a poison control center right away	
<b>Directions</b> ■adult and children 15 years of age and older: one packet (one dose) ■children 7 to 14 years of age : 1/2 of the adult capacity ■children 5 to 6 years of age : 1/4 of the adult capacity	
<b>Other Information</b> ■ Store at room temperature, 1–30°C (34–86°F)	
<b>Inactive Ingredient</b> corn starch, Lactose Hydrate	
<b>Questions or comments ?</b> Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405 <b>Distributed by</b> : B AND A TRADING CORP. 325 WASHINGTON AVE. ,CARLSTADT, NJ 07072, USA	
<b>Made in South Korea</b>	

# HAN SHIN EUNGYOSAN EXTRACT GRANULES

honeysuckle flower, forsythia fruit, mentha herb granule

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72988-0052
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>FORSYTHIA SUSPENS A FRUIT</b> (UNII: P4793M1E55) (FORSYTHIA SUSPENS A FRUIT - UNII:P4793M1E55)	FORSYTHIA SUSPENS A FRUIT	1420 mg in 3.5 g
<b>LONICERA HYPOGLAUC A FLOWER</b> (UNII: 3ADI26ATFY) (LONICERA HYPOGLAUC A FLOWER - UNII:3ADI26ATFY)	LONICERA HYPOGLAUC A FLOWER	1420 mg in 3.5 g

## Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MENTHA ARVENSIS TOP</b> (UNII: 8J5Y2F7A5X)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72988-0052-1	120 in 1 PACKAGE	02/01/2025	
1		3.5 g in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/01/2025	

**Labeler** - Lydia Co., Ltd. (695735569)

**Registrant** - Lydia Co., Ltd. (695735569)

**Establishment**

Name	Address	ID/FEI	Business Operations
Lydia Co., Ltd.		695735569	manufacture(72988-0052) , label(72988-0052)

Revised: 2/2025

Lydia Co., Ltd.