

MEIJER PAIN RELIEF- acetaminophen tablet
Praxis, LLC

Meijer Distribution, Inc. Pain Relief Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - muscular aches
 - backache
 - minor pain of arthritis
 - the common cold
 - toothache
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning:In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid

*may contain one or more of these ingredients

Questions or comments?

Principal Display Panel

meijer®

EXTRA STRENGTH

Pain Relief

COMPARE TO EXTRA STRENGTH TYLENOL® ACTIVE INGREDIENT



ACETAMINOPHEN

PAIN RELIEVER | FEVER REDUCER | FOR ADULTS

Actual Size

24 CAPLETS

500 mg each



meijer.

EXTRA STRENGTH

Pain Relief

ACETAMINOPHEN
PAIN RELIEVER | FEVER REDUCER | FOR ADULTS




Actual Size

24
CAPLETS
500 mg each

COMPARE TO
EXTRA STRENGTH
TYLENOL®
ACTIVE INGREDIENT**

NDC 41250-484-62



DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING
This product is not manufactured or distributed by
Kenvue Inc., owner of the registered trademark Tylenol®.
DST. BY MEIJER DISTRIBUTION, N.C.
GRAND RAPIDS, MI 49544
www.meijer.com
OUR
QUALITY
GUARANTEE
www.meijer.com/ask
a
question



how2recycle.info

Drug Facts (continued)

Do not use
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have
liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if
■ pain gets worse or lasts more than 10 days
■ fever gets worse or lasts more than 3 days

■ new symptoms occur
■ redness or swelling is present
These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.



48462 6E C6

Drug Facts (continued)

Directions
■ do not take more than directed (see overdose warning)

adults and children 12 years and over
■ take 2 caplets every 6 hours while symptoms last
■ do not take more than 6 caplets in 24 hours, unless directed by a doctor
■ do not use for more than 10 days unless directed by a doctor

ask a doctor
children under 12 years

Other information

■ store at 20-25°C (68-77°F)

Inactive ingredients

croscarmellose sodium*; hypromellose, croscarmellose sodium*; hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid *may contain one or more of these ingredients

Questions or comments?

1-800-719-9280



MEIJER PAIN RELIEF

acetaminophen tablet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:59368-211

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	L484
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59368-211-03	1 in 1 CARTON	08/15/1987	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:59368-211-02	1 in 1 CARTON	10/28/1992	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:59368-211-01	500 in 1 BOTTLE; Type 0: Not a Combination Product	03/13/1992	
4	NDC:59368-211-04	2 in 1 PACKAGE	10/28/1992	
4		1 in 1 CARTON		
4		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/15/1987	

Labeler - Praxis, LLC (016329513)

Establishment

Name	Address	ID/FEI	Business Operations
Praxis, LLC		016329513	pack(59368-211) , manufacture(59368-211) , label(59368-211)

Revised: 1/2023

Praxis, LLC