

**MECLIZINE- meclizine hcl 25 mg tablet, chewable
Bi-Mart**

Drug Facts

Active ingredient (in each tablet)

Meclizine HCl 25mg

Purpose

Antiemetic

Uses

prevents and treats nausea, vomiting or dizziness associated with motion sickness

Warnings

Do not use for children under 12 years of age unless directed by a doctor.

Do not take unless directed by a doctor, if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Do not take if you are taking sedatives or tranquilizers, without first consulting your doctor.

When using this product

- do not exceed recommended dosage
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (800-222-1222) right away.

Directions

- dosage should be taken 1 hour before travel starts

- **adults and children 12 years and over:** take 1 to 2 tablets once daily or as directed by doctor

Other information

- store at room temperature 20°-25°C (68°-77°F)
- **DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED**

Inactive ingredients

Croscarmellose sodium, dextrose, FD&C Red#40, raspberry flavor, magnesium stearate, microcrystalline cellulose, silicon dioxide, sodium saccharine, stearic acid

Questions or comments?

call toll free **1-844-912-4012**

BI-MART NDC 37835-202-01

Compare to
the active ingredient in
Bonine®*

MECLIZINE CHEWABLE

Meclizine Hydrochloride 25 mg
Antiemetic

Treats And Prevents:
■ Motion Sickness
■ Nausea
■ Vomiting

Raspberry Flavor 100 TABLETS

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts	Active Ingredient (in each tablet)	Purpose
Meclizine HCl 25 mg Antiemetic	prevents and treats nausea, vomiting, or dizziness associated with motion sickness	to relieve symptoms of motion sickness
Warnings		
Do not use for children under 12 years of age unless directed by a doctor.		
Do not take unless directed by a doctor if you have:		
■ glaucoma ■ trouble urinating due to an enlarged prostate gland ■ a breathing problem such as emphysema or chronic bronchitis		
Do not take if you are taking sedatives or tranquilizers, without first consulting your doctor.		
When using this product		
■ do not exceed recommended dosage ■ drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic drinks ■ be careful when driving a motor vehicle or operating machinery		
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.		
Directions		
■ dosage should be taken 1 hour before travel starts ■ adults and children 12 years and over: take 1 to 2 tablets once daily or as directed by a doctor		
Other information		
■ store at room temperature 20°-25°C (68°-77°F)		
Inactive Ingredients		
croscarmellose sodium, dextrose, FD&C red #40, flavor, magnesium stearate, microcrystalline cellulose, silicon dioxide, sodium saccharine, stearic acid		
Questions? call toll-free 1-844-912-4012		

*This product is not manufactured or distributed by the owner of the registered trademark Bonine®.

BI-MART UNCONDITIONAL MONEY BACK GUARANTEE
If you are not satisfied with any BI-MART product, return it to BI-MART within 30 days of purchase and your entire purchase price will be cheerfully refunded.

0 71357913756

Distributed by:
BI-MART
Eugene, OR 97402

202-01-BM 08/25

MECLIZINE

meclizine hcl 25 mg tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37835-202
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44C10) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DEXTROSE (UNII: IY9XDZ35W2)	

FD&C RED NO. 40 (UNII: WZB9127XOA)

MAGNESIUM STEARATE (UNII: 70097M6I30)

CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

SACCHARIN SODIUM (UNII: SB8ZUX40TY)

STEARIC ACID (UNII: 4ELV7Z65AP)

RASPBERRY (UNII: 4N14V5R27W)

Product Characteristics

Color	pink (LIGHT PINK COLOR)	Score	2 pieces
Shape	ROUND (ROUND TABLET)	Size	8mm
Flavor		Imprint Code	PH051
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-202-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/14/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	01/14/2026	

Labeler - Bi-Mart (027630078)

Registrant - Bi-Mart (027630078)

Revised: 1/2026

Bi-Mart