SIGNATURE CARE PAIN RELIEF- acetaminophen tablet Praxis, LLC

Better Living Brands LLC Pain Relief Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults and children 12 years and over	 take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor 	
children under 12 vears ask a doctor		

Other information

store at 20-25°C (68-77°F)

Inactive ingredients

carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid

*may contain one or more of these ingredients

Questions or comments?

1-888-723-3929

Principal Display Panel

COMPARE TO Extra Strength Tylenol® Caplets active ingredient

Extra Strength

Pain Relief

ACETAMINOPHEN CAPLETS

500 mg

Pain Reliever/Fever Reducer

Actual Size

For adults

Aspirin free

SEE NEW WARNINGS

500 CAPLETS



Extra Strength

Pain Relief

ACETAMINOPHEN CAPLETS 500 mg

Pain Reliever/Fever Reducer

For adults

Aspirin free

SEE NEW WARNINGS

500 CAPLETS

DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each caplet)

Purpose

Acetaminophen 500 mg. .Pain reliever/fever reducer

Uses temporarily relieves minor aches and pains due to:

- the common cold
 headache
 backache
 minor pain of arthritis
- muscular aches ■ toothache premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

■ skin reddening
■ blisters
■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
 new symptoms occur
- fever gets worse or lasts more than 3 days These could be signs of a serious condition.
- redness or swelling is present

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions	do not take more than directed (see overdose warning)
adults and children 12 years and over	 take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children under 12 vears	ask a doctor

Other information ■ store at 20-25°C (68-77°F)

Inactive ingredients carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid *may contain one or more of these ingredients

Questions or comments? 1-888-723-3929

DISTRIBUTED BY: BETTER LIVING BRANDS LLC, P.O. BOX 99, PLEASANTON, CA 94566-0009 1-888-723-3929/www.betterlivingbrandsLLC.cor

06484 ٦ 급 **This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® Caplets.

OUR PROMISE QUALITY & SATISFACTION
100% GUARANTEED



SIGNATURE CARE PAIN RELIEF

acetaminophen tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:59368-222

ORAL **Route of Administration**

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)

ACETAMINOPHEN

500 mg

Inactive Ingredients		
Ingredient Name	Strength	
CARNAUBA WAX (UNII: R12CBM0EIZ)		
STARCH, CORN (UNII: 08232NY3SJ)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)		

Product Characteristics			
Color	white	Score	no score
Shape	CAPSULE (caplet)	Size	16mm
Flavor		Imprint Code	L484
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59368-222- 04	1 in 1 CARTON	09/01/2015	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:59368-222- 01	1 in 1 CARTON	09/01/2015	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:59368-222- 02	1 in 1 CARTON	09/01/2015	
3		250 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:59368-222- 03	500 in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2015	03/01/2025

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/01/2015	

Labeler - Praxis, LLC (016329513)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxis, LLC		016329513	manufacture(59368-222) , pack(59368-222) , label(59368-222)

Revised: 1/2023 Praxis, LLC