

**BACTIMICINA COUGH AND COLD- dextromethorphan hydrobromide,  
guaifenesin, and phenylephrine hydrochloride solution**  
DLC Laboratories, Inc.

-----  
**BACTIMICINA<sup>®</sup> COUGH AND COLD**

***Drug Facts***

<b><i>Active ingredients (in each 5 mL = 1 teaspoon)</i></b>	<b><i>Purposes</i></b>
Dextromethorphan HBr, USP 10 mg	Cough Suppressant
Guaifenesin, USP 100 mg	Expectorant
Phenylephrine HCl, USP 5 mg	Nasal Decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold:
  - nasal congestion
  - cough due to minor throat and bronchial irritation

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are** taking any other oral nasal decongestant or stimulant.

**When using this product do not use more than directed**

**Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- do not take more than 6 doses in any 24-hour period
- this adult product is not intended for children under 12 years old
- mL=milliliter;tsp=teaspoonful

Age (years)	Dose
12 and over	2 teaspoons (10 mL) every 4 hours
Under 12	do not use

### Other information

- **each teaspoon (5 mL) contains:** sodium 2 mg
- store at 15-30°C (59-86°F)
- measure only with dosage cup provided

### Inactive ingredients

citric acid, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol

### Questions

1-800-858-3889

Manufactured by  
DLC Laboratories, Inc.  
Paramount, CA 90723 USA

### Principal Display

Triple Action Voltee Para Esponol

TRUSTED SINCE 1978

New Look

Adult Formula

Bactimicina

Ages 12+ Years

Multi-Symptom • Liquid

Cough & Cold

Dextromethorphan HBr (Cough Suppressant)

Guaifenesin (Expectorant)

Phenylephrine HCl (Nasal Decongestant)

Non-Drowsy

Cough • Stuffy Nose

Chest Congestion • Mucus

Alcohol Free

Tussin CF

Natural Strawberry Flavor

4 FL OZ (118 mL)



# BACTIMICINA COUGH AND COLD

dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride solution

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:24286-1546
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH)	DEXTROMETHORPHAN	10 mg

(DEXTROMETHORPHAN - UNII:7355X3ROTS)	HYDROBROMIDE	in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	STRAWBERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24286-1546-4	1 in 1 BOX	11/06/2013	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/06/2013	

**Labeler** - DLC Laboratories, Inc. (093351930)

### Establishment

Name	Address	ID/FEI	Business Operations
DLC Laboratories, Inc.		093351930	manufacture(24286-1546) , label(24286-1546)