

**CORN REMOVER PADS- corn remover pads paste**  
**Henan Shouerkang Health Industry Co., Ltd**

-----  
**85056-002**

**Active Ingredient(s)**

Salicylic acid 40%

**Purpose**

corn and callus remover

**Use**

Uses:for softening and removing corns and calluses

**Warnings**

For external use only.

**Do not use**

Do not use if you have allergies to Salicylic acid or latex. Avoid using on healthy skin,open wounds, infected or inflamed areas.

When using this product:keep out of eyes, ears and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if you have poor blood circulation, are diabetic, pregnant or breastfeeding.

Keep out of reach of children if swallowed ,get medical help or contact a Poison Control Center immediately.

**Directions**

- 1.May soak corn/callus in warm water for 5 minutes to assist in removal before apply the patch.
- 2.Clean and dry affected area thoroughly, then apply the patch directly to the corn/callus, ensuring the medication core does not touch surrounding healthy skin. If corn/callus is small than medicated core,remove and trim the core to fit precisely before apply. For extra protection,

- apply a thin layer of Vaseline or a similar protective cream around the corn/callus.
- Secure the patch in place using additional bandage if necessary to prevent any movement during wear.
  - Replace the patch with a fresh one every 12 to 24 hours as needed, adhering to the recommended time frame for optimal efficacy.
  - Continue this application regimen until the corn/callus is fully resolved, repeating steps 1 through 4 as necessary.

## Other information

store between 58°F to 85°F

## Inactive ingredients

Vaseline, Antioxidant, Hard paraffin, Titanium dioxide



**CORN REMOVER PADS**  
With Salicylic Acid

- ◆ Fast acting
- ◆ One step application
- ◆ Ultra thin, flexible and comfort
- ◆ Maximum strength

**24pads**  
with waterproof bandage

**Drug facts**

Active Ingredient	Purpose
Salicylic acid 40%	corn and callus remover

**Uses:** for softening and removing corns and calluses

**Directions:**

- May soak corn/callus in warm water for 5 minutes to assist in removal before apply the patch.
- Clean and dry affected area thoroughly, then apply the patch directly to the corn/callus, ensuring the medication core does not touch surrounding healthy skin. If corn/callus is small than medicated core, remove and trim the core to fit precisely before apply. For extra protection, apply a thin layer of Vaseline or a similar protective cream around the corn/callus.
- Secure the patch in place using additional bandage if necessary to prevent any movement during wear.
- Replace the patch with a fresh one every 12 to 24 hours as needed, adhering to the recommended time frame for optimal efficacy.
- Continue this application regimen until the corn/callus is fully resolved, repeating steps 1 through 4 as necessary.

**Warning:** for external use only  
**When using this product:** keep out of eyes, ears and mouth. In case of contact with eyes, rinse eyes thoroughly with water.  
**Do not use** if you have allergies to Salicylic acid or latex. Avoid using on healthy skin, open wounds, infected or inflamed areas.  
**Stop use and ask a doctor** if you have poor blood circulation, are diabetic, pregnant or breastfeeding.  
**Keep out of reach of children** if swallowed, get medical help or contact a Poison Control Center immediately.

**Other Information:** store between 58°F to 85°F

**Inactive ingredients**  
Vaseline, Antioxidant, Hard paraffin, Titanium dioxide

**Distributed by**  
Henan Shouerkang Health Industry Co., Ltd  
No. 007 Huanghe Avenue, Xinxiang City, China.  
**Contact us at** lesdgoservice@gmail.com

# CORN REMOVER PADS

With Salicylic Acid

- ◆ Fast acting
- ◆ One step application
- ◆ Ultra thin, flexible and comfort
- ◆ Maximum strength



12pads

with waterproof bandage

## Drug facts

Active Ingredient	Purpose
Salicylic acid 40%	corn and callus remover

Uses: for softening and removing corns and calluses

### Directions:

1. May soak corn/callus in warm water for 5 minutes to assist in removal before apply the patch.
2. Clean and dry affected area thoroughly, then apply the patch directly to the corn/callus, ensuring the medication core does not touch surrounding healthy skin. If corn/callus is small than medicated core, remove and trim the core to fit precisely before apply. For extra protection, apply a thin layer of Vaseline or a similar protective cream around the corn/callus.
3. Secure the patch in place using additional bandage if necessary to prevent any movement during wear.
4. Replace the patch with a fresh one every 12 to 24 hours as needed, adhering to the recommended time frame for optimal efficacy.
5. Continue this application regimen until the corn/callus is fully resolved, repeating steps 1 through 4 as necessary.

### Warning: for external use only

**When using this product:** keep out of eyes, ears and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Do not use** if you have allergies to Salicylic acid or latex. Avoid using on healthy skin, open wounds, infected or inflamed areas.

**Stop use and ask a doctor** if you have poor blood circulation, are diabetic, pregnant or breastfeeding.

**Keep out of reach of children** if swallowed, get medical help or contact a Poison Control Center immediately.

**Other Information:** store between 58°F to 85°F

### Inactive ingredients

Vaseline, Antioxidant, Hard paraffin, Titanium dioxide

### Distributed by

Henan Shouer Kang Health Industry Co., Ltd  
No. 007 Huanghe Avenue, Xinxiang City, China.

Contact us at [lesdgoservice@gmail.com](mailto:lesdgoservice@gmail.com)

# CORN REMOVER PADS

With Salicylic Acid

- ◆ Fast acting
- ◆ One step application
- ◆ Ultra thin, flexible and comfort
- ◆ Maximum strength



20pads

with waterproof bandage

## Drug facts

Active Ingredient	Purpose
Salicylic acid 40%	corn and callus remover

Uses: for softening and removing corns and calluses

### Directions:

1. May soak corn/callus in warm water for 5 minutes to assist in removal before apply the patch.
2. Clean and dry affected area thoroughly, then apply the patch directly to the corn/callus, ensuring the medication core does not touch surrounding healthy skin. If corn/callus is small than medicated core, remove and trim the core to fit precisely before apply. For extra protection, apply a thin layer of Vaseline or a similar protective cream around the corn/callus.
3. Secure the patch in place using additional bandage if necessary to prevent any movement during wear.
4. Replace the patch with a fresh one every 12 to 24 hours as needed, adhering to the recommended time frame for optimal efficacy.
5. Continue this application regimen until the corn/callus is fully resolved, repeating steps 1 through 4 as necessary.

### Warning: for external use only

**When using this product:** keep out of eyes, ears and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Do not use** if you have allergies to Salicylic acid or latex. Avoid using on healthy skin, open wounds, infected or inflamed areas.

**Stop use and ask a doctor** if you have poor blood circulation, are diabetic, pregnant or breastfeeding.

**Keep out of reach of children** if swallowed, get medical help or contact a Poison Control Center immediately.

**Other Information:** store between 58°F to 85°F

### Inactive ingredients

Vaseline, Antioxidant, Hard paraffin, Titanium dioxide

### Distributed by

Henan Shouer Kang Health Industry Co., Ltd  
No. 007 Huanghe Avenue, Xinxiang City, China.

Contact us at [lesdgoservice@gmail.com](mailto:lesdgoservice@gmail.com)

# CORN REMOVER PADS

With Salicylic Acid

- ◆ Fast acting
- ◆ One step application
- ◆ Ultra thin, flexible and comfort
- ◆ Maximum strength



18pads

with waterproof bandage

## Drug facts

Active Ingredient	Purpose
Salicylic acid 40%	corn and callus remover

Uses: for softening and removing corns and calluses

### Directions:

1. May soak corn/callus in warm water for 5 minutes to assist in removal before apply the patch.
2. Clean and dry affected area thoroughly, then apply the patch directly to the corn/callus, ensuring the medication core does not touch surrounding healthy skin. If corn/callus is small than medicated core, remove and trim the core to fit precisely before apply. For extra protection, apply a thin layer of Vaseline or a similar protective cream around the corn/callus.
3. Secure the patch in place using additional bandage if necessary to prevent any movement during wear.
4. Replace the patch with a fresh one every 12 to 24 hours as needed, adhering to the recommended time frame for optimal efficacy.
5. Continue this application regimen until the corn/callus is fully resolved, repeating steps 1 through 4 as necessary.

### Warning: for external use only

When using this product: keep out of eyes, ears and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Do not use if you have allergies to Salicylic acid or latex. Avoid using on healthy skin, open wounds, infected or inflamed areas.

Stop use and ask a doctor if you have poor blood circulation, are diabetic, pregnant or breastfeeding.

Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center immediately.

Other Information: store between 58°F to 85°F

### Inactive ingredients

Vaseline, Antioxidant, Hard paraffin, Titanium dioxide

### Distributed by

Henan Shouerkang Health Industry Co., Ltd  
No. 007 Huanghe Avenue, Xinxiang City, China.  
Contact us at [lesdgoservice@gmail.com](mailto:lesdgoservice@gmail.com)

# CORN REMOVER PADS

With Salicylic Acid

- ◆ Fast acting
- ◆ One step application
- ◆ Ultra thin, flexible and comfort
- ◆ Maximum strength



60pads

with waterproof bandage

## Drug facts

Active Ingredient	Purpose
Salicylic acid 40%	corn and callus remover

Uses: for softening and removing corns and calluses

### Directions:

1. May soak corn/callus in warm water for 5 minutes to assist in removal before apply the patch.
2. Clean and dry affected area thoroughly, then apply the patch directly to the corn/callus, ensuring the medication core does not touch surrounding healthy skin. If corn/callus is small than medicated core, remove and trim the core to fit precisely before apply. For extra protection, apply a thin layer of Vaseline or a similar protective cream around the corn/callus.
3. Secure the patch in place using additional bandage if necessary to prevent any movement during wear.
4. Replace the patch with a fresh one every 12 to 24 hours as needed, adhering to the recommended time frame for optimal efficacy.
5. Continue this application regimen until the corn/callus is fully resolved, repeating steps 1 through 4 as necessary.

### Warning: for external use only

When using this product: keep out of eyes, ears and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Do not use if you have allergies to Salicylic acid or latex. Avoid using on healthy skin, open wounds, infected or inflamed areas.

Stop use and ask a doctor if you have poor blood circulation, are diabetic, pregnant or breastfeeding.

Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center immediately.

Other Information: store between 58°F to 85°F

### Inactive ingredients

Vaseline, Antioxidant, Hard paraffin, Titanium dioxide

### Distributed by

Henan Shouerkang Health Industry Co., Ltd  
No. 007 Huanghe Avenue, Xinxiang City, China.  
Contact us at [lesdgoservice@gmail.com](mailto:lesdgoservice@gmail.com)

# CORN REMOVER PADS

With Salicylic Acid

- ◆ Fast acting
- ◆ One step application
- ◆ Ultra thin, flexible and comfort
- ◆ Maximum strength



**42 pads**

with waterproof bandage

## Drug facts

Active Ingredient	Purpose
Salicylic acid 40%	corn and callus remover

**Uses:** for softening and removing corns and calluses

### Directions:

1. May soak corn/callus in warm water for 5 minutes to assist in removal before apply the patch.
2. Clean and dry affected area thoroughly, then apply the patch directly to the corn/callus, ensuring the medication core does not touch surrounding healthy skin. If corn/callus is small than medicated core, remove and trim the core to fit precisely before apply. For extra protection, apply a thin layer of Vaseline or a similar protective cream around the corn/callus.
3. Secure the patch in place using additional bandage if necessary to prevent any movement during wear.
4. Replace the patch with a fresh one every 12 to 24 hours as needed, adhering to the recommended time frame for optimal efficacy.
5. Continue this application regimen until the corn/callus is fully resolved, repeating steps 1 through 4 as necessary.

**Warning:** for external use only

**When using this product:** keep out of eyes, ears and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Do not use** if you have allergies to Salicylic acid or latex. Avoid using on healthy skin, open wounds, infected or inflamed areas.

**Stop use and ask a doctor** if you have poor blood circulation, are diabetic, pregnant or breastfeeding.

**Keep out of reach of children** if swallowed, get medical help or contact a Poison Control Center immediately.

**Other Information:** store between 58°F to 85°F

### Inactive ingredients

Vaseline, Antioxidant, Hard paraffin, Titanium dioxide

### Distributed by

Henan Shouerkang Health Industry Co., Ltd  
No. 007 Huanghe Avenue, Xinxiang City, China.  
Contact us at [lesdgoservice@gmail.com](mailto:lesdgoservice@gmail.com)

# CORN REMOVER PADS

With Salicylic Acid

- ◆ Fast acting
- ◆ One step application
- ◆ Ultra thin, flexible and comfort
- ◆ Maximum strength



**30 pads**

with waterproof bandage

## Drug facts

Active Ingredient	Purpose
Salicylic acid 40%	corn and callus remover

**Uses:** for softening and removing corns and calluses

### Directions:

1. May soak corn/callus in warm water for 5 minutes to assist in removal before apply the patch.
2. Clean and dry affected area thoroughly, then apply the patch directly to the corn/callus, ensuring the medication core does not touch surrounding healthy skin. If corn/callus is small than medicated core, remove and trim the core to fit precisely before apply. For extra protection, apply a thin layer of Vaseline or a similar protective cream around the corn/callus.
3. Secure the patch in place using additional bandage if necessary to prevent any movement during wear.
4. Replace the patch with a fresh one every 12 to 24 hours as needed, adhering to the recommended time frame for optimal efficacy.
5. Continue this application regimen until the corn/callus is fully resolved, repeating steps 1 through 4 as necessary.

**Warning:** for external use only

**When using this product:** keep out of eyes, ears and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Do not use** if you have allergies to Salicylic acid or latex. Avoid using on healthy skin, open wounds, infected or inflamed areas.

**Stop use and ask a doctor** if you have poor blood circulation, are diabetic, pregnant or breastfeeding.

**Keep out of reach of children** if swallowed, get medical help or contact a Poison Control Center immediately.

**Other Information:** store between 58°F to 85°F

### Inactive ingredients

Vaseline, Antioxidant, Hard paraffin, Titanium dioxide

### Distributed by

Henan Shouerkang Health Industry Co., Ltd  
No. 007 Huanghe Avenue, Xinxiang City, China.  
Contact us at [lesdgoservice@gmail.com](mailto:lesdgoservice@gmail.com)

# CORN REMOVER PADS

With Salicylic Acid

- ◆ Fast acting
- ◆ One step application
- ◆ Ultra thin, flexible and comfort
- ◆ Maximum strength



36pads

with waterproof bandage

## Drug facts

<b>Active Ingredient</b>	<b>Purpose</b>
Salicylic acid 40%	corn and callus remover

**Uses:**for softening and removing corns and calluses

### Directions:

1. May soak corn/callus in warm water for 5 minutes to assist in removal before apply the patch.
2. Clean and dry affected area thoroughly, then apply the patch directly to the corn/callus, ensuring the medication core does not touch surrounding healthy skin. If corn/callus is small than medicated core,remove and trim the core to fit precisely before apply. For extra protection, apply a thin layer of Vaseline or a similar protective cream around the corn/callus.
3. Secure the patch in place using additional bandage if necessary to prevent any movement during wear.
4. Replace the patch with a fresh one every 12 to 24 hours as needed,adhering to the recommended time frame for optimal efficacy.
5. Continue this application regimen until the corn/callus is fully resolved, repeating steps 1 through 4 as necessary.

**Warning:**for external use only

**When using this product:**keep out of eyes, ears and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Do not use** if you have allergies to Salicylic acid or latex. Avoid using on healthy skin, open wounds, infected or inflamed areas.

**Stop use and ask a doctor** if you have poor blood circulation, are diabetic, pregnant or breastfeeding.

**Keep out of reach of children** if swallowed, get medical help or contact a Poison Control Center immediately.

**Other information:**store between 58°F to 85°F

### Inactive ingredients

Vaseline, Antioxidant, Hard paraffin, Titanium dioxide

### Distributed by

Henan Shouerkang Health Industry Co., Ltd  
No. 007 Huanghe Avenue, Xinxiang City, China.  
**Contact us at** lesdgoservice@gmail.com

# CORN REMOVER PADS

With Salicylic Acid

- ◆ Fast acting
- ◆ One step application
- ◆ Ultra thin, flexible and comfort
- ◆ Maximum strength



40pads

with waterproof bandage

## Drug facts

<b>Active Ingredient</b>	<b>Purpose</b>
Salicylic acid 40%	corn and callus remover

**Uses:**for softening and removing corns and calluses

### Directions:

1. May soak corn/callus in warm water for 5 minutes to assist in removal before apply the patch.
2. Clean and dry affected area thoroughly, then apply the patch directly to the corn/callus, ensuring the medication core does not touch surrounding healthy skin. If corn/callus is small than medicated core,remove and trim the core to fit precisely before apply. For extra protection, apply a thin layer of Vaseline or a similar protective cream around the corn/callus.
3. Secure the patch in place using additional bandage if necessary to prevent any movement during wear.
4. Replace the patch with a fresh one every 12 to 24 hours as needed,adhering to the recommended time frame for optimal efficacy.
5. Continue this application regimen until the corn/callus is fully resolved, repeating steps 1 through 4 as necessary.

**Warning:**for external use only

**When using this product:**keep out of eyes, ears and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Do not use** if you have allergies to Salicylic acid or latex. Avoid using on healthy skin, open wounds, infected or inflamed areas.

**Stop use and ask a doctor** if you have poor blood circulation, are diabetic, pregnant or breastfeeding.

**Keep out of reach of children** if swallowed, get medical help or contact a Poison Control Center immediately.

**Other information:**store between 58°F to 85°F

### Inactive ingredients

Vaseline, Antioxidant, Hard paraffin, Titanium dioxide

### Distributed by

Henan Shouerkang Health Industry Co., Ltd  
No. 007 Huanghe Avenue, Xinxiang City, China.  
**Contact us at** lesdgoservice@gmail.com

# CORN REMOVER PADS

## With Salicylic Acid

- ◆ Fast acting
- ◆ One step application
- ◆ Ultra thin, flexible and comfort
- ◆ Maximum strength





**6 pads**  
with waterproof bandage

**Drug facts**

<b>Active Ingredient</b>	<b>Purpose</b>
Salicylic acid 40%	corn and callus remover

**Uses:** for softening and removing corns and calluses

**Directions:**

1. May soak corn/callus in warm water for 5 minutes to assist in removal before apply the patch.
2. Clean and dry affected area thoroughly, then apply the patch directly to the corn/callus, ensuring the medication core does not touch surrounding healthy skin. If corn/callus is small than medicated core, remove and trim the core to fit precisely before apply. For extra protection, apply a thin layer of Vaseline or a similar protective cream around the corn/callus.
3. Secure the patch in place using additional bandage if necessary to prevent any movement during wear.
4. Replace the patch with a fresh one every 12 to 24 hours as needed, adhering to the recommended time frame for optimal efficacy.
5. Continue this application regimen until the corn/callus is fully resolved, repeating steps 1 through 4 as necessary.

**Warning:** for external use only  
**When using this product:** keep out of eyes, ears and mouth. In case of contact with eyes, rinse eyes thoroughly with water.  
**Do not use** if you have allergies to Salicylic acid or latex. Avoid using on healthy skin, open wounds, infected or inflamed areas.  
**Stop use and ask a doctor** if you have poor blood circulation, are diabetic, pregnant or breastfeeding.  
**Keep out of reach of children** if swallowed, get medical help or contact a Poison Control Center immediately.

**Other Information:** store between 58°F to 85°F

**Inactive ingredients**  
Vaseline, Antioxidant, Hard paraffin, Titanium dioxide

**Distributed by**  
Henan Shouerkang Health Industry Co., Ltd  
No. 007 Huanghe Avenue, Xinxiang City, China.  
**Contact us at** lesdgoservice@gmail.com

## CORN REMOVER PADS

corn remover pads paste

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85056-002
<b>Route of Administration</b>	CUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	40 g in 100

### Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>ANTIOXIDANT 119</b> (UNII: UBL01213LI)	
<b>PARAFFIN</b> (UNII: I9O0E3H2ZE)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85056-002-01	6 in 1 BOX; Type 0: Not a Combination Product	02/18/2025	
2	NDC:85056-002-02	12 in 1 BOX; Type 0: Not a Combination Product	02/18/2025	
3	NDC:85056-002-03	18 in 1 BOX; Type 0: Not a Combination Product	02/18/2025	

4	NDC:85056-002-04	20 in 1 BOX; Type 0: Not a Combination Product	02/18/2025	
5	NDC:85056-002-05	24 in 1 BOX; Type 0: Not a Combination Product	02/18/2025	
6	NDC:85056-002-06	30 in 1 BOX; Type 0: Not a Combination Product	02/18/2025	
7	NDC:85056-002-07	36 in 1 BOX; Type 0: Not a Combination Product	02/18/2025	
8	NDC:85056-002-08	40 in 1 BOX; Type 0: Not a Combination Product	02/18/2025	
9	NDC:85056-002-09	42 in 1 BOX; Type 0: Not a Combination Product	02/18/2025	
10	NDC:85056-002-10	60 in 1 BOX; Type 0: Not a Combination Product	02/18/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	02/18/2025	

**Labeler** - Henan Shouerkang Health Industry Co., Ltd (707635167)

## Establishment

Name	Address	ID/FEI	Business Operations
Henan Shouerkang Health Industry Co., Ltd		707635167	manufacture(85056-002)

Revised: 2/2025

Henan Shouerkang Health Industry Co., Ltd