FIOBOW FUNGAL NAIL TREATMENT- tolnaftate 1% fungal nail treatment liquid Jiangxi Hemei Pharmaceutical Co., Ltd

84010-071

Active Ingredient

Tolnaftate 1%

Purpose

Antifungal

Use

Cures most Athlete's Foot (Tinea Pedis) and Ringworm (Tinea Corporis). Relieves itching, scaling, cracking, burning, redness, sorenes, and irritation and discomfort. Helps prevent most athlete's foot (dermatophytosis) with daily use.

Warnings

For external use only.

Do not use

on children under 2 years of age unless directed by a doctor.

When Using

avoid contact with eyes.

Stop Use

irritation occurs, there is no improvement within 4 weeks (for athlete's foot and ringworm).

Ask Doctor

irritation occurs, there is no improvement within 4 weeks (for athlete's foot and ringworm).

Keep Out Of Reach Of Children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For athlete's foot and ring

worm: use daily for 4 weeks. Clean the affected area and dry thoroughly. Apply a thin layer of the product over affected

area twice daily (morning and night) or as directed by a doctor. Supervise children in the use of this product. This product is not effective for the treatment of ring worm of the scalp or nails.

For athlete's foot: pay special attention to spaces between the toes, wear well-fitting, ventil ated shoes, and change shoes and socks at least once daily. To prevent athlete's foot, apply once or twice daily (morning and/or night). Apply to skin around the nail and cuticle.

Other information

Store at room temperature 15-30°C (59-86°F)

Inactive ingredients

water, euphorbia hirta whole, glycerin, hydracrylic acid, pseudolarix amabilis bark, resorcinol.

PRINCIPAL DISPLAY PANEL



| FIOBOW FUNGAL NAIL TREATMENT | | | | | | | | |
|--|---------------------------|-----------|------------|-----|---------------|--|--|--|
| tolnaftate 1% fungal nail treatment liquid | | | | | | | | |
| | nenciquia | | | | | | | |
| | | | | | | | | |
| Product Information | | | | | | | | |
| Product Type | HUMAN OTC DRUG | ltem Code | (Source) | NDC | 84010-071 | | | |
| Route of Administration | TOPICAL | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Active Ingredient/Active Moiety | | | | | | | | |
| Ingredient Name Basis of Streng | | | | | Strength | | | |
| TOLNAFTATE (UNII: 06KB629TKV) | (TOLNAFTATE - UNII:06KB62 | 29TKV) | TOLNAFTATE | | 1 g in 100 mL | | | |
| | | | | | | | | |
| | | | | | | | | |
| Inactive Ingredients | | | | | | | | |
| | Ingredient Name | | | | Strength | | | |
| WATER (UNII: 059QF0K00R) | | | | | | | | |

| Μ | Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | | | |
|--|-----------------------|--|-------------------------|-----------------------|--|--|--|--|
| Μ | | | Maykating Ctart | Mayleating End | | | | |
| Marketing Information | | | | | | | | |
| | | | | | | | | |
| | | 0 mL in 1 BOTTLE; Type 0: Not a Combination roduct | 02/18/2025 | | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | | | | |
| Packaging | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| PSEUDOLARIX AMABILIS BARK (UNII: 49G13A93VE) EUPHORBIA HIRTA WHOLE (UNII: L13YF113GN) | | | | | | | | |
| HYDRACRYLIC ACID (UNII: C4ZF6XLD2X) | | | | | | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | | | | | | |
| ЯL | | | | | | | | |

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------------------------|---------|-----------|----------------------------|
| Jiangxi Hemei Pharmaceutical Co., Ltd | | 724892056 | manufacture(84010-071) |

Revised: 2/2025

Jiangxi Hemei Pharmaceutical Co., Ltd