

**QIDILA WHITENING SKIN LIGHTENING CREAM- butylene glycol, butyrospermum parkii (shea butter), kyounin yu, tocopherol, ascorbic acid, niacinamide cream
Beijing JUNGE Technology Co., Ltd.**

Active Ingredients

BUTYLENE GLYCOL 5%
BUTYROSPERMUM PARKII (SHEA BUTTER) 3%
KYOUNIN YU 2%
TOCOPHEROL 1%
ASCORBIC ACID 0.05%
NIACINAMIDE 0.05%

Purpose

Whitening
Anti-wrinkle
Moisturizing
Nourishing
Anti-aging

Uses

- 1 .Clean and dry your skin.
- 2 . Apply a proper amount of the cream on desired area with your fingers, using a circular motion to massage the cream into the skin.
- 3 .Please apply it twice a day(morning and evening)

Warnings

For external use only. Keep out of reach of children. Avoid contact with eyes.

Keep out of reach of children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

CAUTION

After using the product if irritation or rash appears, discontinue use. If irritation or rash persists, consult your doctor.

DOSAGE

Approximately 0.1oz each time

Inactive Ingredients

AQUA,CAMELLIA JAPONICA SEED OIL,CETEARYL ALCOHOL,CETEARYL GLUCOSIDE,OLEA EUROPAEA (OLIVE) FRUIT OIL,CENTELLA ASIATICA ROOT EXTRACT,POLYGONUM CUSPIDATUM ROOT EXTRACT,SCUTELLARIA BAICALENSIS ROOT EXTRACT,CAMELLIA SINENSIS LEAF EXTRACT,GLYCYRRHIZA GLABRA (LICORICE) ROOT EXTRACT,CHAMOMILLA RECUTITA (MATRICARIA) FLOWER EXTRACT,ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT,PEARL POWDER,ARBUTIN,CARBOMER,ARGININE,SODIUM HYALURONATE,1,2-HEXANEDIOL,PROPYLENE GLYCOL,GLYCERYL CAPRYLATE,CAPRYLHYDROXAMIC ACID



QIDILA WHITENING SKIN LIGHTENING CREAM

butylene glycol,butyrospermum parkii (shea butter),kyounin yu,tocopherol,ascorbic acid,niacinamide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:85212-0006 |
| Route of Administration | EXTRACORPOREAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|------------------------------------|------------------|
| TOCOPHEROL (UNII: R0ZB2556P8) (TOCOPHEROL - UNII:R0ZB2556P8) | TOCOPHEROL | 1 g in 100 mL |
| BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155WL9Y) (BUTYROSPERMUM PARKII (SHEA) BUTTER - UNII:K49155WL9Y) | BUTYROSPERMUM PARKII (SHEA) BUTTER | 3 g in 100 mL |

| | | |
|--|---|---------------------|
| PRUNUS ARMENIACA (APRICOT) KERNEL EXTRACT (UNII: 75356789IW) (PRUNUS ARMENIACA (APRICOT) KERNEL EXTRACT - UNII:75356789IW) | PRUNUS ARMENIACA (APRICOT) KERNEL EXTRACT | 2 g in 100 mL |
| NIACINAMIDE (UNII: 25X5118RD4) (NIACINAMIDE - UNII:25X5118RD4) | NIACINAMIDE | 0.05 g in 100 mL |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) (BUTYLENE GLYCOL - UNII:3XUS85K0RA) | BUTYLENE GLYCOL | 5 g in 100 mL |
| ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R) | ASCORBIC ACID | 0.05 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------------------|
| CENTELLA ASIATICA ROOT (UNII: 8MXU1P42J0) | 0.5 mL in 100 mL |
| POLYGONUM CUSPIDATUM ROOT (UNII: 7TRV45YZF7) | 0.5 mL in 100 mL |
| OLEA EUROPAEA (OLIVE) FRUIT OIL (UNII: 6UYK2W1W1E) | 1 mL in 100 mL |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | 0.02 mL in 100 mL |
| GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A) | 0.005 mL in 100 mL |
| CAMELLIA JAPONICA SEED OIL (UNII: U37N0S910T) | 2 mL in 100 mL |
| CARBOMER (UNII: 0A5MM307FC) | 0.05 mL in 100 mL |
| CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W) | 0.0005 mL in 100 mL |
| GLYCYRRHIZA GLABRA (LICORICE) ROOT (UNII: 2788Z9758H) | 0.1 mL in 100 mL |
| SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S) | 0.2 mL in 100 mL |
| ARBUTIN (UNII: C5INA23HXF) | 0.05 mL in 100 mL |
| MATRICARIA CHAMOMILLA (UNII: G0R4UBI2ZZ) | 0.1 mL in 100 mL |
| AQUA (UNII: 059QF0K00R) | 80.4845 mL in 100 mL |
| CAMELLIA SINENSIS LEAF (UNII: W2ZU1RY8B0) | 0.2 mL in 100 mL |
| CETEARYL GLUCOSIDE (UNII: 09FUA47KNA) | 1.5 mL in 100 mL |
| CETEARYL ALCOHOL (UNII: 2DMT128M1S) | 2 mL in 100 mL |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | 0.02 mL in 100 mL |
| ROSEMARY (UNII: IJ67X351P9) | 0.05 mL in 100 mL |
| CALOPHYLLUM INOPHYLLUM SHELL POWDER (UNII: 32KAC96Q0G) | 0.05 mL in 100 mL |
| ARGININE (UNII: 94ZLA3W45F) | 0.05 mL in 100 mL |
| SODIUM HYALURONATE (UNII: YSE9PPT4TH) | 0.02 mL in 100 mL |


Product Characteristics

| | | | |
|-----------------|----------|---------------------|--|
| Color | | Score | |
| Shape | FREEFORM | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:85212-0006-1 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/01/2025 | |

光銀 貼紙尺寸: 117*55mm



银卡

彩盒尺寸: 40*40*104mm
加内卡

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | 505G(a)(3) | 01/01/2025 | |

Labeler - Beijing JUNGE Technology Co., Ltd. (848718652)

Registrant - Beijing JUNGE Technology Co., Ltd. (848718652)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------------------|---------|-----------|-------------------------|
| Zhejiang Ayan Biotech Co., Ltd. | | 544377996 | manufacture(85212-0006) |

Revised: 2/2025

Beijing JUNGE Technology Co., Ltd.