

# **DIPHENHYDRAMINE HYDROCHLORIDE- diphenhydramine hydrochloride tablet**

## **Bi-Mart**

-----

### ***Active ingredient (in each tablet)***

Diphenhydramine HCl 25 mg

### ***Purpose***

Antihistamine

### ***Uses***

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - o runny nose
  - o sneezing
  - o itchy, watery eyes
  - o itchy of the nose or throat
- temporarily relieves these symptoms of the common cold:
  - o runny nose
  - o sneezing

### ***Warnings***

#### **Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

#### **Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers**

#### **When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and other tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,**

ask a health professional before use

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- take every 4 to 6 hours, or as directed by a doctor
- do not take not more than 6 times in 24 hours
- **adults and children 12 years and over:**1 or 2 tablets
- **children 6 to under 12 years:**1 tablet
- **children under 6 years:**do not use

**Other Information**

- **each tablet contains:**calcium 30 mg
- **each tablet contains:**phosphorus 15 mg
- store at room temperature
- protct from moisture
- **DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED.**

**Inactive Ingredients**

Colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, phloxine B lake, polyethylene glycol, polyvinyl alcohol, stearic acid, talc, titanium dioxide.

**Questions?**

call toll free **1-844-912-4012**

**PRINCIPAL DISPLAY PANEL**

**NDC 37835-641-01**

Compare to the active ingredients in Benadryl<sup>®</sup> Allergy ULTRATAB<sup>®</sup> Tablets.\*

**Allergy Medicine**

Antihistamine

**Diphenhydramine HCl 25 mg**

100 Tablets

\*This product is not manufactured or distributed by the owner of the registered

trademark Benadryl® Allergy ULTRATAB® Tablets.

Distributed by:

**BI-MART**

Eugene, OR 97402

0 716900 100617

**BI-MART** NDC 37835-641-01

Compare to the active ingredient in Benadryl® Allergy ULTRATAB® Tablets\*

**ALLERGY MEDICINE**

**ANTIHISTAMINE**

**DIPHENHYDRAMINE HCl 25 MG**

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

- SNEEZING
- ITCHY, WATERY EYES
- RUNNY NOSE
- ITCHY THROAT

**100 TABLETS**

**Drug Facts**

**Active ingredient (in each tablet) Purpose**  
Diphenhydramine HCl 25 mg.....Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose ■ sneezing ■ itchy, watery eyes
- itching of the nose or throat ■ temporarily relieves these symptoms due to the common cold:
- runny nose ■ sneezing

**Warnings**

**Do not use** ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have** ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis ■ difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product** ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and other tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children

**If pregnant or breast-feeding, ask a health professional before use.**

**PEEL FOR DIRECTIONS 641-01-BM 02/25**

**Drug Facts** (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	children 6 to under 12 years	children under 6 years
1 to 2 tablets	1 tablet	do not use

**Other information**

- each tablet contains: calcium 30 mg
- each tablet contains: phosphorus 15 mg
- store at room temperature
- protect from moisture

**Inactive ingredients**

Colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, phloxine B lake, polyethylene glycol, polyvinyl alcohol, stearic acid, talc, titanium dioxide.

**Questions?** call toll-free 1-844-912-4012

\*This product is not manufactured or distributed by the owner of the registered trademark Benadryl® Allergy ULTRATAB® Tablets

Distributed by:  
**BI-MART**  
Eugene, OR 97402

BI-MART UNCONDITIONAL MONEY BACK GUARANTEE  
If you are not completely satisfied with the quality of this product, regardless of the reason, return the unused portion and your entire purchase price will be cheerfully refunded.

<b>DIPHENHYDRAMINE HYDROCHLORIDE</b>			
diphenhydramine hydrochloride tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37835-641
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg	
<b>Inactive Ingredients</b>			
<b>Ingredient Name</b>	<b>Strength</b>		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			

<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL</b> (UNII: 532B59J990)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	D25
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-641-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/01/2025	

**Labeler -** Bi-Mart (027630078)

### Establishment

Name	Address	ID/FEI	Business Operations
Health Pharma USA LLC		080804485	manufacture(37835-641)

Revised: 2/2025

Bi-Mart