

**DENTEMP CANKER COVER- canker cover tablet, extended release  
DOC Brands**

-----  
**Dentemp Canker Cover 8ct**

**Active Ingredient (per each tablet)**

Menthol 2.5 mg

**Purpose**

Ora pain reliever

**Indications**

for the temporary relief of pain associated with Canker Sores

**Warnings**

Do not use this product for more than 7 days unless directed by a dentist or doctor. Stop use and ask a dentist or doctor if • sore mouth symptoms do not improve in 7 days • irritation, pain or redness worsens • swelling, rash or fever develops.

Do not exceed recommended dosage.

If pregnant or breastfeeding or taking prescription drugs, ask a health care professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

• adults and children 5 years of age and older, apply up to 3 tablets a day, as needed. Place the tablet on a clean, dry finger with the white side up. Place the white side on the sore and hold in place for 10 seconds. If sore is difficult to reach (in the fold between the cheek and gum or near the teeth or lip) break the tablet along the score and use half. Some discomfort may occur during the first few minutes, but will quickly subside, followed by hours of soothing relief. Within 30 minutes, the tablet forms a clear, gel-like bandage that seals and protects the sore for hours before dissolving. Do not remove the tablet before it dissolves. In case of discomfort, the tablet may be removed by gently peeling the tablet from the sides while washing with warm water. Do not use any instrument to remove the tablet. • children under 5 years, ask a doctor.

**Other information**

store in a cool, dry place.

**Inactive ingredients**

annatto, carbomer homopolymer type a, citrus oil, hydroxypropyl cellulose, magnesium chloride, povidone K30, povidone K90, silicon dioxide, xylitol

**Questions or comments?**

833-362-2763 or [consumeraffairs@doc-brands.com](mailto:consumeraffairs@doc-brands.com)

**8ct Canker Cover**

**PROPRIETARY MEDICATED TECHNOLOGY**

**NEW LOOK!**

**Dual Layer Design**  
 Medicated Layer: Relieves Pain & Promotes Healing  
 Bioadhesive Layer: Forms Protective Barrier & Stays on While Eating

**Helps Heal as Fast as 1 day:**

- ✔ Canker Sores
- ✔ Mouth Sores
- ✔ Oral Ulcers
- ✔ Irritation from Braces

**Dentemp Canker Cover<sup>®</sup>**

**MEDICATED Oral Pain Reliever**

**Healing Process:**

**Before**



**Application**



**After**



**CLINICALLY PROVEN\***

- ✔ Helps Heal as Fast as **1 Day**
- ✔ Relieves Pain & Heals Sores
- ✔ Up to 12 Hours of Soothing Relief
- ✔ Stays on While Eating

**NO** sucrose, glucose, lactose or preservatives  
 Less than 1 calorie

**8 Complete Treatments**

**PROTECT & HEAL TECHNOLOGY - DUAL LAYER DESIGN**

\*Clinical on File  
 US Pat No 7,943,169  
 www.dentemp.com  
 ©2024 Manut for DCC Brands, Inc.  
 Wayne, PA 19087 USA  
 Made in USA | 210.0006A



3 72494 10210 3

**Drug Facts**

**Active ingredient (per each tablet)**  
 One part water

**Purpose**  
 Indicated for the temporary relief of pain associated with canker sores.

**Warnings**  
 Do not use the product for more than 7 days unless directed by a dentist or doctor.  
 Stop use and ask a dentist or doctor if:  
 • some mouth symptoms do not improve in 7 days  
 • irritation, pain or redness worsens • swelling, rash or fever develops  
 Do not exceed recommended dosage.  
 If pregnant or breastfeeding or taking prescription drugs, ask a health care professional before use.  
 Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-272-1222) right away.

**Directions** • Adults and children 12 years of age and older, apply up to 2 tablets a day as needed. Place the tablet on a clean, dry finger and press it up against the white side on the sore and hold in place for 10 seconds. If sore is difficult to reach (in the fold between the cheek and gum or near the roof of lip) break the tablet along the score and use half. Some discomfort may occur during the first few minutes, but will quickly subside. Followed by hours of soothing relief. Within 30 minutes, the tablet forms a clear, gel-like barrier that seals and protects the sore for hours. Rinse thoroughly. Do not remove the tablet before it dissolves. In case of discomfort, the tablet may be removed by gently peeling the tablet from the sides with a wet cotton swab. Do not use any instrument to remove the tablet.  
 • children under 6 years, ask a doctor.

**Other information** • Keep in a cool, dry place.

**Inactive ingredients** • amoxicillin, calcium hydroxide, calcium phosphate, hydroxyapatite, calcium hydroxide, polyethylene glycol, polyethylene glycol, sodium alginate, xanthan gum, magnesium stearate, polyethylene glycol, sodium alginate, xanthan gum.

**Questions or comments?** • 1-800-272-1222 or [customer@dentemp.com](mailto:customer@dentemp.com)

Dentemp Canker Cover forms a gel barrier that slowly dissolves over 12 hours while protecting from irritants & promoting healing of canker sores, mouth ulcers, small oral wounds, and irritation from braces and other dental appliances.

**DENTEMP CANKER COVER**  
 canker cover tablet, extended release

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73653-212
<b>Route of Administration</b>	ORAL, TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	2.5 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ANNATTO</b> (UNII: 6PQP1V1B6O)	
<b>CARBOMER HOMOPOLYMER TYPE A</b> (UNII: F68VH75CJC)	
<b>CITRUS LIMON FRUIT OIL</b> (UNII: 0HNC1J1YED)	
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ8H6N6OH)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	

## Product Characteristics

<b>Color</b>	pink (ONE SIDE PINK, ONE SIDE WHITE)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>	MINT	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73653-212-08	8 in 1 CARTON	02/02/2023	
1	NDC:73653-212-01	1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M022	02/02/2023	

**Labeler** - DOC Brands (081254601)

