

BONADUR- lidocaine spray
WebRx Pharmacy Palace

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

BonaDur Spray for Men

Active Ingredient (per spray): Lidocaine approx. 10mg

Ask a doctor or pharmacist before use if

- You have liver problems.

Do not use if:

- You or your partner are allergic to lidocaine or topical anesthetics.
- Your partner is or may become pregnant.

- Keep out of reach of Children.
- If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor

- if you or your partner develop a rash or irritation, such as burning or itching. If symptoms persist, consult a doctor.
- Premature ejaculation may be due to a condition requiring medical supervision. If this product, used as directed does not provide relief, discontinue use and consult a doctor.

Warnings:

For external use only.

When using this product

- Do not spray on broken, irritated or sensitive skin.
- Avoid contact with the eyes.

Indications and Usage

Helps in temporarily slowing the onset of ejaculation.

Male genital desensitizing spray with lidocaine

Directions:

Remove plastic cap. Press the actuator repeatedly until product dispenses to prime spray pump. Apply 3 or more sprays not to exceed 10 to the head and shaft of the penis 10 minutes before sexual intercourse or use as directed by a doctor. Recommended initial dosage: 3 sprays. Rub BonaDur into the skin of the penis until all of the product is absorbed. Wash product off after intercourse. Replace plastic cap after each use.

Other Information:

Keep away from fire and flame. Store at 20°-25° C (68°-77° F).

Inactive Ingredients:

Ethyl Alcohol, Propylene Glycol, Purified Water, Oil of Peppermint, Citric Acid, Thymol.

Questions?

Phone 1-877-797-2522 within the United States for reporting serious adverse events associated with use of the product.

To re-order this product or for product information please visit: www.BonaDur.com

OTC -Purpose

Anesthetic - Helps temporarily prolong the time until ejaculation

BonaDur® For Men



RxPalat

Male genital
desensitizing
spray with
lidocaine

HELPS
TEMPORARILY
PROLONG THE
TIME UNTIL
EJACULATION

RAPID
ACTING
LIDOCAINE
BASED
FORMULA



Male genital

desensitizing spray with lidocaine

HELPS TEMPORARILY PROLONG THE TIME UNTIL EJACULATION

RAPID ACTING LIDOCAINE BASED FORMULA

Net Contents .25fl oz (7.4ml)

BONADUR			
lidocaine spray			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70582-999
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98P200987)		LIDOCAINE HYDROCHLORIDE ANHYDROUS	10 mg in 1 mg

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
THYMOL (UNII: 3J50XA376E)	
SACCHARIN (UNII: FST467XS7D)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70582-999-74	1 in 1 BOX	07/24/2015	
1		10 mg in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/24/2015	

Labeler - WebRx Pharmacy Palace (136202699)

Establishment

Name	Address	ID/FEI	Business Operations
WebRx Pharmacy Palace		136202699	manufacture(70582-999)

Revised: 11/2018

WebRx Pharmacy Palace