

VTRUUY TATTOO NUMBING CREAM- tattoo numbing cream cream
Guangzhou Zanming Trading Co., Ltd.

85150-004

Active Ingredient

Lidocaine 5%

Purpose

Local Anesthetic

Use

For the temporary relief of localized pain, itching, or discomfort from minor skin irritations.

Warnings

For external use only.

Do not use

If allergic to any ingredients.

When Using

Do not get into the eyes. Do not exceed recommended dosage unless directed by a doctor. Do not put this product into the rectum by using fingers or any mechanical device or applicator.

Stop Use

If condition worsens or does not improve within 7 days. If allergic reaction occurs to ingredients in this product. If symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase. If symptoms clear up and return within a few days.

Ask Doctor

If pregnant or breastfeeding. If condition worsens or does not improve within 7 days. If allergic reaction occurs to ingredients in this product. If symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase. If symptoms clear up and return within a few days.

Keep Out Of Reach Of Children

Keep out of reach of children. If swallowed, get medical help.

Directions

When practical, clean the area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before applying. Adults and children 12 years and older: apply externally to the affected area up to 4 times a day. Children under 12 years: consult a doctor. To use finger cots: roll one finger cot over the finger. Gently squeeze cream on to the finger cot. Smooth a layer of the cream.

Other information

Store at room temperature 59° - 86°F (15° - 30°C). Avoid direct sunlight. Do not use if tamper - evident packaging has been breached or is missing.

Inactive ingredients

Tocopheryl Acetate, Emu Oil, Propylene Glycol, Arnica, Glycerin, Menthol, Aescinns Hippocastanum (Horse Chestnut) Extract, Lecithin(Soybean), Curcuma Longa Extract, Aqua

PRINCIPAL DISPLAY PANEL



label size : 137*30mm

VTOLRY®

Drug Facts
Active Ingredients
 Lidocaine 3% Local Anesthetic
Purpose
 For the temporary relief of localized pain, itching, or discomfort from minor skin irritations.
Uses
 For the temporary relief of localized pain, itching, or discomfort from minor skin irritations.
Warnings For external use only.
When using this product
 Do not get into the eyes. Do not exceed recommended dosage unless directed by a doctor. Do not put this product into the rectum by using fingers or any mechanical device or applicator.
Stopping and ask a doctor if
 Condition worsens or does not improve within 7 days. Allergic reaction occurs to ingredients in this product. Symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase. Symptoms clear up and return within a few days.



Drug Facts (Continued)
Keep out of reach of children. If swallowed, get medical help. Do not use if allergic to any ingredients. If pregnant or breastfeeding, ask a health professional before use.
Directions When practical, clean the area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with sterile tissue or a soft cloth before applying. Adults and children 12 years and older apply externally to the affected area up to 4 times a day. Children under 12 years of age: consult a doctor. Use finger cot: roll one finger cot over the finger. Gently spread cream on to the finger cot. Smooth it over of the cream.
Other Information Store at room temperature 59°-86°F (15°-30°C). Avoid direct sunlight. Do not use if tamper evident packaging has been breached or is missing.
Inactive Ingredients Tocopheryl Acetate, Emu Oil, Propylene Glycol, Arnica, Glycerin, Menthol, Aesculus Hippocastanum (Horse Chestnut) Extract, Lecithin (Soybean), Curcuma Longa Extract, Aqua

HOW TO USE THIS PRODUCT?
Key points for use
 Point 1: Apply a thick layer of numbing cream to the desired area and tightly wrap the treated area with plastic wrap. Wait for 40 to 50 minutes.
 Point 2: Remove the plastic wrap and wipe off any remaining cream. Wait an additional 10 to 20 minutes for the numbing effect to reach its peak before beginning the tattoo procedure.
Distributed by VTOLRY
 Nanshan District, Shenzhen 518000, Guangdong, China

Package size: 44.5*44.5*56mm

VTROUY TATTOO NUMBING CREAM

tattoo numbing cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85150-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
HORSE CHESTNUT (UNII: 3C18L6RJAZ)	

SOYBEAN (UNII: L7HT8F1ZOD)	
EMU OIL (UNII: 344821WD61)	
MENTHOL (UNII: L7T10EIP3A)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
CURCUMA LONGA (TURMERIC) ROOT POWDER (UNII: 856YO1Z64F)	
AQUA (UNII: 059QF0KO0R)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85150-004-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	02/20/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/20/2025	

Labeler - Guangzhou Zanming Trading Co., Ltd. (452690028)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Zanming Trading Co., Ltd.		452690028	manufacture(85150-004)

Revised: 2/2025

Guangzhou Zanming Trading Co., Ltd.