# NEKVNRO LIDOCAINE 4% TATTOO NUMBING CREAM SET- lidocaine 4% tattoo numbing cream set cream Guoyu Trading Co., Ltd.

-----

84844-018

### **Active Ingredient**

Lidocaine 4%

#### **Purpose**

Local Anesthetic

#### Use

For temporary relief of local discomfort, itching, pain, soreness, or burning related to the tattoo process.

#### **Warnings**

For external use only.

#### Do not use

- ■In children less than 2 months of age on open skin wounds.
- ■Do not exceed the recommended daily dosage unless directed by a doctor.

# When Using

section

Avoid contact with eyes. If this happens, rinse thoroughly with water.

# Stop Use

section

Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. If symptoms do not subside completely within 7 days, seek medical help.

#### **Ask Doctor**

Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms.

■If symptoms persist for more than 7 days or subside but occur again within 3 days,

stop use and consult a physician. If symptoms do not subside completely within 7 days, seek medical help.

### Keep Oot Of Reach Of Children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- ■Before applying the numbing cream, thoroughly wash your hands and wear disposable tattoo gloves.
- ■Clean the area of the body receiving the tattoo. Dry completely.
- ■Apply a generous amount of numbing cream to the cleaned area and rub it in thoroughly in a circular motion for 30 to 60 seconds. Then, cover with plastic wrap.
- ■Leave the cream and wrap in place for 30 to 45 minutes. Wipe away the cream and thoroughly clean the area to prepare for a pain-free tattoo.

After getting a tattoo

Carefully peel off the backing of the aftercare sheet and apply it to the tattoo, ensuring there are no air bubbles.

Change the aftercare sheet regularly, typically recommended every 24 hours.


#### Other information

Store between 15-30°C(59-86°F). Avoid freezing and excessive heat above 40°C(104°F).

# **Inactive ingredients**

Water , Carbomer 934 , Propylene Glycol, Soybean Lecithin, . Alpha. - Tocopherol Acetate, Benzyl Alcohol.

#### PRINCIPAL DISPLAY PANEL



## **NEKVNRO LIDOCAINE 4% TATTOO NUMBING CREAM SET**

lidocaine 4% tattoo numbing cream set cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84844-018
Route of Administration	TOPICAL		

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) LIDOCAINE 4 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
<b>CARBOMER 934</b> (UNII: Z135WT9208)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84844-018- 01	2 in 1 BOX	02/20/2025	
1		20 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/20/2025	
3 1 3			

# Labeler - Guoyu Trading Co., Ltd. (963348600)

Establishment				
Name	Address	ID/FEI	Business Operations	
Guoyu Trading Co., Ltd.		963348600	manufacture(84844-018)	

Revised: 2/2025 Guoyu Trading Co., Ltd.