

**DOCUSATE SODIUM- docusate sodium capsule, liquid filled**  
**Cardinal Health 107, LLC**

-----  
**Docusate Sodium, USP**

**Stool Softener**

**Active ingredient (in each softgel)**

Docusate Sodium 250 mg

**Purpose**

Stool Softener

**Keep Out of Reach of Children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Uses**

- For the relief of occasional constipation.
- Helps to prevent dry, hard stools.
- This product generally produces a bowel movement within 12 to 72 hours.

**Warnings**

**Do not use:**

- If you are currently taking mineral oil, unless directed by a doctor.
- When abdominal pain, nausea, or vomiting are present.
- For longer than one week unless directed by a doctor.

**Ask a doctor before use**

if you notice a sudden change in bowel habits that persists over a period of two weeks.

**Stop use and ask a doctor**

if you have rectal bleeding or you fail to have a bowel movement after use.

**If you are pregnant or breast-feeding,**

ask a healthcare professional before use.

## Directions

Adults and Children over 12 years of age	Take orally 1 softgel preferably at bedtime for 2-3 days or until bowel movements are normal, or as directed by a doctor.
Children under 12 years of age	Do not use this product for children under 12 years of age, unless directed by a doctor.

## Other Information

- **Each softgel contains 13 mg of Sodium.**
- Store at room temperature between 15°C to 30°C (59°F to 86°F).
- Do not use if printed seal under cap is broken or missing.
- For identification purposes, each softgel will have an imprint that reads NV12.

## Inactive ingredients

FD&C Red #40, FD&C Yellow #6, Gelatin, Glycerin, Ink (Edible), Polyethylene Glycol, Propylene Glycol, Purified Water, Sorbitol

## Questions

Call 1-855-361-3993

.

Overbagged with 10 softgels per bag, NDC 55154-4341-0

WARNING: This Unit Dose package is not child resistant and is Intended for Institutional Use Only. Keep this and all drugs out of the reach of children.

Manufactured for:

AvKARE, Inc.

Pulaski, TN 38478

USA

**Distributed By:**

**Cardinal Health**

Dublin, OH 43017

L5365630-10724 / L5365630-20724

AV Rev. 05/16 (P)

## Principal Display Panel

NDC 55154-4341-0

# DOCUSATE SODIUM, USP 250 mg

STOOL SOFTENER

10 SOFTGELS



Z117

NDC 55154-4341-0

## DOCUSATE SODIUM, USP 250 mg STOOL SOFTENER

10 SOFTGELS

### Dietary Supplement

- Each softgel contains 13 mg of Sodium.
- For identification purposes, each softgel will have an imprint that reads NV12.

### Drug Facts

Active Ingredient (in each softgel)	Purpose
Docosate Sodium 250 mg	Stool Softener

### Inactive Ingredients

FD&C Red #40, FD&C Yellow #6, Gelatin, Glycerin, Ink (Edible), Polyethylene Glycol, Propylene Glycol, Purified Water, Sorbitol.

### Uses

- For the relief of occasional constipation.
- Helps to prevent dry, hard stools.
- This product generally produces a bowel movement within 12 to 72 hours.

**STORAGE:** Store at Room Temperature between 15° C to 25° C (59° to 77° F).

**WARNING:** This Unit Dose package is not child resistant and is Intended for Institutional Use Only.

**KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.**

If pregnant or breast-feeding, ask a healthcare professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If dispensed for outpatient use, a child-resistant container should be utilized.

Bend at perforation before tearing

Questions? Call 1-855-361-3993

Manufactured for: AvKARE  
Pulaski, TN 38478  
AVPAK™

A PRODUCT OF AvKARE  
Made in USA  
Mfg. Formula 8064

Distributed by Cardinal Health  
Dublin, OH 43017  
L5365630-10724

Lot:           Exp:

Distributed by Cardinal Health  
Dublin, OH 43017

L5365630-20724

### Drug Facts (continued)

#### WARNINGS Do not use:

- If you are currently taking mineral oil, unless directed by a doctor.
  - When abdominal pain, nausea or vomiting are present.
  - For longer than one week unless directed by a doctor.
- Ask a doctor before use if you notice a sudden change in bowel habits that persists over a period of two weeks.  
Stop use and ask a doctor if
- You have rectal bleeding
  - You fail to have a bowel movement after use.

### Directions

Adults and children over 12 years of age	Take orally 1 softgel preferably at bedtime for 2-3 days or until bowel movements are normal, or as directed by a doctor.
--	---

Children under 12 years of age	Do not use this product for children under 12 years of age, unless directed by a doctor.
--------------------------------	--

## DOCUSATE SODIUM

docosate sodium capsule, liquid filled

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55154-4341(NDC:50268-268)
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	250 mg

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN, UNSPECIFIED</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL 1000</b> (UNII: U076Q6Q621)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	NV12
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55154-4341-0	10 in 1 BAG	05/17/2017	08/31/2026
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	05/17/2017	08/31/2026

**Labeler** - Cardinal Health 107, LLC (118546603)

Revised: 8/2025

Cardinal Health 107, LLC