LEADER ACETAMINOPHEN- acetaminophen tablet Praxis, LLC

Cardinal Health Acetaminophen Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning:This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning:In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults and children 12 years and over	 take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children under 12 yearslask a doctor	

Other information

store at 20-25°C (68-77°F)

Inactive ingredients

carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid *may contain one or more of these ingredients

Questions or comments?

1-800-719-9260

Principal Display Panel

LEADER ™

Extra Strength

Acetaminophen Caplets, 500 mg

Pain Reliever / Fever Reducer

COMPARE TO EXTRA STRENGTH TYLENOL ® CAPLETS active ingredient

For Adults

100% Money Back Guarantee

Actual Size

24 CAPLETS





"This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Extra Strength Tylenol" Caplets. C2024 GadnalHealth, GRDNAL HEALTH, the Cardi Health LGG, LBJDB, and the LEALER LGG Gae trad or registered trademarks of Cardinal Health, All other are the property of their resetthe ownes. DISTRIBITED BY CARDINAL HEALTH DUBLN, OHIO 4500T www.nyleader.com 1-800-200-535 1000% Money Back Guarantee Return to place of purchase if rot satisfied

Back Guarantee purchase if not satisfied

LEADER

NDC 70000-0373-1

Extra Strength Acetaminophen

Caplets, 500 mg Pain Reliever / Fever Reducer

For Adults

COMPARE TO EXTRA STRENGTH TYLENOL CAPLETS

00% Money Back Guarantee



24 CAPLETS

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg.. fever reducer

Purpose

Uses

 temporarily relieves minor aches and pains due to:

- headache
- muscular aches minor pain of arthritis backache
- the common cold
- premenstrual and menstrual cramps temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.

Drug Facts (continued)

- Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than
- new symptoms occur
- redness or swelling is present These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health

professional before use. Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions

■ do not take more than directed (see overdose warning)

adults and children and over


- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor ■ do not use for more
- than 10 days unless directed by a doctor

children under 12 years ask a doctor

Other information

Inactive ingredients carnauba wax. corn starch* croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid *may contain one or more of these ingredients

Ouestions or comments? 1-800-719-9260





48462 E9 C2



500 mg

LEADER ACETAMINOPHEN

acetaminophen tablet

Product Information

HUMAN OTC DRUG NDC:59368-228 **Product Type** Item Code (Source)

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) **ACETAMINOPHEN**

Inactive Ingredients		
Ingredient Name	Strength	
CARNAUBA WAX (UNII: R12CBM0EIZ)		
STARCH, CORN (UNII: O8232NY3SJ)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)		

Product Characteristics			
Color	white	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	L484
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59368-228- 03	1 in 1 CARTON	08/13/2018	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:59368-228- 01	1 in 1 CARTON	08/13/2018	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:59368-228- 02	500 in 1 BOTTLE; Type 0: Not a Combination Product	08/13/2018	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	08/13/2018		

Labeler - Praxis, LLC (016329513)

Establishment			
Name	Address	ID/FEI	Business Operations
Praxis, LLC		016329513	label(59368-228), manufacture(59368-228), pack(59368-228)

Revised: 1/2023 Praxis, LLC