

**ALVEORA CORN WART REMOVER- salicylic acid 17% corn wart remover liquid**  
**Jiangxi Hemei Pharmaceutical Co., Ltd**

-----  
**84010-076**

**Active Ingredient**

Salicylic acid 17%

**Purpose**

Wart remover

**Use**

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

**Warnings**

For external use only. Flammable. Keep away from fire and flame.

**Do not use**

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

**When Using**

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

**Stop Use**

Stop use and ask a doctor if discomfort persists.

**Ask Doctor**

Stop use and ask a doctor if discomfort persists.

**Keep Out Of Reach Of Children**

If swallowed, get medical help or contact the Poison Control Center (1-800-222-

1222)right away.

### **Directions**

Wash the affected area.

May soak wart in warm water for 5 minutes.Dry area thoroughly.

Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry.

Repeat this procedure once or twice daily as needed (until wart is removed) for upto 12 weeks.

### **Other information**

Store at room temperature.Avoid excessive heat (37°C/99°F).Skin discoloration may occur during or after use.



### **Inactive ingredients**

Water,Polyethylene Glycol,Glycerin,Borneol,Podofilox

### **PRINCIPAL DISPLAY PANEL**



**Stop use and ask a doctor if discomfort persists.**  
**Keep out of reach of children.** If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.  
**Directions**  
 Wash the affected area.  
 May soak wart in warm water for 5 minutes. Dry area thoroughly.  
 Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.  
**Other information**  
 Store at room temperature.  
 Avoid excessive heat (37°C / 99°F).  
 Skin discoloration may occur during or after use.  
**Inactive ingredients:**  
 Water ..... 52.5%  
 Polyethylene Glycol ..... 16%  
 Glycerin ..... 8%  
 Borneol ..... 6%  
 Podofilox ..... 0.5%

NINTH FLOOR, UNIT 1, BUILDING 1,  
 ORIENTAL PEARL, ZHANGSHU, JIANGXI  
 331200, CHINA (CHN).  
 MANUFACTURED BY:JIANGXI HEMEI  
 PHARMACEUTICAL CO., LTD.

**Alveora™**

**STRONG FORMULA**

**CORN & WART REMOVER**  
 SALICYLIC ACID


**Works Quickly**

FORMS A PROTECTIVE LAYER

 **RECOMMENDED FOR WART REMOVAL**

NET WT: 30ml / 1fl oz

**Drug Facts**  
**Active ingredient:** Salicylic acid 17%  
**Purpose:** Wart remover  
**Uses**  
 For the removal of common warts and plantar warts.  
 Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.  
**Warnings**  
 For external use only. Flammable. Keep away from fire and flame.  
**Do not use**  
 on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.  
**When using this product**  
 Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.  
 Cap tightly and store at room temperature, away from heat.

  
 6 974603 169355 3

**Alveora™**

**STRONG FORMULA**

**CORN & WART REMOVER**  
 SALICYLIC ACID

**Works Quickly**

FORM A PROTECTIVE MASK IN MINUTE

 **RECOMMENDED FOR WART REMOVAL**

NET WT: 30ml / 1fl oz

## ALVEORA CORN WART REMOVER

salicylic acid 17% corn wart remover liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84010-076
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>BORNEOL</b> (UNII: M89NIB437X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PODOFILOX</b> (UNII: L36H50F353)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-076-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/21/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	02/21/2025	

**Labeler** - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

## Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-076)

Revised: 2/2025

Jiangxi Hemei Pharmaceutical Co., Ltd