

ALVEORA TATTOO NUMBING- lidocaine4% tattoo numbing cream
Jiangxi Hemei Pharmaceutical Co., Ltd

84010-077

Active Ingredient

Lidocaine 4%

Purpose

Local Anesthetic

Use

For temporary relief of local discomfort, itching, pain, soreness, or burning related to the tattoo process.

Warnings

For external use only.

Do not use

In children less than 2 months of age on open skin wounds. Do not exceed the recommended daily dosage unless directed by a doctor.

When Using

Avoid contact with eyes. If this happens, rinse thoroughly with water.
If symptoms persist for more than 7 days or subside but occur again within 3 days, stop use and consult a physician.

Stop Use

Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. If symptoms do not subside completely within 7 days, seek medical help.

Ask Doctor

Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. If symptoms do not subside completely within 7 days, seek medical help.

Keep Out Of Reach Of Children

Keep out of reach of children.

Directions

Before applying the numbing cream, thoroughly wash your hands and wear disposable tattoo gloves. Clean the area of the body receiving the tattoo. Dry completely.

Apply a generous amount of numbing cream to the cleaned area and rub it in thoroughly in a circular motion for 30 to 60 seconds. Then, cover with plastic wrap.

Leave the cream and wrap in place for 30 to 45 minutes. Wipe away the cream and thoroughly clean the area to prepare for a pain-free tattoo.

Other information

Store between 15-30°C(59-86 F). Avoid freezing and excessive heat above 40°C(104°F).

Inactive ingredients

Water, Carbomer 934, Propylene Glycol, Soybean Lecithin, Alpha-Tocopherol Acetate, Benzyl Alcohol.

PRINCIPAL DISPLAY PANEL

23*40*138mm

Drug facts	Purpose
Active ingredient Lidocaine 4%	Local Anesthetic
Uses For temporary relief of local discomfort, itching, pain, soreness, or burning related to the tattoo process.	
Warnings ■ For external use only.	
Do not use ■ In children less than 2 months of age on open skin wounds. ■ Do not exceed the recommended daily dosage unless directed by a doctor. ■ Avoid contact with eyes. If this happens, rinse thoroughly with water. ■ If symptoms persist for more than 7 days or subside but occur again within 3 days, stop use and consult a physician. ■ Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. If symptoms do not subside completely within 7 days, seek medical help. ■ Keep out of reach of children.	
Directions ■ Before applying the numbing cream, thoroughly wash your hands and wear disposable tattoo gloves. ■ Clean the area of the body receiving the tattoo. Dry completely. ■ Apply a generous amount of numbing cream to the cleaned area and rub it in thoroughly in a circular motion for 30 to 60 seconds. Then, cover with plastic wrap. ■ Leave the cream and wrap in place for 30 to 45 minutes. Wipe away the cream and thoroughly clean the area to prepare for a pain-free tattoo.	
Storage and Handling Store between 15-30 °C (59-86°F). Avoid freezing and excessive heat above 40°C (104°F).	
Inactive ingredients Water, Carbomer 934, Propylene Glycol, Soybean Lecithin, Alpha-Tocopherol Acetate, Benzyl Alcohol.	



NINTH FLOOR, UNIT 1,
BUILDING 1, ORIENTAL
PEARL, ZHANGSHU, JIAN
GX, CHINA(CHN).
MANUFACTURED BY: JIANGXI
HEMEI PHARMACEUTICAL CO., LTD.

ALVEORA

ALVEORA

LIDOCAINE 4%

TATTOO
NUMBING
CREAM

CRAFTED FOR PAINLESS
TATTOOING

REACHES PEAK AT 25 MINUTES
MAINTAINS PAINLESS SNESS
FOR 8 HOURS



FOR PIERCING/TATTOOS
INJECTION/WAXING
DERMA ROLLER
LASER RESURFACING

NET WT 20g (0.7 OZ)

CRAFTED FOR PAINLESS
TATTOOING

ALVEORA TATTOO NUMBING

lidocaine4% tattoo numbing cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84010-077
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER 934 (UNII: Z135WT9208)	
WATER (UNII: 059QF0KO0R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-077-01	20 g in 1 TUBE; Type 0: Not a Combination Product	02/21/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/21/2025	

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-077)

Revised: 2/2025

Jiangxi Hemei Pharmaceutical Co., Ltd