

**ACETAMINOPHEN GELCAPS- acetaminophen tablet**  
**TARGET CORPORATION**

-----  
**673T Target Acetaminophen Gelcaps**

***Drug Facts***

***Active ingredient (in each gelcap)***

Acetaminophen USP 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

---

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 gelcaps every 6 hours while symptoms last</li><li>• do not take more than 6 gelcaps in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	ask a doctor

---

**Other information**

- each gelcap contains: **sodium 1 mg**
- store between 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F)

**Inactive ingredients** croscarmellose sodium, colloidal anhydrous silica, D&C red #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, ferric oxide red, ferric oxide yellow, ferrosoferric oxide, gelatin, hypromellose, polyethylene glycol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide

**Questions or comments?** Call **1-800-910-6874**

Compare to active ingredient in  
Extra Strength Tylenol®  
Rapid Release Gels\*

# Acetaminophen

500 mg Gelcaps,  
Pain Reliever / Fever Reducer  
For Adults

DO NOT USE WITH OTHER MEDICINES  
CONTAINING ACETAMINOPHEN



225 GELCAPS



TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

**Drug Facts**

**Active ingredient (in each gelcap)**  
Acetaminophen USP 500 mg.....Pain reliever/fever reducer

**Purpose**

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen

**Drug Facts (continued)**

(prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have liver disease**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)

**Drug Facts (continued)**

adults and children 12 years and over

- take 2 gelcaps every 6 hours while symptoms last
- do not take more than 6 gelcaps in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

children under 12 years

ask a doctor

**Other information** each gelcap contains: sodium 1 mg

- store at 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F)
- avoid high humidity

**Inactive ingredients**

colloidal anhydrous silica, croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, ferric oxide red, ferric oxide yellow, ferrous ferrous oxide, gelatin, hypromellose, polyethylene glycol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide

**Questions or comments?** Call 1-800-910-6874

This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Extra Strength Tylenol® Rapid Release Gels.

Contains No Aspirin  
094.01.0048 R00 C-002262-01-034-0000

Distributed by Target Corporation  
Minneapolis, MN 55403  
Made in India  
TM & ©2025 Target Brands, Inc.  
673T 0425

LOT: 3  
EXP: 1167367434 5

Varnish Omit

**Drug Facts (continued)**

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have liver disease**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)

adults and children 12 years and over

- take 2 gelcaps every 6 hours while symptoms last
- do not take more than 6 gelcaps in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

children under 12 years

ask a doctor

**Other information**

- each gelcap contains: sodium 1 mg
- store at 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F)
- avoid high humidity

**Inactive ingredients**

colloidal anhydrous silica, croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, ferric oxide red, ferric oxide yellow, ferrous ferrous oxide, gelatin, hypromellose, polyethylene glycol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide

**Questions or comments?** Call 1-800-910-6874

Contains No Aspirin

Adhesive Area

1/16" Margin

Compare to active ingredient in Extra Strength Tylenol® Rapid Release Gels\*

# Acetaminophen

500 mg Gelcaps,  
Pain Reliever / Fever Reducer  
For Adults



100 GELCAPS

DO NOT USE WITH OTHER MEDICINES  
CONTAINING ACETAMINOPHEN



TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

**Drug Facts**

**Active ingredient (in each gelcap)**  
Acetaminophen USP 500 mg.....Pain reliever/fever reducer

**Purpose**

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Drug Facts (continued under label)**

NDC 11673-674-73  
094.01.0547 R00 C-002262-01-034-0000

This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Extra Strength Tylenol® Rapid Release Gels.

Dist. by Target Corp.  
Mpls, MN 55403  
Made in India  
TM & ©2025  
Target Brands, Inc.

LOT: 3  
EXP: 1167367473 4

Varnish Omit Area

Contains No Aspirin  
094.01.0547 R00 C-002262-01-034-0000

Distributed by Target Corporation  
Minneapolis, MN 55403  
Made in India  
TM & ©2025 Target Brands, Inc.  
673T 0425

LOT: 3  
EXP: 1167367473 4

Varnish Omit Area

# Acetaminophen

500 mg Gelcaps,  
Pain Reliever /  
Fever Reducer  
For Adults

DO NOT USE WITH OTHER MEDICINES  
CONTAINING ACETAMINOPHEN



50 GELCAPS

RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

## Drug Facts

### Active ingredient (in each gelcap)

Acetaminophen USP 500 mg ..... Pain reliever/fever reducer

### Uses

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: skin redness blisters rash

If a skin reaction occurs, stop use and seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Directions

do not take more than directed (see overdose warning) adults and children 12 years and over: take 2 gelcaps every 6 hours while symptoms last do not take more than 6 gelcaps in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor children under 12 years: ask a doctor

**Other information** each gelcap contains: sodium 1 mg store at 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F) avoid high humidity

**Questions or comments?** Call 1-800-910-6874 Contains No Aspirin 6/3T 04/25

Dist. by Target Corp., Mpls., MN 55403 NDC11673614-08

Made in India 094 01 05-48 R0Q

TM & ©2025 Target Brands, Inc. C-002262-01-034-0000

LOT:

EXP.:

Varnish Omit Area

Varnish/Print Omit Area

Compare to active ingredient in Extra Strength Tylenol® Rapid Release Gels\*

# Acetaminophen

500 mg Gelcaps, Pain Reliever / Fever Reducer



For Adults

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

50 GELCAPS



Actual Size  
500 mg Gelcaps

Varnish Omit

Varnish Omit

RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

### Drug Facts

**Active ingredient (in each gelcap)** Acetaminophen USP 500 mg... Pain reliever/fever reducer

### Uses

Temporarily relieves minor aches and pains due to:  
■ headache ■ muscle aches ■ backache  
■ minor pain of arthritis ■ the common cold  
■ toothache ■ premenstrual and menstrual cramps  
■ temporarily reduces fever

### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ more than the dose containing acetaminophen  
■ 3 or more alcohol drinks every day while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin redness ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

### Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**



500 mg Gelcaps,  
Pain Reliever / Fever Reducer  
**Acetaminophen**

### Drug Facts (continued)

Ask a doctor before use if you have liver disease.  
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if:  
■ pain gets worse or lasts more than 10 days  
■ fever gets worse or lasts more than 3 days  
■ you experience:  
■ nausea or vomiting  
■ loss of appetite  
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.  
**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-272-1222). Quick medical attention is critical for adults, as well as for children even if you do not notice any signs or symptoms.

### Directions

■ do not take more than directed (see overdose warning)

adults and children 12 years and over  
■ take 2 gelcaps every 6 hours with symptoms but  
■ do not take more than 6 gelcaps in 24 hours, unless directed by a doctor

children under 12 years  
■ do not use for more than 10 days. Unless directed by a doctor, ask a doctor

### Other information

■ each gelcap contains acetaminophen 500 mg

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING  
67370425 NDC 11673-67405

09401 0548 800 C-002267-01-034-0000



LOT: 3 11673 67405 5  
EXP: Varnish Omit

### Drug Facts (continued)

■ store at 20°-25°C (68°-77°F). Avoid excessive heat above 40°C (104°F)  
■ avoid high humidity

**Inactive ingredients**  
colloidal anhydrous silica, croscarmellose sodium, D&C red #28, FD&C blue #1, FD&C red #40, FD&C yellow #6, ferric oxide red, ferric oxide yellow, hydrocolloids, hydroxypropyl methylcellulose, polyethylene glycol, polydextrose, polyethylene glycol, titanium dioxide, titanium dioxide

### Questions or comments?

Call 1-800-910-8374

\*This product is not manufactured or distributed by Kaine Inc., owner of the registered trade mark Extra Strength Tylenol® Rapid Release Gels.

Contains No Aspirin

Satisfaction guaranteed –  
Love it or your money back.

Distributed by Target Corporation  
Minneapolis, MN 55403  
Made in India  
TM & ©2025 Target Brands, Inc.

Varnish Omit

**Drug Facts (continued)**

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
  - fever gets worse or lasts more than 3 days
  - new symptoms occur
  - redness or swelling is present
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

■ do not take more than directed (see overdose warning)

- |                                       |  |
|---------------------------------------|--|
| adults and children 12 years and over | <ul style="list-style-type: none"> <li>■ take 2 gelscaps every 6 hours while symptoms last</li> <li>■ do not take more than 6 gelscaps in 24 hours, unless directed by a doctor</li> <li>■ do not use for more than 10 days unless directed by a doctor</li> </ul> |
| children under 12 years               | ask a doctor   |

**Other information**

- each gelscap contains: sodium 1 mg
- store at 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F)
- avoid high humidity

**Drug Facts (continued)**

**Inactive ingredients**

colloidal anhydrous silica, croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, ferric oxide red, ferric oxide yellow, ferrousferic oxide, gelatin, hypromellose, polyethylene glycol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide

**Questions or comments?**

Call 1-800-910-6874

\*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Extra Strength Tylenol® Rapid Release Gels.

**Contains No Aspirin**

**Satisfaction guaranteed – Love it or your money back.**

Distributed by Target Corporation  
Minneapolis, MN 55403  
**Made in India**  
TM & ©2025 Target Brands, Inc.



DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

**Acetaminophen**  
500 mg Gelscaps,  
Pain Reliever / Fever Reducer



Actual Size  
24 Gelscaps

Compare to active ingredient in Extra Strength Tylenol® Rapid Release Gels\*

**Acetaminophen**

500 mg Gelscaps, Pain Reliever / Fever Reducer

For Adults

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN



24 GELCAPS

RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

**Drug Facts**

<b>Active ingredient (in each gelscap)</b>	<b>Purpose</b>
Acetaminophen USP 500 mg	Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

673T 0825 NDC 11673-874-42



LOT:  
EXP.:

Varnish Omit

Varnish/Print Omit Area

Varnish Omit

**Drug Facts (continued)**

acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Adverse alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- blisters
- itch

If a skin reaction occurs, stop use and seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"> <li>take 2 gelcaps every 6 hours while symptoms last</li> <li>do not take more than 6 gelcaps in 24 hours, unless directed by a doctor</li> <li>do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	ask a doctor

**Other information**

- each gelcap contains sodium 1 mg
- store at 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F) and avoid high humidity

**Questions or comments?**  
Call 1-800-910-8874

**STOP PEELING**

**Adhesive Area**

**Acetaminophen**  
500 mg Gelcaps,  
Pain Reliever / Fever Reducer  
For Adults

**up&up**

**24 GELCAPS**

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

**Drug Facts**

**Active ingredient (in each gelcap)**  
Acetaminophen USP 500 mg.....Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**  
Liver warning: This product contains

**Drug Facts (continued under label)**

**Contains No Aspirin**  
NDC 11673-674-42

**Satisfaction guaranteed – Love it or your money back.**  
Distributed by Target Corporation  
Minneapolis, MN 55403  
**Made in India**  
TM & ©2025 Target Brands, Inc.  
67310825

094-01-2162 R00

**Varnish Omit Area**

LOT: EXP: FEEL HERE

# ACETAMINOPHEN GELCAPS

acetaminophen tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-674
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA05BB0L)	

<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	

### Product Characteristics

<b>Color</b>	red (Red opaque and Blue gray opaque hard gelatin shells)	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-674-05	1 in 1 CARTON	07/10/2025	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11673-674-34	225 in 1 BOTTLE; Type 0: Not a Combination Product	07/10/2025	
3	NDC:11673-674-73	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/10/2025	
4	NDC:11673-674-42	1 in 1 CARTON	07/10/2025	
4		24 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/10/2025	

**Labeler** - TARGET CORPORATION (006961700)

**Registrant** - TIME CAP LABORATORIES, INC. (037052099)

### Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		677604129	manufacture(11673-674)