

TATTOO NUMBING CREAM- lidocaine cream
BLOOMWELL GARDENS LLC

ACTIVE INGREDIENT

Lidocaine 4% - Local anesthetic for 8 hours

PURPOSE

External Analgesic

DOSAGE & ADMINISTRATION

- Due to the different in temperature and skin type, the duration of the numbness effect will be different.
- First test in a small area is recommended to ensure the best numbness effect.

USEAGE BEFORE TATTOOING

1. Clean hands and treatment are with mild soap and warm water. Rinse thoroughly and gently pat dry.
2. Apply a thick numbing cream to the treatment area, making sure to cover the tattoo and its surroundings.
3. Wrap tightly with plastic wrap and wait for 40-60 munutes.
4. Wipe away any exceess residue and allow addtional 15-25 minutes for the numbing effect to reach its peak. Then you can begin the tattoo procedure.

DO NOT USE

- If you are pregnant or nursing, consult with your healthcare provider before use.
- The product seal is broken or missing.
- Do not use on broken or irritated skin.
- People who are allergic to the ingredients in this product.

ATTENTION

- Do not get into eyes.
- Do not swallow.
- Do not exceed the recommended dosage unless directed by a doctor.
- Do not insert this product into the recturm.

IMPORTANT

Keep out of reach of children.

OTHER INGREDIENTS

Water, Glycerin, Butyllene Glycol, Butter Oil, Squalane, Dimethicone, Menthol, Borneol, Xanthan Gum.

PRINCIPAL DISPLAY PANEL



红色线框为刀模线无需印刷
普通四色印刷，不添加其他特殊工艺

设计人核对: 黄海银	彩盒尺寸: 如上标注	产品: 50g纹绣霜
材质工艺:350g铜版纸过哑膜	业务员: 郭丹丹	日期: 2024.6.14

TATTOO NUMBING CREAM

lidocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85284-001
---------------------	----------------	---------------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
SQUALANE (UNII: GW89575KF9)	
RICE GERM (UNII: 7N2B70SFEZ)	
PRILOCAINE (UNII: 046O35D44R)	
SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL (UNII: 724GKU717M)	
MENTHOL (UNII: L7T10EIP3A)	
ALOE BARBADENSIS LEAF (UNII: ZY81Z83H0X)	
PROCAINE (UNII: 4Z8Y51M438)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
SHEANUT OIL (UNII: O88E196QRF)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
MENTHA ARVENSIS LEAF (UNII: A4IWO4DDZ9)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CENTELLA ASIATICA ROOT (UNII: 8MXU1P42J0)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRACAINE (UNII: 0619F35CGV)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
BORNEOL (UNII: M89NIB437X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85284-001-01	50 g in 1 CONTAINER; Type 0: Not a Combination Product	02/20/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/20/2025	

Labeler - BLOOMWELL GARDENS LLC (124839891)

