

MEIJER HEARTBURN RELIEF- famotidine tablet, film coated
Praxis, LLC

Meijer Distribution, Inc. Heartburn Relief Drug Facts

Active ingredient (in each tablet)

Famotidine 20 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **10 to 60 minutes before** eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, and titanium dioxide

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

meijer ®

MAXIMUM STRENGTH

COMPARE TO MAXIMUM STRENGTH PEPCID® AC ACTIVE INGREDIENT

Heartburn Relief

Famotidine Tablets, 20 mg

Acid Reducer

JUST ONE TABLET PREVENTS & RELIEVES HEARTBURN DUE TO ACID INDIGESTION

25 TABLETS

Actual Size

194A7 6ECS

*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark "epid".

Drug Facts (continued)

Questions or comments? 1-800-739-9280

RD 487404



Drug Facts
Active ingredient (immediate-release)
Famotidine (20 mg) Acid reducer

Uses
relieves heartburn associated with acid indigestion and sour stomach brought on by eating or drinking before use.
prevents heartburn associated with acid indigestion and sour stomach

Warnings
Allergy alert: Do not use if you are allergic to famotidine or other acid reducers.
Do not use if you have trouble or pain swallowing food, vomiting with blood, or dizziness or black stools. The use may be a sign of a serious condition. See your doctor with other acid reducers.

Directions
Adults and children 12 years and over: Take one tablet with a glass of water. Do not chew.
To prevent symptoms, swallow 1 tablet with a glass of water before eating or drinking beverages that cause heartburn. Do not use more than 2 tablets in 24 hours.

Other information
Keep the carton closed to protect the tablets from moisture. Store at 20°-25° (68°-77°).
Keep the carton closed to protect the tablets from moisture.

Ingredients
Famotidine hydrochloride, hydroxypropyl methylcellulose, croscarmellose sodium, lactose, polyethylene glycol, polyvinyl alcohol, etc.

Directions
Adults and children 12 years and over: Take one tablet with a glass of water. Do not chew.
To prevent symptoms, swallow 1 tablet with a glass of water before eating or drinking beverages that cause heartburn. Do not use more than 2 tablets in 24 hours.

Warnings
Allergy alert: Do not use if you are allergic to famotidine or other acid reducers.
Do not use if you have trouble or pain swallowing food, vomiting with blood, or dizziness or black stools. The use may be a sign of a serious condition. See your doctor with other acid reducers.

Uses
relieves heartburn associated with acid indigestion and sour stomach
prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking before use.

Ingredients
Famotidine hydrochloride, hydroxypropyl methylcellulose, croscarmellose sodium, lactose, polyethylene glycol, polyvinyl alcohol, etc.

Other information
Keep the carton closed to protect the tablets from moisture. Store at 20°-25° (68°-77°).
Keep the carton closed to protect the tablets from moisture.

Drug Facts (continued)
Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Other information
Keep the carton closed to protect the tablets from moisture. Store at 20°-25° (68°-77°).
Keep the carton closed to protect the tablets from moisture.

Ingredients
Famotidine hydrochloride, hydroxypropyl methylcellulose, croscarmellose sodium, lactose, polyethylene glycol, polyvinyl alcohol, etc.

Other information
Keep the carton closed to protect the tablets from moisture. Store at 20°-25° (68°-77°).
Keep the carton closed to protect the tablets from moisture.

Drug Facts (continued)
Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Other information
Keep the carton closed to protect the tablets from moisture. Store at 20°-25° (68°-77°).
Keep the carton closed to protect the tablets from moisture.

Ingredients
Famotidine hydrochloride, hydroxypropyl methylcellulose, croscarmellose sodium, lactose, polyethylene glycol, polyvinyl alcohol, etc.

Other information
Keep the carton closed to protect the tablets from moisture. Store at 20°-25° (68°-77°).
Keep the carton closed to protect the tablets from moisture.

DO NOT USE IF PRINTED BLISTER UNIT IS BROKEN OR TORN

JUST ONE TABLET prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.

TIPS FOR MANAGING HEARTBURN
• Do not lie flat or bend over after eating • Do not wear tight-fitting clothing around the stomach • Do not eat before bedtime • Raise the head of your bed • Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables • Eat slowly and avoid big meals • If overweight, lose weight • Quit smoking

Maximum Strength

Heartburn Relief

NDC 41250-712-02

COMPARE TO MAXIMUM STRENGTH PEPICID® AC ACTIVE INGREDIENT*

meijer.
MAXIMUM STRENGTH
Heartburn Relief
Famotidine Tablets, 20 mg
Acid Reducer

JUST ONE TABLET PREVENTS & RELIEVES HEARTBURN DUE TO ACID INDIGESTION

25 TABLETS

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com





MEIJER HEARTBURN RELIEF

famotidine tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59368-238
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	20 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L194
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59368-238-02	1 in 1 CARTON	04/17/2019	
1		50 in 1 BOTTLE; Type 0: Not a Combination		

1		Product	
2	NDC:59368-238-01	2 in 1 CARTON	08/11/2022
2		50 in 1 BOTTLE; Type 0: Not a Combination Product	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077351	04/17/2019	

Labeler - Praxis, LLC (016329513)

Establishment

Name	Address	ID/FEI	Business Operations
Praxis, LLC		016329513	label(59368-238) , pack(59368-238) , manufacture(59368-238)

Revised: 1/2023

Praxis, LLC