

**BEDY PAIN RELIEF- pain relief patches, heat patches for pain relief, hot patches, pain patches patch**

**Henan Hengchuntang Pharmaceutical Co., Ltd**

-----

**Active Ingredient**

ARTEMISIA ARGYI LEAF  
GINGER

**Inactive ingredient**

EVA-28  
COTTON

**Purpose**

Temporary relief of cervical spine, shoulder, back, joint, arthritis, and muscle minor aches and pains

**When using**

When using this product

Use only as directed. Read and follow all instructions and warnings on this box. Do not contact eyes. Do not use at the same time as other topical painkillers.

Do not apply tight bandages or localized heat (e.g. heating pads) to the area of application. Do not microwave used patches. Always keep product away from children and pets.

Used patches still contain drug products and may cause serious adverse reactions if children or pets bite or swallow the patch.

**Do not use**

Do not use

Allergic to the ingredients of the product

Pregnant and breastfeeding women

Wounds or broken skin

Damaged or opened packaging

**keep it out of reach of children**

keep product away from children and pets

## Dosage

Clean and dry affected area  
Remove the patch from the film  
Apply to the affected area  
not more than 3 to 4 times daily  
Remove the patch from the skin after at most 8 hours of application

## Warnings

Warnings For disposable for external use

## Indication

Directions Adults and children 12 years of age and over:  
◆ Clean and dry affected area  
Remove the patch from the film  
Apply to the affected area not more than 3 to 4 times daily  
Remove the patch from the skin after at most 8 hours of application  
Children under 12 years of age: Consult a doctor

85152-004-01

**Body™**

Temporary relief of minor aches & pains in various joints and muscles

- ◆ Single-Use Application
- ◆ Easy to Apply and Remove
- ◆ Stay-Put Flexible Patch
- ◆ No-Mess Application
- ◆ Lasts Up to 8 Hours

**PAIN RELIEF PATCH**

**8 Hours**  
7 PATCHES  
3.93 IN. X 5.51 IN. (10 cm x 14 cm)

External Analgesic Drug Patches for OTC Human Use

|  |  |   |
|--|--|---|
|  | <b>Drug Facts</b>  | <b>Stop using and consult a doctor if</b> <ul style="list-style-type: none"><li>◆ If symptoms persist for more than 7 days</li><li>◆ The situation worsens</li><li>◆ Symptoms disappear and reappear within a few days</li><li>◆ Localized skin reactions such as rash, itching, redness, pain, swelling, and blistering occur</li></ul>  |
|  | <b>Active Ingredients</b><br>Artemisia Argyi Leaf<br>Ginger  | <b>Keep out of reach of children and pets</b><br>If swallowed, get medical help or contact a Poison Control Center at 1-800-222-1222 right away   |
|  | <b>Use</b><br>Temporary relief of cervical spine, shoulder, back, joint, arthritis, and muscle minor aches and pains   | <b>Directions</b><br><b>Adults and children 12 years of age and over:</b> <ul style="list-style-type: none"><li>◆ Clean and dry affected area</li><li>◆ Remove the patch from the film</li><li>◆ Apply to the affected area not more than 3 to 4 times daily</li><li>◆ Remove the patch from the skin after at most 8 hours of application</li></ul> <b>Children under 12 years of age:</b><br>Consult a doctor |
|  | <b>Warnings</b><br>For disposable for external use   | <b>Other information</b> <ul style="list-style-type: none"><li>◆ Avoid placing the product in direct sunlight</li><li>◆ Protect the product from excessive moisture</li><li>◆ Store at 20-25°C (68-77°F)</li></ul>  |
|  | <b>Do not use</b> <ul style="list-style-type: none"><li>◆ Allergic to the ingredients of the product</li><li>◆ Pregnant and breastfeeding women</li><li>◆ Wounds or broken skin</li><li>◆ Damaged or opened packaging</li></ul>  | <b>Manufacturer</b><br>Henan Hengchuntang Pharmaceutical Co., Ltd.<br>Address<br>Dongfang South Road, Mazhai Industrial Agglomeration Zone, Erqi District, Zhengzhou City, Henan  |
|  | <b>When using this product</b> <ul style="list-style-type: none"><li>◆ Use only as directed</li><li>◆ Read and follow all instructions and warnings on this box</li><li>◆ Do not contact eyes</li><li>◆ Do not use at the same time as other topical painkillers</li><li>◆ Do not apply tight bandages or localized heat (e.g. heating pads) to the area of application</li><li>◆ Do not microwave used patches</li><li>◆ Always keep product away from children and pets</li><li>◆ Used patches still contain drug products and may cause serious adverse reactions if children or pets bite or swallow the patch</li></ul> |   |

85152-004-02

TAKE OUT PATCH    PEEL OFF THE FILM IN THE CENTER    PULL TO SEPARATE FILM    PEEL OFF ONE SIDE OF THE FILM AND PLACE THE PATCH ON THE SKIN    PEEL OFF THE OTHER SIDE OF THE FILM AND PRESS FIRMLY TO THE SKIN

# Bedy™

Temporary relief of minor aches & pains in various joints and muscles

Single-Use Application  
Easy to Apply and Remove  
Stay-Put Flexible Patch  
No-Mess Application  
Lasts Up to 8 Hours


## PAIN RELIEF PATCH

**8 Hours**  
**14 PATCHES**  
3.93 IN. X 5.51 IN. (10 cm x 14 cm)

External Analgesic Drug Patches for OTC Human Use

|   |   |
|---|---|
| <p><b>Drug Facts</b></p> <p><b>Active ingredients</b><br/>Artemisia Agyi Leaf<br/>Ginger</p> <p><b>Use</b><br/>Temporary relief of cervical spine, shoulder, back, joint, arthritis, and muscle minor aches and pains</p> <p><b>Warnings</b><br/>For disposable for external use</p> <p><b>Do not use</b><br/> <ul style="list-style-type: none"> <li>◆ Allergic to the ingredients of the product</li> <li>◆ Pregnant and breastfeeding women</li> <li>◆ Wounds or broken skin</li> <li>◆ Damaged or opened packaging</li> </ul> </p> <p><b>When using this product</b><br/> <ul style="list-style-type: none"> <li>◆ Use only as directed</li> <li>◆ Read and follow all instructions and warnings on this box</li> <li>◆ Do not contact eyes</li> <li>◆ Do not use at the same time as other topical painkillers</li> <li>◆ Do not apply tight bandages or localized heat (e.g. heating pads) to the area of application</li> <li>◆ Do not microwave used patches</li> <li>◆ Always keep product away from children and pets</li> <li>◆ Used patches still contain drug products and may cause serious adverse reactions if children or pets bite or swallow the patch</li> </ul> </p> | <p><b>Stop using and consult a doctor if</b><br/> <ul style="list-style-type: none"> <li>◆ If symptoms persist for more than 7 days</li> <li>◆ The situation worsens</li> <li>◆ Symptoms disappear and reappear within a few days</li> <li>◆ Localized skin reactions such as rash, itching, redness, pain, swelling, and blistering occur</li> </ul> </p> <p><b>Keep out of reach of children and pets</b><br/>         If swallowed, get medical help or contact a Poison Control Center at 1-800-222-1222 right away</p> <p><b>Directions</b><br/> <b>Adults and children 12 years of age and over:</b><br/> <ul style="list-style-type: none"> <li>◆ Clean and dry affected area</li> <li>◆ Remove the patch from the film</li> <li>◆ Apply to the affected area not more than 3 to 4 times daily</li> <li>◆ Remove the patch from the skin after at most 8 hours of application</li> </ul> <b>Children under 12 years of age:</b><br/>         Consult a doctor</p> <p><b>Other information</b><br/> <ul style="list-style-type: none"> <li>◆ Avoid placing the product in direct sunlight</li> <li>◆ Protect the product from excessive moisture</li> <li>◆ Store at 20-25°C (68-77°F)</li> </ul> </p> <p><b>Manufacturer</b><br/>         Henan Hengchuntang Pharmaceutical Co., Ltd<br/>         Address<br/>         Dongfang South Road, Mazhai Industrial Agglomeration Zone, Erqi District, Zhengzhou City, Henan</p> |
|---|---|

85152-004-03



|  |  |
|--|--|
| <b>Drug Facts</b>  | <p><b>Stop using and consult a doctor if</b></p> <ul style="list-style-type: none"> <li>◆ If symptoms persist for more than 7 days</li> <li>◆ The situation worsens</li> <li>◆ Symptoms disappear and reappear within a few days</li> <li>◆ Localized skin reactions such as rash, itching, redness, pain, swelling, and blistering occur.</li> </ul>  |
| <b>Active ingredients</b><br>Artemisia Argyl Leaf<br>Ginger  |  |
| <b>Use</b><br>Temporary relief of cervical spine, shoulder, back, joint, arthritis, and muscle minor aches and pains   | <p><b>Keep out of reach of children and pets</b><br/>If swallowed, get medical help or contact a Poison Control Center at 1-800-222-1222 right away</p>  |
| <b>Warnings</b><br>For disposable for external use   | <p><b>Directions</b><br/><b>Adults and children 12 years of age and over:</b></p> <ul style="list-style-type: none"> <li>◆ Clean and dry affected area</li> <li>◆ Remove the patch from the film</li> <li>◆ Apply to the affected area not more than 3 to 4 times daily</li> <li>◆ Remove the patch from the skin after at most 8 hours of application</li> </ul> <p><b>Children under 12 years of age:</b><br/>Consult a doctor</p> |
| <b>Do not use</b>  | <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>◆ Avoid placing the product in direct sunlight</li> <li>◆ Protect the product from excessive moisture</li> <li>◆ Store at 20-25°C (68-77°F)</li> </ul>  |
| <b>When using this product</b>   | <p><b>Manufacturer</b><br/>Henan Hengchuntang Pharmaceutical Co., Ltd<br/>Address<br/>Dongfang South Road, Mazhai Industrial Agglomeration Zone, Erqi District, Zhengzhou City, Henan</p>  |
| <ul style="list-style-type: none"> <li>◆ Allergic to the ingredients of the product</li> <li>◆ Pregnant and breastfeeding women</li> <li>◆ Wounds or broken skin</li> <li>◆ Damaged or opened packaging</li> </ul>   |  |
| <ul style="list-style-type: none"> <li>◆ Use only as directed</li> <li>◆ Read and follow all instructions and warnings on this box</li> <li>◆ Do not contact eyes</li> <li>◆ Do not use at the same time as other topical painkillers</li> <li>◆ Do not apply tight bandages or localized heat (e.g. heating pads) to the area of application</li> <li>◆ Do not microwave used patches</li> <li>◆ Always keep product away from children and pets</li> <li>◆ Used patches still contain drug products and may cause serious adverse reactions if children or pets bite or swallow the patch</li> </ul> |  |

**Body™**

Body™

Body™

Temporary relief of minor aches & pains in various joints and muscles



- ◆ Single-Use Application
- ◆ Easy to Apply and Remove
- ◆ Stay-Put Flexible Patch
- ◆ No-Mess Application
- ◆ Lasts Up to 8 Hours

**PAIN RELIEF PATCH**

**8 Hours**  
**28 PATCHES**  
3.93 IN. X 5.51 IN. (10 cm x 14 cm)



External Analgesic Drug Patches for OTC Human Use

85152-004-04



|  |   |
|--|---|
|  |   |
| <p><b>Drug Facts</b></p> <p><b>Active ingredients</b><br/>Artemisia Argyl Leaf<br/>Ginger</p> <p><b>Use</b><br/>Temporary relief of cervical spine, shoulder, back, joint, arthritis, and muscle minor aches and pains</p> <p><b>Warnings</b><br/>For disposable for external use</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>Allergic to the ingredients of the product</li> <li>Pregnant and breastfeeding women</li> <li>Wounds or broken skin</li> <li>Damaged or opened packaging</li> </ul> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>Use only as directed</li> <li>Read and follow all instructions and warnings on this box</li> <li>Do not contact eyes</li> <li>Do not use at the same time as other topical painkillers</li> <li>Do not apply tight bandages or localized heat (e.g. heating pads) to the area of application</li> <li>Do not microwave used patches</li> <li>Always keep product away from children and pets</li> <li>Used patches still contain drug products and may cause serious adverse reactions if children or pets bite or swallow the patch</li> </ul> | <p><b>Stop using and consult a doctor if</b></p> <ul style="list-style-type: none"> <li>If symptoms persist for more than 7 days</li> <li>The situation worsens</li> <li>Symptoms disappear and reappear within a few days</li> <li>Localized skin reactions such as rash, itching, redness, pain, swelling, and blistering occur</li> </ul> <p><b>Keep out of reach of children and pets</b><br/>If swallowed, get medical help or contact a Poison Control Center at 1-800-222-1222 right away</p> <p><b>Directions</b><br/><b>Adults and children 12 years of age and over:</b></p> <ul style="list-style-type: none"> <li>Clean and dry affected area</li> <li>Remove the patch from the film</li> <li>Apply to the affected area not more than 3 to 4 times daily</li> <li>Remove the patch from the skin after at most 8 hours of application</li> </ul> <p><b>Children under 12 years of age:</b><br/>Consult a doctor</p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>Avoid placing the product in direct sunlight</li> <li>Protect the product from excessive moisture</li> <li>Store at 20-25°C (68-77°F)</li> </ul> <p><b>Manufacturer</b><br/>Henan Hengchuntang Pharmaceutical Co., Ltd<br/>Address<br/>Dongfang South Road, Mazhai Industrial Agglomeration Zone, Erqi District, Zhengzhou City, Henan</p> |

85152-004-05



## BEDY PAIN RELIEF

pain relief patches, heat patches for pain relief, hot patches, pain patches patch

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:85152-004 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength    | Strength        |
|---|----------------------|-----------------|
| <b>ARTEMISIA ARGYI LEAF</b> (UNII: 2JYC99Q0WZ) (ARTEMISIA ARGYI LEAF - UNII:2JYC99Q0WZ) | ARTEMISIA ARGYI LEAF | 1 g<br>in 100 g |
| <b>GINGER</b> (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)                             | GINGER               | 2 g<br>in 100 g |

### Inactive Ingredients

| Ingredient Name   |  | Strength  |                      |                    |
|---|--|---|----------------------|--------------------|
| ETHYLENE-VINYL ACETATE COPOLYMER (28% VINYL ACETATE) (UNII: 8ILA5X28VS) |  |   |                      |                    |
| COTTON (UNII: 70LDW53ROO)   |  |   |                      |                    |
| <b>Packaging</b>  |  |   |                      |                    |
| #   | Item Code                                | Package Description                                 | Marketing Start Date | Marketing End Date |
| 1   | NDC:85152-004-01                         | 7 in 1 BOX  | 02/22/2025           |                    |
| 1   |  | 0.5 g in 1 PATCH; Type 0: Not a Combination Product |                      |                    |
| 2   | NDC:85152-004-02                         | 14 in 1 BOX   | 02/22/2025           |                    |
| 2   |  | 0.5 g in 1 PATCH; Type 0: Not a Combination Product |                      |                    |
| 3   | NDC:85152-004-03                         | 28 in 1 BOX   | 02/22/2025           |                    |
| 3   |  | 0.5 g in 1 PATCH; Type 0: Not a Combination Product |                      |                    |
| 4   | NDC:85152-004-04                         | 56 in 1 BOX   | 02/22/2025           |                    |
| 4   |  | 0.5 g in 1 PATCH; Type 0: Not a Combination Product |                      |                    |
| 5   | NDC:85152-004-05                         | 112 in 1 BOX  | 02/22/2025           |                    |
| 5   |  | 0.5 g in 1 PATCH; Type 0: Not a Combination Product |                      |                    |
| <b>Marketing Information</b>  |  |   |                      |                    |
| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date                                | Marketing End Date   |                    |
| OTC Monograph Drug  | M017                                     | 02/22/2025  |                      |                    |

**Labeler** - Henan Hengchuntang Pharmaceutical Co., Ltd (540648203)

### Establishment

| Name                                       | Address | ID/FEI    | Business Operations                       |
|--|---------|-----------|---|
| Henan Hengchuntang Pharmaceutical Co., Ltd |         | 540648203 | label(85152-004) , manufacture(85152-004) |

Revised: 2/2025

Henan Hengchuntang Pharmaceutical Co., Ltd