

PAIN RELIEF CREAM- camphor cream
Health Town Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Camphor 1%

External Analgesic

Topical Analgesic

Pain relieving cream

Temporarily relieves minor aches and pains of muscles and joints associate with:

-simple backache

-arthritis

-strains

-bruises

-spains

Children under 2 years of age: consult a doctor.

For extenal use only

Do not use:

-on wounds

-on irritated or damaged skin

-otherwise than as directed

When using this product:

-avoid contact with the eyes or mucous membranes

-do not bandage tightly

-adults and children 3 years of age and older: apply 3 or 4 drops of medicate oil to the affecte area 1 to 2 times daily. After applying the product, a warm pad may be placed on the affected area for 10 minutes and ten massaged as shown in the illustrations.

-Children under 3 years of age, consult your physician

-refer to the above warning; otherwise than as directed may be dangerous

Yellow Vaseline

Wool Grease

Liquid Paraffin

Stearic Acid

Glycerol

Triethanolamine

Ethylparaben

Dimethyl Sulfoxide

Radix Illcis Pubescentis

Cortex Araliae

Pheretima

Herba Hedyotis Chrysotricae

Radix Pini Massoniana

Sophorae Flavescentis Radix

Drynariae Rhizoma

Radix Adinae Rubellae

Radix Cudrania Cochinchinensis

Root from Itea Oblonga Hand.-Mazz

Root from Syzygium Grijisii (Hance) Merr. Et

Perry & Root from Ampelopsis Sinica (Miq) W.T. Wang & Root from Ormosia Henryi Prain & Cuscuta Japonica Choisy

Pain Relief Cream

OTC 30g

Questions or comments?
Tel: (212) 406-1188

Manufactured by
Zhejiang Apeiao Kangyu Natural Medicine Co. Ltd

Exclusive U.S. Distributor: Health Town Inc.

PAIN RELIEF CREAM

For external use only 外用止痛藥膏

Drug Facts (continued) 藥品資料 (續)
Directions 用法
• adults and children 3 years of age and older: apply small amount and rub well to the affected area 1 to 2 times daily. After applying the product, a warm pad may be placed on the affected area for 10 minutes and then massaged as shown in the illustrations.
成人和3歲以上的兒童：塗敷患處，敷上藥棉後，可按說明書10分鐘，并依圖按摩。
• Children under 3 years of age: consult your physician.
• 3歲以下的兒童：應請醫醫生。
• refer to the above warning otherwise than as directed may be dangerous.

Inactive Ingredients:
Yellow Vaseline, Stearic Acid, Ethylparaben, Cortex Araliae, Herba Hedyotis Chrysotricae, Sophorae Flavescentis Radix, Radix Adinae Rubellae, Root from Itea Oblonga Hand.-Mazz, Wool Grease, Liquid Paraffin, Glycerol, Dimethyl Sulfoxide, Phenol, Radix Illicis Pubescentis, Pheretima, Radix Pini Massoniana, Drynariae Rhizoma, Radix Cudrania Cochinchinensis, Root from Ampelopsis Sinica (Miq) W.T. Wang, Root from Ormosia Henryi Prain, Cuscuta Japonica Choisy.

Drug Fact 藥性資料
Active ingredients 有效成分
Camphor 1%
Uses 作用 Temporarily relieves minor aches and pains of muscles and joints associated with:
• 暫時解除七天內發生的肌肉和關節的疼痛。
• simple backache 背痛
• arthralgia 關節炎
• strains 扭傷
• sprains 扭傷
Warnings 告誡
Do not use in the following conditions:
• on wounds 傷口
• on irritated or damaged skin 癢或受損壞的皮膚
• otherwise than as directed 照說明書以外的用法
When using this product 在使用本品時
• avoid contact with the eyes 避免接觸眼睛或黏膜
• do not bandage tightly 切勿用繃帶包扎過緊

請仔細閱讀說明書並按說明使用或在藥師指導下購買和使用

OTC

祛痛膏

散瘀、消腫、止痛
用於跌打損傷局部腫痛

30g 外

Drug Facts (continued) 藥品資料 (續)
Stop use and ask a doctor if:
• condition worsens 症狀惡化
• symptoms persist for more than 7 days 症狀持續七天以上
• symptoms clear up and occur again within a few days 症狀消失幾天後又再出現
• excessive irritation of the skin develops 皮膚出現過敏
• nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs
• 嘔吐、嘔吐、腹部不適、腹瀉、或皮膚瘙癢發生

Drug Facts (continued) 藥品資料 (續)
• when using for pain of arthritis 用於關節炎的止痛時
• pain persists for more than 10 days 疼痛持續超過10天
• redness is present 發紅充血
• in conditions affecting children under 12 years of age 影響12歲以下的兒童之情況
Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Centre right away.
保存在兒童接觸不到的地方以免中毒。如果吞下，請立即就醫或聯絡藥物控制中心。

PAIN RELIEF CREAM

camphor cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70576-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
ETHYL PARABEN (UNII: 14255EXE39)	
TROLAMINE (UNII: 9O3K93S3TK)	
ILEX PUBESCENS ROOT (UNII: V5V22LFX73)	
PHERETIMA ASPERGILLUM (UNII: 1842H27PGA)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ARALIA CHINENSIS WHOLE (UNII: 4048809221)	
OLDENLANDIA DIFFUSA (UNII: 291PPU5K9I)	
PINUS MASSONIANA LEAF (UNII: OFD5T4515T)	
AMPELOPSIS GLANDULOSA VAR. BREVIPEDUNCULATA FRUIT (UNII: Y6SZ1HB5NG)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
LANOLIN (UNII: 7EV65EAW6H)	
MACLURA COCHINCHINENSIS ROOT (UNII: 3WTU9E1VPU)	
PETROLATUM (UNII: 4T6HI2BN9U)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
DRYNARIA FORTUNEI ROOT (UNII: 731W842X8Q)	
ADINA RUBELLA ROOT (UNII: UJ7O41XPT)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70576-001-01	30 g in 1 TUBE; Type 0: Not a Combination Product	03/30/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/30/2016	

Labeler - Health Town Inc (140637161)**Establishment**

Name	Address	ID/FEI	Business Operations
Zhejiang Apelo Kangyu Natural Pharmaceutical Co., Ltd		420823163	manufacture(70576-001)

