LORATADINE- loratadine tablet PLD Acquisitions LLC DBA Avéma Pharma Solutions

Drug Facts

Active ingredient (in each tablet)

Loratadine, USP 10 mg

Purpose

Antihistamine

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product,

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over	1 tablet daily;not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- safety sealed: do not use if the printed bottle seal is open or torn
- store at 20°-25°C (68°-77°F) (see USP Controlled Room Temperature)

Inactive ingredients

lactose monohydrate, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9 AM-5 PM EST

Principal Display Panel

†Compare to the active ingredient in Claritin®

Loratadine tablets, USP

Antihistamine

10 mg

Non-drowsy*

Indoor & outdoor allergies

24-hour relief of

- sneezing
- itchy, watery eyes
- runny nose
- itchy throat or nose

100 Tablets

*When taken as directed. See Drug Facts panel

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

†This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Claritin® Manufactured by:

Avema Pharm Solutions

10400 NW 29th Terrace, Miami, FL 33172

Package Label

NDC 63548-0753-1

[†]Compare to the active ingredient in Claritin[®]

Loratadine tablets, USP **Antihistamine**

10 mg

Non-drowsy* Indoor & outdoor allergies

24-hour relief of

√ Sneezing √ Itchy, watery eyes √ Runny nose
√ Itchy throat or nose



Actual Size

100 Tablets

*When taken as directed. See Drug Facts panel.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Active ingredient **Drug Facts**

Purpose

Antihistamine

oratadine, USP 10 mg (in each tablet)

USes Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies runny nose

■ itchy, watery eyes

Ask a doctor before use if you have liver or kidney disease Do not use if you have ever had an allergic reaction to this Your doctor should determine if you need a different dose. product or any of its ingredients

Drug Facts (continued under labe This product is not manufactured or distributed by Bayer lealthCare LLC, distributor of Claritin®

10400 NW 29th Terrace, Miami, FL 33172 Avéma Pharma Solutions Manufactured by:

P-D-A

 Other information
 safety sealed: do not use if the printed bottle seal is open or torn Inactive ingredients lactose monohydrate, magnesium stearate, microcrystalline cellulose, sodium **Questions or comments?** Call **1-877-753-3935** Monday-Friday 9AM-5PM EST starch glycolate store at 20°-25°C (68°-77°F) (see USP Controlled Room

consumers with liver or kidney disease adults and children children under 6 6 years and over years of age ask a doctor 1 tablet daily; not more than 1 tablet in 24 hours. ask a doctor

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away)irections

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away pregnant or breast-feeding, ask a health professional

Drug Facts (continued) When using this product, do not take more than directed. Taking more than directed may cause drowsiness.

Loratadine 10 mg Tablets

LORATADINE

loratadine tablet

Product Information

HUMAN OTC DRUG NDC:63548-0753 Product Type Item Code (Source)

Route of Administration ORAL

Active Ingredient/Active Moiety

Strength **Ingredient Name Basis of Strength** LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN) **LORATADINE** 10 mg

Inactive Ingredients Ingredient Name Strength LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) MAGNESIUM STEARATE (UNII: 70097M6I30) MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U) SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)

Product Characteristics							
Color	WHITE	Score	no score				
Shape	ROUND	Size	6 mm				
Flavor		Imprint Code	GG296				
Contains							

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63548-0753-0	300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/30/2018			
2	NDC:63548-0753-	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/30/2018			
3	NDC:63548-0753-3	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/30/2018			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ANDA	ANDA075209	10/30/2018			

Labeler - PLD Acquisitions LLC DBA Avéma Pharma Solutions (804087794)

Revised: 12/2019 PLD Acquisitions LLC DBA Avéma Pharma Solutions