

WART REMOVER SALICYLIC ACID 18%

Drug Facts

Drug Facts

Active ingredients

Purpose

Salicylic acid 18.0%.....Wart Remover

Uses

- for removal of common and plantar warts
- the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface
- the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern
- use this product only if you are sure that the skin condition is a wart

Warnings **For external use only**

Flammable

- keep away from fire or flame
 - cap bottle tightly and store at room temperature away from heat
-

Do not use

- if you are diabetic or have poor blood circulation
- on irritated skin or any area that is infected or

reddened ■ on moles, birthmarks, hairy warts, genital warts, or warts on the face or mucous membranes

When using this product

■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. ■ avoid inhaling vapors

Stop and ask a doctor if discomfort persists.

Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away. ▶

Drug Facts (Continued)

Directions

■ wash the affected area and soak the wart in warm water for 5 minutes ■ dry the area thoroughly
■ carefully apply one drop at a time with applicator to sufficiently cover each wart ■ allow it to dry
■ repeat once or twice daily as needed until the wart is removed, for up to 12 weeks

Other information

Keep the bottle tightly closed and store at room temperature 68-99°F (20-37°C)

Inactive ingredients Borneol, Glycerin, Podofilox, Polyethylene Glycol, Water

Questions or comments?

Contact us at cs@healcome.com

Active ingredients Purpose

Salicylic acid 18.0%.....Wart Remover

Wart Remover

Uses

- for removal of common and plantar warts
- the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface
- the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern
- use this product only if you are sure that the skin condition is a wart

Do not use

- if you are diabetic or have poor blood circulation
- on irritated skin or any area that is infected or reddened
- on moles, birthmarks, hairy warts, genital warts, or warts on the face or mucous membranes

When using this product

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes.
- avoid inhaling vapors

Stop and ask a doctor if discomfort persists.

Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Warnings

For external use only

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

Directions

- wash the affected area and soak the wart in warm water for 5 minutes

- dry the area thoroughly
 - carefully apply one drop at a time with applicator to sufficiently cover each wart
 - allow it to dry
 - repeat once or twice daily as needed until the wart is removed, for up to 12 weeks
- keep the bottle tightly closed and store at room temperature 68-99°F (20-37°C)
- Inactive ingredients Borneol, Glycerin, Podofilox, Polyethylene Glycol, Water

WART REMOVER SALICYLIC ACID 18%

salicylic acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	18 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BORNEOL (UNII: M89NIB437X)	
PODOFILOX (UNII: L36H50F353)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-001-01	1 in 1 BOX	03/01/2025	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	03/01/2025	

Revised: 3/2025

Jiangxi Yudexi Pharmaceutical Co., LTD