

IBEALEE WART REMOVER- ibealee wart remover liquid
Shenzhen Hengkaifeng Commerce and Trade Co., Ltd

ACTIVE INGREDIENT

Salicylic acid

Purpose

wart remover

Uses

Uses · for the removal of common and plantar warts · the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface · the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

Warnings

For external use only.
keep away from fire and flame.
only use on affected area.

When using this product :

- avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- cap the bottle tightly
- out of direct sunlight and store at room temperature away from heat

Keep Out Of Reach Of Children

Keep Out Of Reach Of Children

Directions Of Safe Use:

● wash the affected area ● may soak the tag in warm water for 5 minutes ● dry area thoroughly ● using the applicator (brush swab), apply one drop at a time to

sufficiently cover each tag ● allow it to fully absorb and let dry ● repeat this procedure once or twice daily as needed (until the tag falling off) for up to 12 weeks

Stop use and ask a doctor:

· if discomfort persists. · if you have diabetes or poor blood circulation. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Inactive ingredients

Cnidium monnieri, Podophyllum, Hawthorn, Stelleria chamaejasme, Sophora flavescens, Earthy hibiscus bark, Honeysuckle

FOR NAIL CARE
iBeaLee

iBeaLee



LIQUID TAG & WART REMOVER

Natural Formula

Easy to Use

Safe & Effective

Clinically Proven

Moxium
Strength

e20ml NET WT.0.68 FL.OZ

Drug Facts

Active ingredients	Purpose
Salicylic acid 12% w/w.....	wart remover

Uses ● for the removal of common and plantar warts ● the common wart is easily recognized by the rough "cauliflower-like" appearance of the surface ● the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern

Warnings

For external use only.
keep away from fire and flame.
only use on affected area.

Do not use: ● on irritated skin or on any area that is infected or reddened ● on moles, birthmarks, warts with hair growing from them, warts on the face or mucous membranes

When using this product : ● avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes ● avoid inhaling vapors ● cap the bottle tightly ● out of direct sunlight and store at room temperature away from heat

Stop use and ask a doctor: ● if discomfort persists. ● if you have diabetes or poor blood circulation. keep out of reach of children. if swallowed, get medical help or contact a Poison Control Center right away.

Directions: ● wash the affected area ● may soak the wart in warm water for 5 minutes ● dry area thoroughly ● using the applicator (brush or cotton swab), apply one drop at a time to sufficiently cover each wart ● allow it to fully absorb and let dry ● repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks

Inactive ingredients: - Cnidium monnieri, Podophyllum, Hawthorn, Stellera chamaejasme, Sophora flavescens, Eartly hibiscus bark, Honeysuckle

iBeaLee



LIQUID TAG & WART REMOVER

Natural Formula

Easy to Use

Safe & Effective

Clinically Proven

Moxium
Strength

e20ml NET WT.0.68 FL.OZ

Product Name: iBeaLee Wart Remover

Specification: 0.68 fl.oz / 20ml

Shelf Life: 3 years

Manufacturer: Shenzhen Hengkaifeng Commerce and Trade Co., Ltd

Address: Wansheng Department Store, Wanzhong City, Minzhi Street, Longhua New District, Shenzhen

UK REP

Company Name: EU&MJCMTD
Address: R.487 5 Brayford Square,
London, England, E1 0SG
Email: scrakin911@gmail.com

EC REP

Company Name: E-CrossStu-GmbH
Address: Mainzer Landstr. 69,
60329, Frankfurt am Main,
Germany
Email: E-CrossStu@web.de

Made in China



MFG: 08/11/2023
EXP: 07/11/2026
LOT: B20231108

IBEALEE WART REMOVER

ibealee wart remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84117-039
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	12 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CNIDIUM MONNIERI FRUIT (UNII: V1IA3S3CUS)	
HAWTHORN LEAF WITH FLOWER (UNII: 6OM09RPY36)	
LONICERA JAPONICA FLOWER (UNII: 4465L2WS4Y)	
STELLERA CHAMAEJASME WHOLE (UNII: 80N0P0DD9J)	
HIBISCUS SYRIACUS BARK (UNII: U6PQI719P3)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
PODOPHYLLUM (UNII: 2S713A4VP3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84117-039-01	20 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/25/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	02/25/2025	

Labeler - Shenzhen Hengkaifeng Commerce and Trade Co., Ltd (444722774)

Revised: 2/2025

Shenzhen Hengkaifeng Commerce and Trade Co., Ltd