

STOOL SOFTENER- docusate sodium capsule, liquid filled HEB

heb 401

Active ingredient (in each softgel)

Docusate Sodium 100 mg

Purpose

Stool Softener

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you

- have stomach pain, nausea or vomiting
- have a sudden change in bowel habits that persists over a period of 2 weeks
- are presently taking mineral oil

Stop use and ask a doctor if

- you need to use a laxative longer than 1 week
- you have rectal bleeding or fail to have a bowel movement. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed recommended dose
- adults and children 12 years and older: take 1-3 softgels daily, usually 1 softgel daily after the first bowel movement, or as directed by a doctor.
- children under 12: ask a doctor

Other information

- **each softgel contains:** sodium 7 mg. Very low sodium
- store at 59°-77°F (15°-25°C)
- keep tightly closed

Inactive ingredients

FD&C red #40, FD&C yellow #6 (sunset yellow), gelatin (bovine), glycerol, polyethylene glycol, sorbitol special, purified water.

Questions or comments?

1-800-540-3765

Package Label



STOOL SOFTENER

docusate sodium capsule, liquid filled

| Product Information | | | | |
|---|------------------|--|----------------------|--------------------|
| Product Type | | HUMAN OTC DRUG | Item Code (Source) | NDC:37808-580 |
| Route of Administration | | ORAL | | |
| | | | | |
| Active Ingredient/Active Moiety | | | | |
| Ingredient Name | | | Basis of Strength | Strength |
| DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) | | | DOCUSATE SODIUM | 100 mg |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | | Strength |
| GELATIN (UNII: 2G86QN327L) | | | | |
| GLYCERIN (UNII: PDC6A3C00X) | | | | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | | | | |
| SORBITOL (UNII: 506T60A25R) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | | | | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | | | | |
| | | | | |
| Product Characteristics | | | | |
| Color | red (reddish) | Score | no score | |
| Shape | OVAL | Size | 12mm | |
| Flavor | | Imprint Code | SCU1 | |
| Contains | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:37808-580-01 | 1 in 1 CARTON | 09/01/2025 | |
| 1 | | 100 in 1 BOTTLE; Type 0: Not a Combination Product | | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | | M007 | 09/01/2025 | |

Labeler - HEB (007924756)

Registrant - Geri-Care Pharmaceutical Corp (611196254)

