CAPSAICIN CREAM 0.075%- capsaicin cream Pharmaceutica North America, Inc.

Active Ingredient

Capsaicin Cream 0.075%

Purpose

External analgesic

Uses

temporarily relieves minor aches and pains of muscles and joints due to:

- simple backache
- arthritis
- strains
- sprains

Warnings

For external use only

Read all warnings and directions before use. **Test first on small area of skin. Do not use**

- on wounds or damaged skin
- if you are allergic to capsicum or chili peppers

When using this product

• you may experience a burning sensation. The intensity of this reaction varies among individuals and may be severe. With regular use, this sensation generally disappears after several days.

- avoid contact with the eyes, lips, nose and mucous membranes
- do not tightly wrap or bandage the treated area
- do not apply heat to the treated area immediately before or after use

Stop use and ask a doctor if

- condition worsens or does not improve after regular use
- severe burning persists or blistering occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

Adults and children 18 years of age and older:

• apply a thin film of cream to affected area and gently rub in until fully absorbed

• unless treating hands, wash hands thoroughly with soap and water immediately after application

• for best results, apply 3 to 4 times daily.

Children under 18 years: ask a doctor

Other information

store at room temperature 15° - 30°C (59° - 86°F)

Inactive Ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, cetyl acetate, methylparaben, PPG-20 methyl glucose ether distearate, propylene glycol, propylparaben, stearate-100, stearic acid, stearyl alcohol, triethanolamine, water

Questions or comments? 1-888-788-6472

Product label

Capsaicin Cream 0.075% Capsaicin Topical Analgesic

NDC 45861-075-05

Capsaicin Cream 0.075% Capsaicin Topical Analgesic

Glendale, CA 91205

Manufactured For:

Pharmaceutica North America, Inc.

NET WT 20Z (57a)

Questions or comments? (888)788-6472

Inactive ingredients acytates.(C10-30 akyl acytate crosspolymer, cetyl acetate, methylparaben, PPG-20 methyl glucose ether distarate, propylene glycol, propylparaben, steares acid, stearyl alcohol, thetharolamine, water sci0, stearic acid, stearyl alcohol, thetharolamine, water sci0, steare acid, steare a

Other information store at room temperature 15° - 30°C (59 - 86°F)

mmediately after application

for best results, apply 3 to 4 times daily. Children under 18 years: ask a doctor and gently rule in until they absorbed unless treating hands, wash hands throroughly with seap and water Directions Adults and children 18 years of age and older apply a thin thin of oream to affected area

Drug Facts (continued)

It pregnant or breast feeding, ask a healthcare professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Stop use a doctor if according on workers or does not inprove after regular use according president or bistering

do not apply heat to the treated area immediately before or after use

earsafon generaliy dispondant after several days. 🖷 avoid contact with the eyes, lips, nose, and muccus membranes 🖬 to not 19 hilly wrap or bandage the treated area this each of the product a province and the product of the interest of the product of the produc Do not use a on woruds or damaged skin all you are allergic to capation or chill peppers

Read all warnings and directiongs before use. Test first on small area of skin. For external use only

sbuurem

sniprige and with the strain of the second parts of a solution of the second parts of the second second

.%č70.0 nibitesqs)

Active ingredient

STORA PULS

CAPSAICIN CREAM 0.075%

capsaicin cream

lobical analgeac

Purpose

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45861-075
Route of Administration	TOPICAL		

	•			
		Ingredient Name	Basis of Strengt	h Strength
CA	PSAICIN (UNII: S0	7044R1ZM) (CAPSAICIN - UNII:S07044R1ZM)	CAPSAICIN	0.075 g in 100 g
Ina	active Ingred	lients		
	Strength			
BE	NZYL ALCOHOL (UNII: LKG8494WBH)		
C E.	TYL ALCOHOL (U	NII: 936JST6JCN)		
GL	CERYL MONOST	TEARATE (UNII: 2300U9XXE4)		
ISC	PROPYL MYRIST	ATE (UNII: ORE8K4LNJS)		
PE	G-100 STEARATE	(UNII: YD01N1999R)		
PE.	ROLATUM (UNII:	4T6H12BN9U)		
so	RBITOL (UNII: 506			
		TOUAZOR)		
	TER (UNII: 059QF	•		
	•	•		
	•	•		
WA	•	•		
₩ <i>A</i> Pa	TER (UNII: 059QF	•	Marketing Start Date	Marketing End Date
₩₽ Pa #	ckaging Item Code NDC:45861-075-	OKOOR)	-	•
Pa #	ckaging Item Code NDC:45861-075-	OKOOR) Package Description 57 g in 1 TUBE; Type 0: Not a Combination	Date	
Pa #	ckaging Item Code NDC:45861-075-	OKOOR) Package Description 57 g in 1 TUBE; Type 0: Not a Combination	Date	
Pa #	ckaging Item Code NDC:45861-075-	OKOOR) Package Description 57 g in 1 TUBE; Type 0: Not a Combination Product	Date 02/01/2025	

Labeler - Pharmaceutica North America, Inc. (962739699)

Revised: 3/2025

Pharmaceutica North America, Inc.