

**UV SUPPORT- benzophenon-3, ethylhexyl salicylate, homosalate, octocrylene, butyl methoxydibenzoyl methane, titanium dioxide, hydroxystearyl alcohol cream**  
**Novamed Healthcare Private Limited**

-----

## **UV Support**

### **Instructions for Use**

For best results and full protection apply UV-support to all exposed skin 15 minutes before sun exposure. Reapply UV-support after every two hours or as per need.

### **Indications and Usage**

- Protects against harmful UVA/UVB rays
- Protects from sun burn
- Reduces premature aging and wrinkling
- Prevents dry & rough skin
- Fills uneven skin surface
- Water and sweat resistant

### **Inactive Ingredients**

- Acrylamide/Sodium Acryloyldimethyltaurate Copolymer
- Caprylic/Capric Triglyceride
- Caprylyl/Capryl Glucoside
- Cetostearyl alcohol
- Cetyl alcohol
- Cyclomethicone
- EDTA
- Ethylene glycol distearate
- Glycerin
- Sodium benzoate
- Sodium lauryl sulphate
- Stearic acid
- Triethanolamine
- Water

### **Active Ingredients**

- Benzophenon
- Butyl methoxydibenzoyl methane
- Ethylhexyl salicylate
- Homosalate
- Hydroxystearyl Alcohol
- Octocrylene
- Titanium dioxide

## **Keep out of the reach of Children**

Keep out of the reach of Children

## **Purpose**

### **Active Ingredient Purpose**

Benzophenon Sunscreen (UV-A +UV-B protection)  
Butyl methoxydibenzoyl methane Sunscreen (UV-A protection)  
Ethylhexyl salicylate Sunscreen (UV-B protection)  
Homosalate Sunscreen (UV-B protection)  
Hydroxystearyl Alcohol Emulsifier  
Octocrylene Sunscreen (UV-A +UV-B protection)  
Titanium dioxide Opacifier + Sunscreen (UV-B protection)

## **Warnings**

- In case of allergic reaction stop the use immediately & consult your doctor.
- Avoid contact with eyes.
- For external use only.
- Keep out of the reach of children

## **Dosage and Administration**

UV-support should be used year-round before going outside.

Apply UV-support to all exposed skin 15 minutes before sun exposure.

Reapply UV-support after every two hours or as per need.

## **UV Support**



## UV SUPPORT

benzophenone-3, ethylhexyl salicylate, homosalate, octocrylene, butyl methoxydibenzoyl methae, titanium dioxide, hydroxystearyl alcohol cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84859-115
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.75 g in 30 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.2 g in 30 g
<b>HYDROXYSTEARYL ALCOHOL</b> (UNII: UN9IN5VLYE) (HYDROXYSTEARYL ALCOHOL - UNII:UN9IN5VLYE)	HYDROXYSTEARYL ALCOHOL	0.6 g in 30 g
<b>BENZOPHENONE</b> (UNII: 701M4TTV9O) (BENZOPHENONE - UNII:701M4TTV9O)	BENZOPHENONE	1.2 g in 30 g

<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	3 g in 30 g
<b>BUTYL METHOXYDIBENZOYLMETHANE</b> (UNII: G63QQF2NOX) (BUTYL METHOXYDIBENZOYLMETHANE - UNII:G63QQF2NOX)	BUTYL METHOXYDIBENZOYLMETHANE	0.9 g in 30 g
<b>ETHYLHEXYL SALICYLATE</b> (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	ETHYLHEXYL SALICYLATE	1.5 g in 30 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (120000 MPA.S AT 1%)</b> (UNII: 5F4963KLHS)	0.3 g in 30 g
<b>TRIETHANOLAMINE</b> (UNII: 9O3K93S3TK)	0.18 g in 30 g
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	0.09 g in 30 g
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	0.9 g in 30 g
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	0.75 g in 30 g
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	0.9 g in 30 g
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	0.9 g in 30 g
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	2.4 g in 30 g
<b>EDTA</b> (UNII: 9G34HU7RV0)	0.03 g in 30 g
<b>CAPRYLYL/CAPRYL GLUCOSIDE</b> (UNII: E00JL9G9K0)	0.15 g in 30 g
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	0.9 g in 30 g
<b>WATER</b> (UNII: 059QF0KO0R)	11.667 mL in 30 g
<b>DIETHYLENE GLYCOL DISTEARATE</b> (UNII: 617Q4OD690)	0.9 g in 30 g
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	0.15 g in 30 g

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84859-115-01	1 in 1 BOX	02/26/2025	
1	NDC:84859-115-30	30 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/26/2025	

---

**Registrant** - Novamed Healthcare Private Limited (645814547)**Establishment**

Name	Address	ID/FEI	Business Operations
Novamed Healthcare Private Limited		645814547	manufacture(84859-115) , label(84859-115) , pack(84859-115)

Revised: 2/2025

Novamed Healthcare Private Limited