ERYLVEKA 5% MINOXIDIL HAIR GROWTH FOAM WITH BIOTINminoxidil aerosol, foam Shenzhen Joyuflsh Technology Co.,Ltd.

ERYLVEKA 5% Minoxidil Hair Growth Foam with Biotin

Minoxidil 5% Biotin 0.5%

Hair Regrowth Treatment

Use to regrow hair of the scalp

Flammable:keep away from fire or flame. Keep out of reach of children. For external use only,

Your hair loss is sudden and/or patchy. Your hair loss is associated with childbirth. You do not know the reason for your hair loss. You are under 18 years of age. Do not use on babies and children. Your scalp is red, inflamed, infected, irritated, or painful. You use other medicines on the scalp.

Avoid contact with the eyes. in case of accidental contact, rinse eyes with large amountsofcool tap water

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need touse this product for at least 6 months before you see results. The amount of hair regrowth is different for each person Avoid contact with eyes. in case of accidental contact, rinse eyes with a large amount of cool tap water.

Chest pain, rapid heartbeat, faintness, or dizziness occurs.

Sudden, unexplained weight gain occurs.

If unwanted facial hair growth occurs .

If you do not see hair regrowth in 6 months.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

1 .Hold the bottle upside down and gently press the valve to dispense foam onto your hand or a cold surfaceapproximately half a capful in size.

2.Massage the foam into your scalp with your fingers, parting your hair into rows to ensure even applicationto areas of thinning hair. Finally, wash your hands thoroughly. 3.Use Twice Daily and enjoy thicker, fuller hair growth in as little as 3 to 6 months.

Before use, read all information on the carton and the enclosed leaflet Store at a controlled room temperature of 20'C to 25°°C (68°F to 77°F). Do not incinerate the container. Do not expose it to heat or store it at temperatures above 40°C (104°F)

Biotin cetyl alcohol citric acid glycerin isobutane lactic acid polysorbate 60 purified water SD alcohol stearyl alcohol butane edetate disodium

		EBALVERA®	
Minoxidil 5% w/w Hair Regrowth Treatment	erylveka®	ERVLVEKA®	DIRECTIONS FOR USE See Information leaflet with complete directions on how to use the product and obtain the best results.
	Minoxidil Topical Aerosol, 5% (Foam)	Minoxidil Topical	1. PREP HANDS WITH COLD WATER
Ter denotes only: Do not use if it is useden and/or pathy; • Your half less is useden and/or pathy; • Your half less is useden and/or pathy; • You are under 16 perce 1 dags. Do not use on bable and children. • You are under 16 perce 1 dags. Do not use on bable and children. • You are under informal, effected infolds, or pathall.		Aerosol, 5%(Foam)	
When Using Second account of the second account of the second account of coal top water. • Avail discript with the second account of the secount of the second account	REST REGIS	For Men and Women	3. DISPENSE VERTICALLY ONTO A COLD SURFACE Shake the bottle, hold it upside down and gently press the valve to dispense foam onto your hand, approximately the size of half a copful.
Stop use and ask a doctor if • Ouel pain, rapid hearitest, faintest, or distance accus. • I annuel fainte long grand accus. • I annuel fainte long grand accus. • I annuel fainte long grand accus.	USE TWICE AILY DAILY	Hair Regrowth Treatment	4.APPLY TO SCALP, NOT HAIR Mossage the foam into your scale with
Keep out of reach of children If swellowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Directions		Reactivates Hair Follicles To Stimulate Regrowth	Massage the foam into your scalp with your fingers, parting your hair into rows to ensure even application to areas with thinning hair.
1.Hold has before jupide down and genty press the values to dispersive forms not syour hand or a cald surface, expressionable that capital in status. 2.Message the form inity provide diff your fingent, paneling your hair into rook to ensure even application. 3.Let "Vice Diff and ensity hinder, full their grant's in a title as 3 to do moths.		Clinically Proven To Help Regrow Hair	E.
Other information - Molecus, road of Momming the center and the endoard briefst. - Dealer was, read of Momming and American and American and American and American and American and American - Dealer Momming the centering. The and appear it is hard and active if at Imperpartness above 40°C (104°F).		Active Ingredient	5.CLOSE CAP AND WASH HANDS Snap cap back into place.Wash hands with water.
Inactive ingredients cely lacebul, ciric cida, glycerin, izabitans, lactic cida, polysorbate 60, purified water, SD alcohol, sterer) datebul, butens, edebta dicaladim	Advanced Formula with Biotin for		
Questions? cservice@erylveka.com	Enhanced Hair Growth	Four 60g (2.11 oz) Cons TOTAL 240 g (8.440Z)	Cientibuter: Skenshen Jayuflah Tachnology Co., Lid. Addres: 3rd Roor, Buldarg Y, Zone G, Third Industriol Zone, Gongle Community, Shajing Street, Booon Chaile Shenshen Made IN PRC

ERYLVEKA 5% MINOXIDIL HAIR GROWTH FOAM WITH BIOTIN

minoxidil aerosol, foam

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83766-104	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 g	
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	0.5 g in 100 g	

		In a weat is at Nows a		Churchenth
_		Ingredient Name		Strength
	YCERIN (UNII: PD			
	DBUTANE (UNII: E	· ·		
		(UNII: CAL22UVI4M)		
		_ (UNII: 2KR89I4H1Y)		
		M (UNII: 7FLD91C86K)		
	ITANE (UNII: 6LV4			
	CTIC ACID (UNII:			
	ATER (UNII: 059Q)			
CITRIC ACID (UNII: 2968PHW8QP)				
	COHOL (UNII: 3K	9958V90M)		
Pa	соноL (UNII: 3К ackaging ltem Code	Package Description	Marketing Start	Marketing End
Pa #	Item Code	Package Description	Date	Marketing End Date
Pa #	Item Code		-	-
Pa #	ackaging Item Code NDC:83766-104-	Package Description	Date	-
Pa #	ackaging Item Code NDC:83766-104-	Package Description 4 in 1 PACKAGE 60 g in 1 BOTTLE; Type 0: Not a Combination	Date	-
Pa # 1	Item Code NDC:83766-104-01	Package Description 4 in 1 PACKAGE 60 g in 1 BOTTLE; Type 0: Not a Combination Product	Date	-
Pa # 1	Item Code NDC:83766-104- 01	Package Description 4 in 1 PACKAGE 60 g in 1 BOTTLE; Type 0: Not a Combination Product Information	Date 02/20/2025	Date
Pa # 1	Item Code NDC:83766-104-01	Package Description 4 in 1 PACKAGE 60 g in 1 BOTTLE; Type 0: Not a Combination Product	Date	Date

Labeler - Shenzhen Joyuflsh Technology Co.,Ltd. (603012375)

Establishment					
Name	Address	ID/FEI	Business Operations		
Shenzhen Joyuflsh Technology Co.,Ltd.		603012375	manufacture(83766-104)		

Revised: 2/2025

Shenzhen Joyuflsh Technology Co.,Ltd.