

**SIDINOX 5% MINOXIDIL HAIR GROWTH FOAM WITH BIOTIN- minoxidil aerosol, foam**

**Shenzhen Joyufish Technology Co.,Ltd.**

-----  
**SIDINOX 5% Minoxidil Hair Growth Foam with Biotin**

Minoxidil 5%

Biotin 0.5%

Hair Regrowth Treatment

Use to regrow hair of the scalp

Flammable:keep away from fire or flame.

Keep out of reach of children.

For external use only

Your hair loss is sudden and/or patchy.

Your hair loss is associated with childbirth.

You do not know the reason for your hair loss

You are under 18 years of age. Do not use on babies and children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp,

Avoid contact with the eyes. In case of accidental contact, rinse your eyes with large amounts of cool tap water

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.

Avoid contact with eyes. In case of accidental contact, rinse your eyes with a large amount of cool tap water.

Chest pain, rapid heartbeat, faintness, or dizziness occurs

Sudden, unexplained weight gain occurs.

If unwanted facial hair growth occurs .

If you do not see hair regrowth in 6 months.

Keep out of reach of children.If swallowed, get medical help or contact a Poison Control Center

(1-800-222-1222)immediately

1.Hold the bottle upside down and gently press the valve to dispense foam onto your hand or a cold surface approximately half a capful in size.

2.Massage the foam into your scalp with your fingers, parting your hair into rows to ensure even application to areas of thinning hair. Finally, wash your hands thoroughly.

3.Use Twice Daily and enjoy thicker, fuller hair growth in as little as 3 to 6 months.

Before use, read all the information on the carton and the enclosed leaflet.Store at a controlled room temperature of 20°C to 25°C (68°F to 77°F).Do not incinerate the container. Do not expose it to heat or store it at temperatures above 40°C (104°F)

cetyl alcohol

citric acid  
 glycerin  
 isobutane  
 lactic acid  
 polysorbate 60  
 purified water  
 SD alcohol  
 stearyl alcohol  
 butane  
 edetate disodium

**Drug Facts**

Active Ingredient	Purpose
Minoxidil 5% w/w Biotin 0.5% w/w	Hair Regrowth Treatment

**Use** to regrow hair of the scalp

**Warnings**  
Flammable: Keep away from fire or flame.  
Keep out of reach of children.  
For external use only.

**Do not use it if**  
Your hair loss is sudden and/or patchy.  
Your hair loss is associated with childbirth.  
You do not know the reason for your hair loss.  
You are under 18 years of age. Do not use on babies and children.  
Your scalp is red, inflamed, infected, irritated, or painful.  
You use other medicines on the scalp.

**When Using**  
Avoid contact with the eyes. In case of accidental contact, rinse your eyes with large amounts of cool tap water. Some people have experienced changes in hair color and/or texture.  
It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.  
Avoid contact with eyes. In case of accidental contact, rinse your eyes with a large amount of cool tap water.

**Stop using and ask a doctor if**  
Chest pain, rapid heartbeat, faintness, or dizziness occurs.  
Sudden, unexplained weight gain occurs.  
If unwanted facial hair growth occurs.  
If you do not see hair regrowth in 6 months.

**Keep out of reach of children** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately

**Directions**  
1. Hold the bottle upside down and gently press the valve to dispense foam onto your hand or a cold surface approximately half a capful in size.  
2. Massage the foam into your scalp with your fingers, parting your hair into rows to ensure even application to areas of thinning hair. Finally, wash your hands thoroughly.  
3. Use Twice Daily and enjoy thicker, fuller hair growth in as little as 3 to 6 months.

**Other information**  
Before use, read all the information on the carton and the enclosed leaflet.  
Store at a controlled room temperature of 20°C to 25°C (68°F to 77°F).  
Do not incinerate the container. Do not expose it to heat or store it at temperatures above 40°C (104°F).

**Inactive ingredients**  
cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, purified water, SD alcohol, stearyl alcohol, butane, edetate disodium

**Questions?**  
sidinoxservice@126.com

# SIDINOX<sup>®</sup>

## Minoxidil

### Topical Aerosol, 5% (Foam)

#### Hair Regrowth Treatment

For Men and Women

- ★ Clinically Proven To Help Regrow Hair
- ★ Reactivates Hair Follicles and Stimulate hair Rrowth

Unscented

- ★ EASY-TO-USE FOAM
- ★ USE TWICE DAILY

With Biotin

3X 60g BOTTLES / TOTAL 6.35 OZ

Minoxidil Topical Aerosol, 5% (Foam)

FOR BEST RESULTS  
USE TWICE DAILY  
APPLY DIRECTLY TO SCALP

3X 60g BOTTLES / TOTAL 6.35 OZ

**DIRECTIONS FOR USE**  
Please refer the Information brochure for how to use this product and get the best results!

1. PREP HANDS WITH COLD WATER

2. OPEN THE CAP

3. DISPENSE VERTICALLY ONTO YOUR HAND

Shake the bottle, hold it upside down and gently press the valve to dispense foam onto your hand, approximately the size of half a capful.

4. APPLY TO SCALP. NOT HAIR

Massage the foam into your scalp with your fingers, parting your hair into rows to ensure even application to areas with thinning hair. Then, wash your hands thoroughly.

Distributor: Shenzhen Joyvish Technology Co., Ltd.  
Address: 3rd Floor, Building B, Zone G, Third Industrial Zone, Gonghe Community, Shajing Street, Baoan District Shenzhen  
Made IN PRC

## SIDINOX 5% MINOXIDIL HAIR GROWTH FOAM WITH BIOTIN

minoxidil aerosol, foam

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83766-105
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 g

**BIOTIN** (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)

BIOTIN

0.5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>CITRIC ACID</b> (UNII: 2968PHW8QP)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	
<b>BUTANE</b> (UNII: 6LV4FOR43R)	
<b>LACTIC ACID</b> (UNII: 33X04XA5AT)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83766-105-01	3 in 1 PACKAGE	02/27/2025	
1		60 g in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	02/27/2025	

**Labeler** - Shenzhen Joyufish Technology Co.,Ltd. (603012375)

### Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Joyufish Technology Co., Ltd.		603012375	manufacture(83766-105)

Revised: 2/2025

Shenzhen Joyufish Technology Co.,Ltd.