TKTX NUMB- procaine, tetracaine, prilocaine cream USA MINGER Inc.

TKTX NUMB

PROCAINE 5% TETRACAINE 1% PRILOCAINE 1%

Topical anesthetic

Tattoo, waxing and hair removal etc.

For external use only.

on open skin wounds. in or near the eyes. In case of contact, rinse eyes thoroughly with water and stop using.

keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

and ask a doctor if irritation or rash occurs. These may be signs of allergy.

If swallowed, get medical help or contact a Poison C ontrol Center right away.

After cleaning the skin [warm water is better), apply appropriate amount of tattoo cream to the area to be tattooed, cover the plastic wrap, Wait 50 mins to 60 mins for the numbing cream to take effect, then get tattooed.

All Submissions Drug Listing and Certification Products Content of Labeling

No data available

Water, Propylene Glycol, Carbomer, Glycerin, Disodium Edta, Hydroxyacetophenone, 1,2- Hexanediol, Mentha Arvensis Leaf Extract, Chrysanthellum Indicum Extract, Portulaca Oleracea Extract, Peg- 40 Hydrogenated Castor.

cream with prolonged effect. epidermal topical anesthetic Anew Generation of enhanced TKTX NUMB **Drug Facts** Active Ingredients....Purpose Procaine 5%Topical anesthetic Tereacaine 1%Topical anesthetic Prilocaine 1%Topical anesthetic 2. Wash the skin with soap and warm water making sure it's clean and free of bacteria When applying this cream, Please keep the skin warm for faster absorption 1. Unscrew the cap and tear off the seal before using. Tighten the cap in time after use pain relief during various small epidermal surgeries Removal, Mole Wart Removal, Dermaroller, Hair Removal, As well as Microdermabrasion, IPL Treatment, Fractional Co2 Laser, Laser Tattoo Local anesthesia of the skin, such as: Tattoo, Piercing, Permanent Makeup Put the cream evenly on the skin (1mm thick), and cover it with a plastic wrap for 50-60 Before starting the operation, remove the cream and let the skin breathe for 5-10 mins Uses Tattoo, waxing and hair removal etc. Warnings For external use only. Do not use on open skin wounds, in or near the eyes. In case of contact, rinse eyes thoroughly with water and stop using. Tattoo Maximum Strength **** External Use 10g+Extra 3.5g New Anesthetic Cream Lasting 4-6 Hours When using this product keep out of eyes, ears, and mouth. Incase of contact with M STRENGTH PAIN RELIEVER eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of allergy. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Inactive ingredients Water, Propylene Glycol, Carbomer, Glycetin, Disodium Edta, Hydroxyacetophenone, 1,2-Hexanediol, Mentha Arvensis Leaf Extract Chrysanthellum Indicum Extract, Portulaca Oleracea Extract, Peg-40 Hydrogenated Castor. Distributed by: USA MINGER Inc. 908 Industry Dr Tukwila WA 98188 United States

> A new Generation of enhanced epidermal topical anest hetic cream with prolonged effect.

procaine, tetracaine, prilocaine cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84353-002	
Poute of Administration	CUTANEOUS			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TETRACAINE (UNII: 0619F35CGV) (TETRACAINE - UNII:0619F35CGV)	TETRACAINE	1 g in 100 g	
PROCAINE (UNII: 4Z8Y51M438) (PROCAINE - UNII:4Z8Y51M438)	PROCAINE	5 g in 100 g	
PRILOCAINE (UNII: 046035D44R) (PRILOCAINE - UNII:046035D44R)	PRILOCAINE	1 g in 100 g	

Inactive Ingredients		
Ingredient Name	Strength	
CARBOMER (UNII: 0A5MM307FC)		
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)		
WATER (UNII: 059QF0KO0R)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
GLYCERIN (UNII: PDC6A3C0OX)		
EDETATE DISODIUM (UNII: 7FLD91C86K)		

l	Packaging				
	# Item Code Package Description		Marketing Start Date	Marketing End Date	
		NDC:84353-002- 01	10 g in 1 BOTTLE; Type 0: Not a Combination Product	02/27/2025	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	02/27/2025		

Labeler - USA MINGER Inc. (123952552)

Establishment				
Name	Address	ID/FEI	Business Operations	
USA MINGER Inc.		123952552	manufacture(84353-002)	

Revised: 2/2025 USA MINGER Inc.