# ADULT TUSSIN DM- dextromethorphan hydrobromide, guaifenesin solution CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## CVS Pharmacy, Inc. Adult Tussin DM Drug Facts

### Active ingredients (in each 20 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 200 mg

## **Purposes**

Cough suppressant Expectorant

#### Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

## Warnings

#### Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

## Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

## Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

## If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children	20 mL every 4 hours
12 years and over	
children under 12 years	do not use

#### Other information

- each 20 mL contains: sodium 14 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

## Inactive ingredients

anhydrous citric acid, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

#### Questions or comments?

1-800-719-9260

## Package/Label Principal Display Panel

CVS Health®

Compare to the active ingredients in Robitussin® Cough + Chest Congestion DM

Non-Drowsy

Tussin DM

**DEXTROMETHORPHAN HBr** 

Cough suppressant

**GUAIFENESIN** 

## Expectorant

Adult Cough & Chest Congestion

## Relieves:

- Cough
- Chest congestion/mucus

Alcohol Free

For Ages 12 & Over

Raspberry Flavor

Dosage Cup Provided

See New Dosing

8 FL OZ (237 mL)



**GUAIFENESIN** 

Adult Cough & Chest Congestion

Cough
 Chest congestion/mucus

Expectorant

Relieves:

Alcohol Free

See New Dosing Alconol Free Adult Cough & Chestion Md nissuT

**◆C**∧**2**Health.

Non-Drowsy



Compare to the active ingredients in Robitussin® Cough + Chest Congestion DM<sup>1</sup>

### Drug Facts

Active ingredients Purposes (in each 20 mL) Dextromethorphan HBr,

USP 20 mg......Co Guaifenesin, USP 200 mg.... ..Cough suppressant g.....Expectorant

#### Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tube

#### Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have cough that occurs with too much

- phlegm (mucus) cough that lasts or is chronic such as
- occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of

overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

#### Directions

- do not take more than 6 doses in any 24-hour period
  measure only with dosing cup provided
  keep dosing cup with product

#### Drug Facts (continued)

- mL = milliliter
   this adult product is not intended for use in children under 12 years of age

age	dose
adults and children	20 mL
12 years and over	every 4 hours
children under 12 years	do not use

#### Other information

- each 20 mL contains: sod store at 20-25°C (68-77°F). sodium 14 mg
- Do not refrigerate.

Inactive ingredients anhydrous citric acid, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

This product is not manufactured or distributed by Pfizer, distributor of Robitussin® Cough + Chest Congestion DM.

outed by: CVS Pharmacy, Inc. VS Drive, Woonsocket, RI 02895 2 CVS/pharmacy om\* 1-800-SHOP CVS





www.StopMedicineAbuse.org

## **Non-Drowsy**

## Tussin DM

## Adult Cough & Chest Congestion

Choose the correct Tussin formula for your symptoms

Chest congestion with dry cough

Loosens chest congestion to help coughs clear chest.

#### Tussin - DM:

Frequent coughs & chest congestion

- · Controls and suppresses coughing.
- · Loosens and relieves chest congestion/mucus\_


#### Tussin - CF:

Nasal stuffiness, frequent coughs & chest congestion

- Clears nasal passages to restore freer breathing through the nose.
- · Controls and suppresses coughing.
- · Relieves chest congestion/mucus.

#### **Long-Acting Tussin:**

· Controls coughs 6-8 hours.



8 FL 0Z (237 mL)



63K34 17 C1

## ADULT TUSSIN DM

dextromethorphan hydrobromide, quaifenesin solution

#### **Product Information Product Type HUMAN OTC DRUG** Item Code (Source) NDC:69842-513 **Route of Administration ORAL**

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 20 mL	

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GLYCERIN (UNII: PDC6A3C0OX)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
SORBITOL (UNII: 506T60A25R)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
XANTHAN GUM (UNII: TTV12P4NEE)			

Product Characteristics			
Color	RED	Score	
Shape		Size	
Flavor	FRUIT	Imprint Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:69842-513- 26	1 in 1 CARTON	07/12/2022			
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product				
2	NDC:69842-513- 34	1 in 1 CARTON	07/19/2022			
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	07/12/2022		

Revised: 7/2022 CVS Pharmacy