# LEADER COUGH DM- dextromethorphan polistirex suspension, extended release Praxis, LLC

\_\_\_\_\_

## **Cardinal Health Cough DM Drug Facts**

## Active ingredient (in each 5 mL)

Dextromethorphan polistirex equivalent to 30 mg dextromethorphan hydrobromide

#### Purpose

Cough suppressant

#### Uses

temporarily relieves

- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the impulse to cough to help you get to sleep

#### Warnings

#### Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Allergy Alert:**Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions.

#### Ask a doctor before use if you have

- chronic cough that lasts as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)

#### Stop use and ask a doctor if

- side effects occur. You may report side effects to FDA at 1-800-FDA-1088.
- cough lasts more than 7 days, cough comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

#### If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- shake bottle well before use
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

adults and children 12 years of age and over	10 mL every 12 hours, not to exceed 20 mL in 24 hours
children 6 to under 12 years of age	5 mL every 12 hours, not to exceed 10 mL in 24 hours
children 4 to under 6 years of age	2.5 mL every 12 hours, not to exceed 5 mL in 24 hours
children under 4 years of age	do not use

## Other information

- each 5 mL contains: sodium 5 mg
- store at 20° to 25°C (68° to 77°F)
- dosing cup provided

#### Inactive ingredients

artificial grape flavor, D&C Red #30 aluminum lake, FD&C Blue #1 aluminum lake, glycerin, high fructose corn syrup, methylparaben, polysorbate 80, polyvinyl acetate, povidone, propylparaben, purified water, sodium metabisulfite, sodium polystyrene sulfonate, sucrose, tartaric acid, tragacanth gum, triacetin, xanthan gum

## **Questions or comments?**

1-800-719-9260

## Package/Label Principal Display Panel

Day or Night

Cough DM

Dextromethorphan Polistirex Extended-Release Oral Suspension

Cough Suppressant

Grape Flavored Liquid

12 Hour Cough Relief

Alcohol-Free

Dosing Cup Included

COMPARE TO DELSYM® active ingredient

100% Money Back Guarantee

Contains Sodium Metabisulfite, a Sulfite That May Cause Allergic-Type Reactions

3 FL OZ (89 mL)

DO NOT USE IF CARTON IS OPENED OR PRINTED FOIL UNDER CAP IS BROKEN OR MISSING





49421 E9 C3

#### Drug Facts

Active ingredient (in each 5 mL) Purpose Dextromethorphan polistirex equivalent to 30 mg dextromethorphan hydrobromide......Cough suppressant

Uses temporarily relieves

cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants

the impulse to cough to help you get to sleep

#### Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Allergy Alert: Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions.

#### Ask a doctor before use if you have

chronic cough that lasts as occurs with smoking, asthma or emphysema cough that occurs with too much phlegm (mucus)

#### Stop use and ask a doctor if

side effects occur. You may report side effects to FDA at 1-800-FDA-1088. cough lasts more than 7 days, cough comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

shake bottle well before use

- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

adults and children	10 mL every 12 hours,
12 years of age and over	not to exceed 20 mL in 24 hours
children 6 to under	5 mL every 12 hours,
12 years of age	not to exceed 10 mL in 24 hours
children 4 to under	2.5 mL every 12 hours,
6 years of age	not to exceed 5 mL in 24 hours
children under 4 years of age	do not use

#### Other information

each 5 mL contains: sodium 5 mg ■ store at 20° to 25°C (68° to 77°F) ■ dosing cup provided



Also Available in Orange Flavor



www.StopMedicineAbuse.org

#### Drug Facts (continued)

Inactive ingredients artificial grape flavor, D&C Red #30 aluminum lake, FD&C Blue #1 aluminum lake, glycerin, high fructose corn syrup, methylparaben, polysorbate 80, polyvinyl acetate, povidone, propylparaben, purified water, sodium metabisulfite, sodium polystyrene sulfonate, sucrose, tartaric acid, tragacanth gum, triacetin, xanthan gum

Questions or comments? 1-800-719-9260

\*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Delsym®.

#### DOSING SHAKE WELL BEFORE USE. Measure only with dosing cup provided. Do not use dosing cup with other products. Dose Age (yr) 12 years 10 mL EVERY 12 HOURS to adult 6 to 5 mL under 12 EVERY 12 HOURS 4 to 2.5 mL under 6 EVERY 12 HOURS

Under 4 Do not use

See back panel for full dosing directions.



		Ψ	
--	--	---	--

dextromethorphan polistire>	suspension, extended	release			
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (S	iource)	NDC:593	68-258
Route of Administration	ORAL				
Active Ingredient/Active	e Moiety				
Ingr	edient Name		Basis of Str	ength	Strengt
DEXTROMETHORPHAN HYDRO (DEXTROMETHORPHAN - UNII:735		1)	DEXTROMETHORPI HYDROBROMIDE	HAN	30 mg in 5 mL
Inactive Ingredients					
	Ingredient Name			St	trength
FD&C BLUE NO. 1 (UNII: H3R47)	K3TBD)				
GLYCERIN (UNII: PDC6A3C0OX)					
HIGH FRUCTOSE CORN SYRUP	(UNII: XY6UN3QB6S)				
METHYLPARABEN (UNII: A218C71	HI9T)				
POLYSORBATE 80 (UNII: 60ZP3	9ZG8H)				
POLYVINYL ACETATE (UNII: 32K	497ZK2U)				
POVIDONE, UNSPECIFIED (UNII	: FZ989GH94E)				
PROPYLPARABEN (UNII: Z8IX2S)	C10H)				
WATER (UNII: 059QF0KO0R)					
SODIUM METABISULFITE (UNII:	4VON5FNS3C)				
SODIUM POLYSTYRENE SULFO	<b>NATE</b> (UNII: 1699G8679Z)				
SUCROSE (UNII: C151H8M554)					
TARTARIC ACID (UNII: W4888111	9H)				
TRAGACANTH (UNII: 294435702	0)				
TRIACETIN (UNII: XHX3C3X673)					
XANTHAN GUM (UNII: TTV12P4N	EE)				
D&C RED NO. 30 (UNII: 2542T28	308B)				
Product Characteristics					
Color		ore			
Shape					

Fla	avor		GRAPE	Imprint Co	de	
Contains						
<b>D</b> -						
Pā	ackaging					
#	ltem Code	Package Description			Marketing Start Date	Marketing End Date
1	NDC:59368-258- 01	1 in 1 CARTON		(	06/06/2017	
1 89 mL in 1 BOT Product			TTLE; Type 0: Not a Co	mbination		
	la vla stin n		•			
B /	Marketing Information					
Μ	<u> </u>					
Μ	Marketing Category	Applicat	tion Number or Mo Citation	nograph	Marketing Start Date	Marketing End Date

## Labeler - Praxis, LLC (016329513)

Establishment					
Name	Address	ID/FEI	Business Operations		
Praxis, LLC		016329513	manufacture(59368-258) , label(59368-258) , pack(59368-258)		

Revised: 1/2023

Praxis, LLC