

LIDOCAINE PAIN-RELIEF PATCHES- lidocaine patch patch Meijer, Inc

DRUG FACTS

Lidocaine 4%

Topical Anesthetic

Temporarily relieves minor pain

For external use only

- on cut, irritated, or swollen skin. - On puncture wounds. - For more than one week without consulting a doctor. -If you are allergic to any active or inactive ingredient. - If the pouch is damaged or opened.
- Use only as directed
- Read and follow all directions and warning on this carton
- Avoid contact with the eyes, mucous membranes, or rashes.
- Do not use at the same time as other topical analgesics.
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use.
- Do not microwave.
- Dispose of used patches in a manner that always keeps the product away from children and pets.
- Used patches still contain the drug and could produce serious adverse effects if a child or pet chews or ingests them.
- Localized skin reaction occur, such as rash, itching, redness, irritation, pain, swelling, or blistering.
- conditions worsen.
- Symptoms persist for more than 7 days or clear up and occur again within a few days.

Ask a health professional before use.

If swallowed, get medical help or contact a poison Control Center

(1-800-222-1222) immediately.

Adults and children 12 years of age and over:

- Clean and dry the affected area.
- Carefully remove the backing from the patch starting at the corner
- Apply the sticky side of the patch to the affected area.
- Use one patch for up to 8 hours.
- Discard the patch after a single use.
- Children under 12 years of age: Consult a physician before use

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Acrylic block co-polymer adhesive

Dist. By

Meijer Distribution, Inc.

Grand Rapids, MI 49544

www.meijer.com

meijer

NDC 79481-3700-1

Lidocaine

Pain-Relief

Patches

4% LIDOCAINE TOPICAL ANESTHETIC MAXIMUM STRENGTH



Scissor Trim to Any Size or Shape

Water-Resistant

Uncented

6

Medicated Bandages



LIDOCAINE PAIN-RELIEF PATCHES				
lidocaine patch patch				
Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:79481-3700
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)			LIDOCAINE	4 mg in 100 mg
Inactive Ingredients				
Ingredient Name			Strength	
POLYQUATERNIUM-7 (UNII: 0L414VCS5Y)			49.6 mg in 100 mg	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-	2 in 1 CONTAINER	02/28/2025	

1	3700-1	2 in 1 CONTAINER	02/28/2025	
1		3 in 1 CELLO PACK		
1		4 mg in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/28/2025	

Labeler - Meijer, Inc (006959555)

Registrant - PediFix, Inc. (122271935)

Establishment			
Name	Address	ID/FEI	Business Operations
PEDIFIX		122271935	pack(79481-3700)

Establishment			
Name	Address	ID/FEI	Business Operations
AKRON		186569323	manufacture(79481-3700)