

**REDICARE NASAL AND SINUS DECONGESTANT- redicare nasal and sinus decongestant tablet**  
**Redicare LLC**

-----  
**Redicare Nasal and Sinus Decongestant**

***Drug Facts***

***Active Ingredient (in each tablet)***

Phenylephrine HCl 10mg

***Purpose***

Nasal decongestant

***Uses:***

■ temporarily relieves sinus congestion and pressure ■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

***Warnings:***

**Do not use if**

you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland

**When using this product**

do not exceed recommended dose

**Stop use and ask a doctor if**

■ nervousness, dizziness, or sleeplessness occur ■ symptoms do not improve within 7 days or occur with a fever

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions:***

**Adults and children 12 years and over:** ■ 1 tablet every 4 hours ■ do not take more than 6 tablets in 24 hours

**Children under 12 years:** ask a doctor

***Other Information:***

■ store at room temperature 20°– 25°C (68°– 77°F)

■ do not use if carton or blister unit is opened or broken [for blister]

***Inactive Ingredients:***

croscarmellose sodium, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, Opadry Clear YS-1-7006, polyethylene glycol, propylene glycol\*, silicon dioxide, titanium dioxide. \*May contain this ingredient

***Questions or Comments?***

Call 1-866-561-5650 Monday through Friday 9AM - 5PM

**Box**



Packet



**DECONGESTANT**  
2 TABLETS/PACKAGE

**Active ingredient:** (in each tablet)  
Phenylephrine HCl 10mg.

**Purpose:** Nasal decongestant.

**Uses:** Temporarily relieves sinus congestion and pressure, temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies.

**Directions: Adults and children 12 years and over:** 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours. **Children under 12 years:** Ask a doctor.

MANUFACTURED FOR REDICARE LLC, CONGERS, NY 10920

**PACKET NOT FOR INDIVIDUAL SALE**

FOR COMPLETE WARNINGS/CAUTIONS: SEE BOX

**WARNINGS:** Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. **Ask a doctor before use if you have** - heart disease, high blood pressure, thyroid disease, diabetes, trouble urinating due to an enlarged prostate gland. **Keep out of reach of children.** Store at room temperature 20° – 25°C (68° – 77°F).



1.75"x1.075"  
Front

1.75"x1.075"  
Back

# REDICARE NASAL AND SINUS DECONGESTANT

redicare nasal and sinus decongestant tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71105-272
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)	

Product Characteristics			
Color	red	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71105-272-02	50 in 1 BOX	02/27/2025	
1	NDC:71105-272-01	2 in 1 PACKET; Type 0: Not a Combination Product		



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/27/2025	

**Labeler** - Redicare LLC (800149346)