

WHITE GIRL SUNSCREEN- avobenzone, homosalate, octinoxate, octisalate, octocrylene lotion
White Girl, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

White Girl Sunscreen

Active Ingredients

Octinoxate 7%

Homosalate 3%

Octocrylene 6%

Avobenzone 2.5%

Drug Facts

Active Ingredients		Purpose
Octinoxate	7%	Sunscreen
Homosalate	3%	
Octocrylene	6%	
Avobenzene	2.5%	

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating

- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 30 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive ingredients

Water, Caprylic/Capric Triglyceride, Beeswax, Steareth-21, Helianthus Annuus Seed Oil, Persea Gratissima Oil, Aloe Barbadensis Leaf Extract, Sodium Benzoate, Fragrance, Xanthan Gum, Potassium Sorbate, Tocopheryl Acetate, Vitis Vinifera seed extract, Sodium Hyaluronate

Other information

- protect this product from excessive heat and direct sun

MFG#150706

SPF30

Drug Facts

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions)
- decreases the risk of skin cancer and early skin aging caused by sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum spf of 30 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m-2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other Information

protect this product from excessive heat and direct sun

Drug Facts

Active Ingredients		Purpose
Octinoxate	7%	Sunscreen
Homosalate	3%	
Octocrylene	6%	
Avobenzene	2.5%	

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating

- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 30 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive ingredients

Water, Caprylic/Capric Triglyceride, Beeswax, Steareth-21, Helianthus Annuus Seed Oil, Persea Gratissima Oil, Aloe Barbadensis Leaf Extract, Sodium Benzoate, Fragrance, Xanthan Gum, Potassium Sorbate, Tocopheryl Acetate, Vitis Vinifera seed extract, Sodium Hyaluronate

Other information

- protect this product from excessive heat and direct sun

MFG#150706

SPF30

White Girl Sunscreen 30 SPF

White Girl Sunscreen 30 SPF

www.whitegirlsunscreen.com

WHITE GIRL SUNSCREEN

avobenzene, homosalate, octinoxate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70641-111
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
STEARETH-21 (UNII: 53J3F32P58)	1.5 g in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70641-111-01	100 g in 1 POUCH; Type 0: Not a Combination Product	06/06/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/06/2016	

Labeler - White Girl, LLC (080196333)**Registrant** - Bath Concept Cosmetics (Dongguan) Co., Ltd. (529623933)**Establishment**

Name	Address	ID/FEI	Business Operations
Bath Concept Cosmetics (Dongguan) Co., Ltd.		529623933	manufacture(70641-111)

Revised: 1/2017

White Girl, LLC