

LIDOCAINE PAIN RELIEF GEL-PATCH- lidocaine patch
Guangzhou Zhupuyou E-commerce Co., Ltd

Lidocaine Pain Relief Gel-Patch

Lidocaine 4%

Topical Anesthetic

Temporarily relieves muscle soreness and minor jointpains in the wrist, knees, back, neck, hips, shoulders,elbows.

For external use only

on wounds or damaged skin
with a heating pad or device
with other ointments, creams, sprays, or liniments
if you are allergic to any ingredients of this product

use only as directed
avoid contact with the eyes, mucous membranes, or rashes
do not bandage tightly

skin reactions such as redness, swelling, blistering or other discomfort occur
symptoms persist for more than 7 days

If swallowed accidentally , get medical help or contact with Poison Control Center immediately.

Adults and Children above 12 years old:

Clean and dry the affected area.

Tear off the protective film and apply the exposed part of the patch to the affected area.

Carefully remove remaining film while pressing the patch firmly on the skin.

Remove patch from the skin after at most 8-hour application

Children under age of 12: Consult a doctor

Dihydroxyaluminum Aminoacetate Anhydrous

Glycerin

Kaolin

Methylparaben

Polyacrylic Acid

Polysorbate 80

Propylene Glycol

Propylparaben

PVP

Sodium Polyacrylate

Tartaric Acid

Titanium Dioxide

Water

Maximum Strength

CUT OPEN HERE

Sumifun[®]

Lidocaine

Pain Relief Gel-Patch

ARM, NECK & LEG PATCH


Desensitizes Aggravated Nerves And Relieves Pain:

- NO Irritation
- Stay-put Flexible Patch
- Numbs Pain Away



4% LIDOCAINE

1 PATCH
3.15" X 4.72"
8cm X 12cm



Drug Facts

Active ingredient **Purpose**
Lidocaine 4% Topical Anesthetic

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or trashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

Guangzhou Zhupuyou E-commerce Co., Ltd
Room 202-4, No. 5, Lane 1, Sunan New Village, Tangxia, Tianhe District, Guangzhou, 510630, China (CHN)

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:


- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application

Children under age of 12: Consult a doctor

Inactive ingredients
Dihydroxyaluminum Aminoacetate Anhydrous, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, PVP, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

Questions or Comments:
support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging



6 9 7 7 9 1 6 5 1 3 6 1 7

LIDOCAINE PAIN RELIEF GEL-PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84165-107
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

GLYCERIN (UNII: PDC6A3C0OX)
POVIDONE K90 (UNII: RDH86HJV5Z)
KAOLIN (UNII: 24H4NWX5CO)
TARTARIC ACID (UNII: W4888I119H)
METHYLPARABEN (UNII: A2I8C7HI9T)
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product	02/28/2025	
2	NDC:84165-107-05	5 in 1 BOX	02/28/2025	
2	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
3	NDC:84165-107-06	6 in 1 BOX	02/28/2025	
3	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
4	NDC:84165-107-07	7 in 1 BOX	02/28/2025	
4	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
5	NDC:84165-107-08	8 in 1 BOX	02/28/2025	
5	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
6	NDC:84165-107-09	9 in 1 BOX	02/28/2025	
6	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
7	NDC:84165-107-10	10 in 1 BOX	02/28/2025	
7	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
8	NDC:84165-107-11	11 in 1 BOX	02/28/2025	
8	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
9	NDC:84165-107-12	12 in 1 BOX	02/28/2025	
9	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
10	NDC:84165-107-13	13 in 1 BOX	02/28/2025	
10	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
11	NDC:84165-107-14	14 in 1 BOX	02/28/2025	
11	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
12	NDC:84165-107-15	15 in 1 BOX	02/28/2025	

12	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
13	NDC:84165-107-16	16 in 1 BOX	02/28/2025	
13	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
14	NDC:84165-107-17	17 in 1 BOX	02/28/2025	
14	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
15	NDC:84165-107-18	18 in 1 BOX	02/28/2025	
15	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
16	NDC:84165-107-19	19 in 1 BOX	02/28/2025	
16	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
17	NDC:84165-107-20	20 in 1 BOX	02/28/2025	
17	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
18	NDC:84165-107-21	21 in 1 BOX	02/28/2025	
18	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
19	NDC:84165-107-22	22 in 1 BOX	02/28/2025	
19	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
20	NDC:84165-107-23	23 in 1 BOX	02/28/2025	
20	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
21	NDC:84165-107-24	24 in 1 BOX	02/28/2025	
21	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
22	NDC:84165-107-25	25 in 1 BOX	02/28/2025	
22	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
23	NDC:84165-107-26	26 in 1 BOX	02/28/2025	
23	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
24	NDC:84165-107-27	27 in 1 BOX	02/28/2025	
24	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
25	NDC:84165-107-28	28 in 1 BOX	02/28/2025	
25	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
26	NDC:84165-107-29	29 in 1 BOX	02/28/2025	
26	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
27	NDC:84165-107-	30 in 1 BOX	02/28/2025	

27	30	30 in 1 BOX	02/28/2025	
27	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
28	NDC:84165-107-31	31 in 1 BOX	02/28/2025	
28	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
29	NDC:84165-107-32	32 in 1 BOX	02/28/2025	
29	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
30	NDC:84165-107-33	33 in 1 BOX	02/28/2025	
30	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
31	NDC:84165-107-34	34 in 1 BOX	02/28/2025	
31	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
32	NDC:84165-107-35	35 in 1 BOX	02/28/2025	
32	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
33	NDC:84165-107-36	36 in 1 BOX	02/28/2025	
33	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
34	NDC:84165-107-37	37 in 1 BOX	02/28/2025	
34	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
35	NDC:84165-107-38	38 in 1 BOX	02/28/2025	
35	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
36	NDC:84165-107-39	39 in 1 BOX	02/28/2025	
36	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
37	NDC:84165-107-40	40 in 1 BOX	02/28/2025	
37	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
38	NDC:84165-107-41	41 in 1 BOX	02/28/2025	
38	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
39	NDC:84165-107-42	42 in 1 BOX	02/28/2025	
39	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
40	NDC:84165-107-43	43 in 1 BOX	02/28/2025	
40	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
41	NDC:84165-107-44	44 in 1 BOX	02/28/2025	
41	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
	NDC:84165-107-			

42	NDC:84165-107-45	45 in 1 BOX	02/28/2025	
42	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
43	NDC:84165-107-46	46 in 1 BOX	02/28/2025	
43	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
44	NDC:84165-107-47	47 in 1 BOX	02/28/2025	
44	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
45	NDC:84165-107-48	48 in 1 BOX	02/28/2025	
45	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
46	NDC:84165-107-49	49 in 1 BOX	02/28/2025	
46	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		
47	NDC:84165-107-50	50 in 1 BOX	02/28/2025	
47	NDC:84165-107-01	9 g in 1 BAG; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/28/2025	

Labeler - Guangzhou Zhupuyou E-commerce Co., Ltd (418214143)

Establishment

Name	Address	ID/FEI	Business Operations
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.		546872672	manufacture(84165-107)

Revised: 3/2025

Guangzhou Zhupuyou E-commerce Co., Ltd