HAN SHIN EUNGYOSAN EXTRACT GRANULES- honeysuckle flower, forsythia fruit, mentha herb granule MISOCOS

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Facts

Honeysuckleflower 1420mg

ForsythiaFruit 1420mg

Mentha Herb 852mg

corn starch, Lactose Hydrate

■Pharyngolaryngeal pain due to common cold, thirst, cough and mouth being dry, headache from cold

keep out of reach of the children

Directions

■adult and children 15 years of age and older: one packet (one dose)

■children 7 to 14 years of age : 1/2 of the adult capacity

■children 5 to 6 years of age : 1/4 of the adult capacity

Warnings

When using this product

■Do not use Infants and toddlers under the age of five.

■Do not use in patients with genetic problems such as galactose intolerance, Lapp lactase deficiency, or glucose-galactose malabsorption since this drug contains lactose.

■Do not use it if the symptoms do not improve after taking it for several days.

When used in combination with potassium-containing agents, licorice-containing drugs, and diuretics (e.g., furosemide, ethacrynic acid, trichlormethiazide), myopathy is likely to occur, so take it carefully.

Ask a doctor before use if you have high blood pressure, edema, heart or kidney problems, rash, redness, diabetic, another disease.

Stop use and ask a doctor if the following serious side effects occur. These may be signs of a serious condition.

■Gastric aldosteronism (decreased urine, swollen face, hands, feet, eyelids, etc.)

■Myopathy (muscle weakness, cramps, paralysis)

■Interstitial pneumonia (fever, cough, shortness of breath, lung sound abnormalities)

■Liver disorders (elevated liver enzymes, jaundice)

■Skin reactions (rash, hives)

■Digestive issues (loss of appetite, stomach discomfort)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children, In case of overdose, get medical help or contact a poison control center right away

for oral use only

HAN SHIN EUNGYOSAN Extract Granules

Drug Facts	
Active Ingredients (in each dosage unit 3.5	g) Purpose
Honeysuckle flower 1420mg Forsythia Fruit 1420mg Mentha Herb 852mg	Anti-inflammatory action Antibacterial activity Relief of headaches
Uses ■Pharyngolaryngeal pain due to com mouth being dry, headache from cold	
Warnings When using this product ■Do not use Infants and toddlers und ■Do not use in patients with genetic intolerance, Lapp lactase deficiency, or	problems such as galactose
malabsorption since this drug contains ■Do not use it if the symptoms do r several days.	actose. not improve after taking it for
When used in combination with pot licorice-containing drugs, and diuretics acid, trichlormethiazide), myopathy is l carefully.	(e.g., furosemide, ethacrynic ikely to occur, so take it
Ask a doctor before use if you have heart or kidney problems, rash, rednes Stop use and ask a doctor if the follo occur. These may be signs of a seriou ■Gastric aldosteronism (decreased uring	ss, diabetic, another disease. wing serious side effects is condition.
eyelids, etc.) Myopathy (muscle weakness, cramps Interstitial pneumonia (fever, cough, sound abnormalities) Liver disorders (elevated liver enzym Skin reactions (rash, hives)	shortness of breath, lung
Digestive issues (loss of appetite, sto If pregnant or breast-feeding, ask a hi- Keep out of reach of children, In case help or contact a poison control center	ealth professional before use. of overdose, get medical
Directions adult and children 15 years of age and children 7 to 14 years of age : 1/2 of t children 5 to 6 years of age : 1/4 of the	he adult capacity
Other Information ■ Store at room temperature, 1–30°C	(34–86°F)
<i>Inactive Ingredient</i> corn starch, Lactose Hydrate	
<i>Questions or comments ?</i> Call weekdays from 9 a.m to 5 p.m E	ST at (201) 669-8405
<i>Distributed by :</i> B AND A TRADING C 325 WASHINGTON AVE. ,CARLSTADT,	ORP.
Made in South Korea	

HAN SHIN EUNGYOSAN EXTRACT GRANULES

honeysuckle flower, forsythia fruit, mentha herb granule

Product Info	rmation							
Product Type		HUMAN OTC DRUG	Item Code (Source)			NDC:7346	NDC:73466-0031	
Route of Admin	istration	ORAL						
Active Ingred	lient/Active	Moietv						
_		edient Name		E	Basis of S	trength	Strength	
FORSYTHIA SUSPENSA FRUIT (UNII: P4793M1ES5) (FORSYTHIA SUSPENSA FRUIT - UNII: P4793M1ES5)FORSYTHIA SUSPENSA FRUIT					JSPENSA	1420 mg in 3.5 g		
LONICERA HYPOGLAUCA FLOWER (UNII: 3ADI26ATFY) (LONICERA HYPOGLAUCA FLOWER - UNII: 3ADI26ATFY) HYPOGLAUCA				FLOWER	1420 mg in 3.5 g			
Inactive Ingre	edients							
Ingredient Name					Strength			
LACTOSE MONOH	IYDRATE (UNII:	EWQ57Q8I5X)						
Packaging					6 1 1			
# Item Code	Pa	ckage Description			-		eting End Date	
1 NDC:73466- 0031-1	120 in 1 PACK	AGE	0	03/01/2025				
1	3.5 g in 1 POU Product	ICH; Type 0: Not a Combina	ation					
Marketing Information								
Marketing	Applica	tion Number or Monog	graph		ing Start ate		eting End	
Category		Citation		U	ale		Date	
Category unapproved drug other		Citation		03/01/2025			Date	

```
Labeler - MISOCOS (695640173)
```

Registrant - MISOCOS (695640173)

Establishment				
Name	Address	ID/FEI	Business Operations	
MISOCOS		695640173	manufacture(73466-0031) , label(73466-0031)	

Revised: 3/2025

MISOCOS