

**HAN SHIN MAEKDAM EXTRACT GRANULES- liriop tuber, pinelliatuber, jujube granule MISOCOS**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Drug Facts**

Liriop Tuber 3.33g

PinelliaTuber 1.67g

Jujube 1.00g

corn starch, Lactose Hydrate

■Cough with a sticky sputum ■Bronchitis ■Bonchial asthma

keep out of reach of the children

■ Take a packet of medicine (one dose) of an adult three times a day before or between meals.

**Warnings**

When using this product

■Do not use in patients with genetic problems such as galactose intolerance, Lapp lactase deficiency, or glucose-galactose malabsorption since this drug contains lactose.

■Do not use it for more than 1 month unless the symptoms improve.

■Long-term use should only be done under medical supervision.

■When used in combination with potassium-containing agents, licorice-containing drugs, and diuretics (e.g., furosemide, ethacrynic acid, trichlormethiazide), myopathy is likely to occur, so take it carefully.

Ask a doctor before use if you have high blood pressure, edema, sputum, heart or kidney problems, another disease.

Stop use and ask a doctor if the following serious side effects occur. These may be signs of a serious condition.

■Gastric aldosteronism (decreased urine, swollen face, hands, feet, eyelids, etc.)

■Myopathy (muscle weakness, cramps, paralysis)

■Interstitial pneumonia (fever, cough, shortness of breath, lung sound abnormalities)

■Liver disorders (elevated liver enzymes, jaundice)

■Skin reactions (rash, hives)

■Digestive issues (loss of appetite, stomach discomfort)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children, In case of overdose, get medical help or contact a poison control center right away

for oral use only

### HAN SHIN MAEKDAM Extract Granules

<b>Drug Facts</b>	
<b>Active Ingredients</b> (in each dosage unit 3.5g)	<b>Purpose</b>
Liriope Tuber 3.33g	Antitussive effect
Pinellia Tuber 1.67g	Expectorant effect
Jujube 1.00g	Suppressing coughing
<b>Uses</b>	
■Cough with a sticky sputum ■Bronchitis ■Bronchial asthma	
<b>Warnings</b>	
<b>When using this product</b>	
■Do not use in patients with genetic problems such as galactose intolerance, Lapp lactase deficiency, or glucose-galactose malabsorption since this drug contains lactose.	
■Do not use it for more than 1 month unless the symptoms improve.	
■Long-term use should only be done under medical supervision.	
■When used in combination with potassium-containing agents, licorice-containing drugs, and diuretics (e.g., furosemide, ethacrynic acid, trichlormethiazide), myopathy is likely to occur, so take it carefully.	
<b>Ask a doctor before use if</b> you have high blood pressure, edema, sputum, heart or kidney problems, another disease.	
<b>Stop use and ask a doctor if</b> the following serious side effects occur. These may be signs of a serious condition.	
■Gastric aldosteronism (decreased urine, swollen face, hands, feet, eyelids, etc.)	
■Myopathy (muscle weakness, cramps, paralysis)	
■Interstitial pneumonia (fever, cough, shortness of breath, lung sound abnormalities)	
■Liver disorders (elevated liver enzymes, jaundice)	
■Skin reactions (rash, hives)	
■Digestive issues (loss of appetite, stomach discomfort)	
<b>If pregnant or breast-feeding</b> , ask a health professional before use.	
<b>Keep out of reach of children</b> , In case of overdose, get medical help or contact a poison control center right away	
<b>Directions</b>	
■ Take a packet of medicine (one dose) of an adult three times a day before or between meals.	
<b>Other Information</b>	
■ Store at room temperature, 1–30°C (34–86°F)	
<b>Inactive Ingredient</b>	
corn starch, Lactose Hydrate	
<b>Questions or comments ?</b>	
Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405	
<b>Distributed by :</b> B AND A TRADING CORP. 325 WASHINGTON AVE. ,CARLSTADT, NJ 07072, USA	
<b>Made in South Korea</b>	

# HAN SHIN MAEKDAM EXTRACT GRANULES

liriope tuber, pinelliatuber, jujube granule

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73466-0032
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIRIOPE SPICATA TUBER</b> (UNII: P6CWB65HZ5) (LIRIOPE SPICATA TUBER - UNII:P6CWB65HZ5)	LIRIOPE SPICATA TUBER	3.33 g in 3.5 g

## Inactive Ingredients

Ingredient Name	Strength
<b>ZIZIPHUS JUJUBA WHOLE</b> (UNII: AQG914O70P)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>PINELLIA TERNATA ROOT</b> (UNII: G9AET085M5)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73466-0032-1	120 in 1 PACKAGE	03/01/2025	
1		3.5 g in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/01/2025	

**Labeler** - MISOCOS (695640173)

**Registrant** - MISOCOS (695640173)

## Establishment

Name	Address	ID/FEI	Business Operations
MISOCOS		695640173	manufacture(73466-0032)

Revised: 3/2025

MISOCOS