HAN SHIN ANTICAM- honeysuckle flower, forsythia fruit, mentha herb capsule MISOCOS

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Facts

Honeysuckleflower 710mg

ForsythiaFruit 710mg

Mentha Herb 426mg

Capsules, FD&C Yellow No. 6(Sunset Yellow FCF)

■Pharyngolaryngeal pain due to common cold, thirst, cough and mouth being dry, headache from cold

keep out of reach of the children

- ■adult and children 15 years of age and older: 2 capsules three times a day
- ■children 7 to 14 years of age: 1/2 of the adult capacity.

Warnings

When using this product

- ■Do not use Infants and toddlers under the age of five.
- ■Do not use in patients with genetic problems such as galactose intolerance, Lapp lactase deficiency, or glucose-galactose malabsorption since this drug contains lactose.
- ■Do not use it if the symptoms do not improve after taking it for several days.
- ■When used in combination with potassium-containing agents, licorice-containing drugs, and diuretics (e.g., furosemide, ethacrynic acid, trichlormethiazide), myopathy is likely to occur, so take it carefully.

Ask a doctor before use if you have high blood pressure, edema, heart or kidney problems, rash, redness, diabetic, another disease.

Stop use and ask a doctor if the following serious side effects occur. These may be signs of a serious condition.

- ■Gastric aldosteronism (decreased urine, swollen face, hands, feet, eyelids, etc.)
- ■Myopathy (muscle weakness, cramps, paralysis)
- ■Interstitial pneumonia (fever, cough, shortness of breath, lung sound abnormalities)
- ■Liver disorders (elevated liver enzymes, jaundice)
- ■Skin reactions (rash, hives)
- ■Digestive issues (loss of appetite, stomach discomfort)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children, In case of overdose, get medical help or contact a poison control center right away

for oral use only

HAN SHIN Anticam

Drug Facts	
Active Ingredients (in one capsule 600mg)	Purpose
Honeysuckle flower 710mg Forsythia Fruit 710mg Mentha Herb 426mg	Anti-inflammatory action Antibacterial activity Relief of headaches
Uses ■Pharyngolaryngeal pain due to commor	n cold, thirst, cough and
mouth being dry, headache from cold Warnings	
When using this product ■ Do not use Infants and toddlers under ■ Do not use in patients with genetic prointolerance, Lapp lactase deficiency, or glumalabsorption since this drug contains laund Do not use it if the symptoms do not for several days. ■ When used in combination with potass licorice-containing drugs, and diuretics (e. acid, trichlormethiazide), myopathy is likelicarefully.	oblems such as galactose ucose-galactose ctose. improve after taking it ium-containing agents, g., furosemide, ethacrynic
Ask a doctor before use if you have high heart or kidney problems, rash, redness, of Stop use and ask a doctor if the followin occur. These may be signs of a serious of Gastric aldosteronism (decreased urine, eyelids, etc.) Myopathy (muscle weakness, cramps, parallel interstitial pneumonia (fever, cough, sho	diabetic, another disease. g serious side effects ondition. swollen face, hands, feet, aralysis)
sound abnormalities) Liver disorders (elevated liver enzymes, Skin reactions (rash, hives) Digestive issues (loss of appetite, stomatic pregnant or breast-feeding, ask a healt Keep out of reach of children, In case of help or contact a poison control center	jaundice) ach discomfort) h professional before use. overdose, get medical
Directions ■adult and children 15 years of age and times a day	older: 2 capsules three
■children 7 to 14 years of age: 1/2 of t	he adult capacity.
Other Information	0005)
■Store at room temperature, 1–30°C (34	-86°F)

Questions or comments ?

Call weekdays from 9 a.m to 5 p.m EST at (201) 669-8405

Distributed by : B AND A TRADING CORP.

325 WASHINGTON AVE., CARLSTADT, NJ 07072, USA

Capsules, FD&C Yellow No. 6(Sunset Yellow FCF)

Made in South Korea

HAN SHIN ANTICAM

honeysuckle flower, forsythia fruit, mentha herb capsule

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73466-0035
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
FORSYTHIA SUSPENSA FRUIT (UNII: P4793M1ES5) (FORSYTHIA SUSPENSA FRUIT - UNII:P4793M1ES5)	FORSYTHIA SUSPENSA FRUIT	710 mg	
LONICERA HYPOGLAUCA FLOWER (UNII: 3ADI26ATFY) (LONICERA HYPOGLAUCA FLOWER - UNII:3ADI26ATFY)	LONICERA HYPOGLAUCA FLOWER	710 mg	

Inactive Ingredients		
Ingredient Name	Strength	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
MENTHA ARVENSIS TOP (UNII: 8J5Y2F7A5X)		

Product Characteristics			
Color	red (Red and White)	Score	no score
Shape	CAPSULE	Size	21mm
Flavor		Imprint Code	ATC
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC:73466- 0035-1	10 in 1 PACKAGE; Type 0: Not a Combination Product	03/01/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug		02/01/2025	

other US/U1/2U2S

Labeler - MISOCOS (695640173)

Registrant - MISOCOS (695640173)

Establishment			
Name	Address	ID/FEI	Business Operations
MISOCOS		695640173	manufacture(73466-0035) , label(73466-0035)

Revised: 3/2025 MISOCOS