

**BISACODYL - bisacodyl suppository**  
**H and P Industries, Inc. dba Triad Group**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DRUG FACTS**

**ACTIVE INGREDIENT**

Bisacodyl, 10 mg

**PURPOSE**

Stimulant Laxative

**USES**

- For relief of occasional constipation
- This product generally produces bowel movement in 15 minutes to 1 hour

**WARNINGS**

**For rectal use only.** May cause abdominal discomfort, faintness, rectal burning, and mild cramps.

**Do not use**

- more than one per day
- for a period of longer than one week unless directed by a doctor
- laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor
- if seal under product lid is torn, damaged, or open

**Ask a doctor before use**

- if you have noticed a sudden change in bowel habits that persist over a period of two weeks
- if you are pregnant or nursing a baby

**Stop use and ask a doctor**

if you have rectal bleeding or fail to have a bowel movement after using a laxative. This may indicate a serious condition.

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

---

Adults and children 12 years of age and older	Children 6 to 12 years	Children under 6
One suppository once daily	1/2 suppository once daily	Ask a doctor.

- Detach one suppository from the strip and remove from foil
- Carefully insert one suppository well into the rectum
- Do not use more than once per day

#### **OTHER INFORMATION**

- Store at room temperature: 15° - 30° C (59° - 86° F). Do not exceed 30° C (86° F).
- Individually sealed for your protection. Do not use if foil is torn or open.

#### **INACTIVE INGREDIENT**

hydrogenated vegetable oil

#### **PACKAGE INFORMATION**

CVS pharmacy

NDC 50730-1016-0

Compare to the active ingredient in Dulcolax®  
NEW!

**Gentle  
LAXATIVE  
SUPPOSITORIES  
Bisacodyl USP**

GUARANTEED RELIEF

Gentle Yet Effective

16 Suppositories (10mg each)

Comfort Shaped

Distributed by CVS Pharmacy, Inc. One CVS Drive  
Woonsocket, RI 02895 ©CVS/pharmacy  
www.cvs.com 1-800-shop-CVS

This product is not manufactured or distributed by Boehringer Ingelhem Consumer Healthcare, owner of the registered trademark Dulcolax®.

CVS  
pharmacy

15 Minutes to 1 Hour

CVS  
pharmacy

Gentle  
**LAXATIVE  
SUPPOSITORIES**  
BISACODYL USP

CVS  
pharmacy

\*Compare to the  
active ingredient  
in Dulcolax®

**NEW!**

Gentle  
**LAXATIVE  
SUPPOSITORIES**  
BISACODYL USP

GUARANTEED RELIEF  
Gentle Yet Effective



16 Suppositories (10mg each) COMFORT SHAPED

CVS  
pharmacy

Gentle  
**LAXATIVE  
SUPPOSITORIES**  
BISACODYL USP

No Copy / Duplicating / Resale  
LOT / EXP. CHARGE

© 2008 CVS/pharmacy, Inc. One CVS Drive, Woodstock, NY 12424  
© 2008 CVS/pharmacy, Inc. One CVS Drive, Woodstock, NY 12424  
The product is not to be used or distributed by those in violation of the Health Care Law or other applicable laws. Do not use.

33-10105-C  
Rev. 10/09

Drug Facts continued

Active ingredient

Other information: Store at room temperature (20°-25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F)). Do not exceed 30°C (86°F).  
Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center for more information.  
Keep use and only a dose if you have reached the end of the recommended use.  
Ask a doctor if you are pregnant or nursing, or if you are taking other medicines, or if you are taking other laxatives.  
Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center for more information.  
Keep use and only a dose if you have reached the end of the recommended use.  
Ask a doctor if you are pregnant or nursing, or if you are taking other medicines, or if you are taking other laxatives.  
Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center for more information.  
Keep use and only a dose if you have reached the end of the recommended use.  
Ask a doctor if you are pregnant or nursing, or if you are taking other medicines, or if you are taking other laxatives.

Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center for more information.	Keep use and only a dose if you have reached the end of the recommended use.	Ask a doctor if you are pregnant or nursing, or if you are taking other medicines, or if you are taking other laxatives.
Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center for more information.	Keep use and only a dose if you have reached the end of the recommended use.	Ask a doctor if you are pregnant or nursing, or if you are taking other medicines, or if you are taking other laxatives.

Directions

Adults and children 12 years of age and older: 1 suppository once daily. Ask a doctor if you are pregnant or nursing, or if you are taking other medicines, or if you are taking other laxatives.  
Children 6 to 11 years: 1/2 suppository once daily. Ask a doctor if you are pregnant or nursing, or if you are taking other medicines, or if you are taking other laxatives.  
Children 2 to 5 years: 1/4 suppository once daily. Ask a doctor if you are pregnant or nursing, or if you are taking other medicines, or if you are taking other laxatives.

Warnings

For rectal use only. May cause dizziness or lightheadedness if used for more than 1 week. Do not use for more than 1 week.

Uses

For relief of occasional constipation. The suppository gives mild, gradual relief.

Purpose

Active ingredient (in each suppository)

CVS  
pharmacy

# 690111

CVS Quality  
DEPENDABLE

UPC-A FPO

50428 14706 1

bisacodyl suppository

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50730-1016
<b>Route of Administration</b>	RECTAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
bisacodyl (UNII: 10X0709Y6I) (bisacodyl - UNII:10X0709Y6I)	bisacodyl	10 mg

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
fat, hard (UNII: 8334LX7S21)	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:50730-1016-0	16 in 1 BOX		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part334	01/01/2009	

**Labeler** - H and P Industries, Inc. dba Triad Group (050259597)

Revised: 12/2009

Hand P Industries, Inc. dba Triad Group