# SIGNATURE CARE ACID CONTROLLER MAXIMUM STRENGTH- famotidine tablet, film coated Praxis, LLC

-----

## **Better Living Brands LLC Acid Controller Drug Facts**

## Active ingredient (in each tablet)

Famotidine 20 mg

### **Purpose**

Acid reducer

#### Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

## Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

#### Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

## Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness**, **sweating**, **or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

## Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

## Stop use and ask a doctor if

• your heartburn continues or worsens

you need to take this product for more than 14 days

## If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### **Directions**

- adults and children 12 years and over:
- to **relieve**symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to preventsymptoms, swallow 1 tablet with a glass of water at any time from 10 to
   60 minutes before eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

#### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture

## Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

#### Questions or comments?

1-800-719-9260

## **Principal Display Panel**

COMPARE TO Maximum Strength Pepcid ® AC active ingredient

**Quality Gauranteed** 

Maximum Strength

Acid Controller

FAMOTIDINE TABLETS, 20 mg

Acid Reducer

Just one tablet prevents & relieves heartburn due to acid indigestion







#### **Maximum Strength**

## **Acid Controller**

FAMOTIDINE TABLETS, 20 mg Acid Reducer

Drug Facts (continued)

#### **Drug Facts**

andsourstomach

or other acid reducers

■ with other acid reducers

more serious condition.

Ask a doctor before use if you have

Warnings

Do not use

certain food and beverages

Active ingredient (in e ach tablet) . Famotidine 20 mg. ..Acid reducer

■ relieves heartburn associated with acid indigestion

■ prevents heartburn associated with acid indigestion

and sour stomach brought on by eating or drinking

Allergyalert: Don ot use if you are allergic to famotidine

■ if you have trouble or pain swall bwing food , vorn iting

with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

■ had heartb urn over 3 months. This may be a sign of a

#### Purpose

- ■h eart burn with lighth ead edness, sweating, or dizziness
- ■chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neckor shoulders; or lightheadedness
- ■frequent chest pain
- frequent wheezing, particularly with hearth urn
   u nexplained weight loss
- ■n ausea or vomiting
- ■stomach pain
- ■kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

#### Stop use and ask a doctor if

■yourheartburn continues orworsens ■you need to take this product for more than 1 4 days

If pregnant or breast-feeding, ask a health professional before use

Keep out of re ach of children. In case of overdose, get medical help or contact a Poison Control Centerrigh away, (1-800-222-1222)

DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

JUST ONETABLET prevents and relieves heartbum due to acid in digestion brought on by eating and drinking certain foods and beverages

#### Tips for Managing Heartburn

- Do not lie flat or bend over after
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid hearth um-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
  If overweight, lose weight
- · Quit smoking

#### Drug Facts (continued)

#### Directions

- adultsand children 12 years and over: ■to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew.
- ■to prevent symptoms, swalbw 1 tablet with a glassof water at any time from 10 to 60 minutes before eating fcod or drinking beverages that cause heartburn
- d o not use more than 2 tablets in 24 hours ■ child ren under 12 years:ask adoctor

#### Other information

- read the directions andwarnings before use
- keep the carton. It contains important information.)

#### Drug Facts (continued)

- store at 20°-25 °C (68° -7 7°F)
- protect from moisture

Inactive ingredients carnauba wax, coloidal silicon dioxide, croscarme lose sodium, lactose monohy drate, m agnesium stearate, microcrys talline cell ubse, polyethylene glycol, polyviny lalcohol, talc, titanium dioxide

Questions or comments? 1-800-71 9-9260

\*This product is not manufactured or distributed by Johnson & John son Consumer Inc., distributor d Maximu m Strength Pepcid® AC.



#### SIGNATURE CARE ACID CONTROLLER MAXIMUM STRENGTH

famotidine tablet, film coated

#### **Product Information**

**Product Type HUMAN OTC DRUG** Item Code (Source) NDC:59368-281

**Route of Administration ORAL** 

#### **Active Ingredient/Active Moiety**

LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)

**Ingredient Name Basis of Strength** Strength

FAMOTIDINE (UNII: 5QZ015|2Z8) (FAMOTIDINE - UNII:5QZ015|2Z8) **FAMOTIDINE** 20 mg

#### **Inactive Ingredients**

**Ingredient Name** Strength CARNAUBA WAX (UNII: R12CBM0EIZ) **SILICON DIOXIDE** (UNII: ETJ7Z6XBU4) CROSCARMELLOSE SODIUM (UNII: M280L1HH48)

MAGNESIUM STEARATE (UNII: 70097M6I30)

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	8mm	
Flavor		Imprint Code	L194	
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:59368-281- 02	1 in 1 CARTON	09/04/2015			
1		50 in 1 BOTTLE; Type 0: Not a Combination Product				
2	NDC:59368-281- 01	1 in 1 CARTON	09/04/2015			
2		200 in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information					
Marketing Application Number or Monog Category Citation		Marketing Start Date	Marketing End Date		
ANDA	ANDA077351	09/04/2015			

## **Labeler -** Praxis, LLC (016329513)

Establishment					
Name	Address	ID/FEI	Business Operations		
Praxis, LLC		016329513	manufacture(59368-281) , label(59368-281) , pack(59368-281)		

Revised: 1/2023 Praxis, LLC