

**LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH
NIACINAMIDE SPF 20 CHAMPAGNE 170N- octinoxate, zinc oxide emulsion
LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH
NIACINAMIDE SPF 20 CAPUCCINO 310C- octinoxate, zinc oxide emulsion
LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH
NIACINAMIDE SPF 20 LATTE 180F- octinoxate, zinc oxide emulsion
LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH
NIACINAMIDE SPF 20 ALMENDRA 230N- octinoxate, zinc oxide emulsion
LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH
NIACINAMIDE SPF 20 BEIGE 220C- octinoxate, zinc oxide emulsion
BEL STAR S.A.**

**LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH
NIACINAMIDE SPF 20**

Active Ingredients

OCTINOXATE 6.00 %

ZINC OXIDE 2.94 %

Purpose

Sunscreen

Uses

- Helps prevent sunburn

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Dimethicone, isododecane, water, mica, glycerin, trimethylsiloxysilicate, peg-10 dimethicone, hdi/trimethylol hexyllactone crosspolymer, alcohol denat., hydroxyethyl urea, peg/ppg-18/18 dimethicone, dimethicone/vinyl dimethicone crosspolymer, sodium pca, polysilicone-11, lecithin, phenoxyethanol, silica, sodium chloride, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, fragrance, panthenol, tocopheryl acetate, saccharomyces lysate, perfluorohexylethyl triethoxysilane, disodium succinate, glutamic acid, glycine, threonine, valine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes. **MAY CONTAIN** : titanium dioxide, iron oxides.

Product Label CHAMPAGNE 170N

Drug Facts

Active Ingredients Purpose

OCTINOXATE 6.00 % Sunscreen
ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert:
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun. ▶

STONE ISLAND 170N

Drug Facts

(continued)

Inactive ingredients:

Dimethicone, isododecane, water, mica, glycerin, trimethylsiloxysilicate, peg-10 dimethicone, hdi/trimethylol hexylactone crosspolymer, alcohol denat., hydroxyethyl urea, peg/ppg-18/18 dimethicone, dimethicone/vinyl dimethicone crosspolymer, sodium pca, polysilicone-11, lecithin, phenoxyethanol, silica, sodium chloride, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, fragrance, panthenol, tocopheryl acetate, saccharomyces lysate, perfluorohexylethyl triethoxysilane, disodium succinate, glutamic acid, glycine, threonine, valine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.
MAY CONTAIN: titanium dioxide, iron oxides.

5% complejo con Niacinamida

***Complejo contiene:** Hidroxietil urea, niacinamida.

***Complex contains:** Hydroxyethyl urea, niacinamide.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

L'BEL

SOLUTIONS PRO - NUDE SKIN

NIACINAMIDA



BASE SÉRUM ULTRALIGERA
CON NIACINAMIDA FPS 20

ULTRA-LIGHT SERUM
FOUNDATION WITH
NIACINAMIDE SPF 20

0.87 fl. oz. | 26 ml



*El empaque tiene fondo sin contenido de producto
The packaging has a base without product content.

Product Label LATTE 180F

Drug Facts

Active Ingredients Purpose

OCTINOXATE 6.00 % Sunscreen
ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert:
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun. ▶

TONE: LATTE 180F

Drug Facts

(continued)

Inactive ingredients:

Dimethicone, isododecane, water, mica, glycerin, trimethylsiloxysilicate, peg-10 dimethicone, hdi/trimethylol hexylactone crosspolymer, alcohol denat., hydroxyethyl urea, peg/ppg-18/18 dimethicone, dimethicone/vinyl dimethicone crosspolymer, sodium pca, polysilicone-11, lecithin, phenoxyethanol, silica, sodium chloride, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, fragrance, panthenol, tocopheryl acetate, saccharomyces lysate, perfluorohexylethyl triethoxysilane, disodium succinate, glutamic acid, glycine, threonine, valine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.
MAY CONTAIN: titanium dioxide, iron oxides.

5% complejo con Niacinamida
***Complejo contiene:** Hidroxietil urea, niacinamida.
***Complex contains:** Hydroxyethyl urea, niacinamide.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

L'BEL

SOLUTIONS PRO - NUDE SKIN

NIACINAMIDA



BASE SÉRUM ULTRALIGERA
CON NIACINAMIDA FPS 20
ULTRA-LIGHT SERUM
FOUNDATION WITH
NIACINAMIDE SPF 20

0.87 fl. oz. | 26 ml



*El empaque tiene fondo sin contenido de producto
The packaging has a base without product content.

Product Label BEIGE 220C

Drug Facts

Active Ingredients Purpose

OCTINOXATE 6.00 % Sunscreen
ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert:
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun. ▶

TONE: BEIGE 220C

Drug Facts (continued)

Inactive ingredients:

Dimethicone, isododecane, water, mica, glycerin, trimethylsiloxysilicate, peg-10 dimethicone, hdi/trimethylol hexylactone crosspolymer, alcohol denat., hydroxyethyl urea, peg/ppg-18/18 dimethicone, dimethicone/vinyl dimethicone crosspolymer, sodium pca, polysilicone-11, lecithin, phenoxyethanol, silica, sodium chloride, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, fragrance, panthenol, tocopheryl acetate, saccharomyces lysate, perfluorohexylethyl triethoxysilane, disodium succinate, glutamic acid, glycine, threonine, valine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.
MAY CONTAIN: titanium dioxide, iron oxides.

5% complejo con Niacinamida
***Complejo contiene:** Hidroxietil urea, niacinamida.
***Complex contains:** Hydroxyethyl urea, niacinamide.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

L'BEL

SOLUTIONS PRO - NUDE SKIN

NIACINAMIDA



BASE SÉRUM ULTRALIGERA
CON NIACINAMIDA FPS 20

ULTRA-LIGHT SERUM
FOUNDATION WITH
NIACINAMIDE SPF 20

0.87 fl. oz. | 26 ml



*El empaque tiene fondo sin contenido de producto
The packaging has a base without product content.

Product Label ALMENDRA 230N

Drug Facts

Active Ingredients Purpose

OCTINOXATE 6.00 % Sunscreen
ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun. ▶

TONE: ALMENDRA 230N

Drug Facts (continued)

Inactive ingredients:

Dimethicone, isododecane, water, mica, glycerin, trimethylsiloxysilicate, peg-10 dimethicone, hdi/trimethylol hexylactone crosspolymer, alcohol denat., hydroxyethyl urea, peg/ppg-18/18 dimethicone, dimethicone/vinyl dimethicone crosspolymer, sodium pca, polysilicone-11, lecithin, phenoxyethanol, silica, sodium chloride, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, fragrance, panthenol, tocopheryl acetate, saccharomyces lysate, perfluorohexylethyl triethoxysilane, disodium succinate, glutamic acid, glycine, threonine, valine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.
MAY CONTAIN: titanium dioxide, iron oxides.

5% complejo con Niacinamida
***Complejo contiene:** Hidroxietil urea, niacinamida.
***Complex contains:** Hydroxyethyl urea, niacinamide.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

L'BEL

SOLUTIONS PRO - NUDE SKIN

NIACINAMIDA



BASE SÉRUM ULTRALIGERA
CON NIACINAMIDA FPS 20

ULTRA-LIGHT SERUM
FOUNDATION WITH
NIACINAMIDE SPF 20

0.87 fl. oz. | 26 ml



*El empaque tiene fondo sin contenido de producto
The packaging has a base without product content.

Product Label CAPUCCINO 310C

Drug Facts

Active Ingredients Purpose

OCTINOXATE 6.00 % Sunscreen
ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert:
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

TONE: CAPUCCINO 310C

Drug Facts

(continued)

Inactive ingredients:

Dimethicone, isododecane, water, mica, glycerin, trimethylsiloxysilicate, peg-10 dimethicone, hdi/trimethylol hexylactone crosspolymer, alcohol denat., hydroxyethyl urea, peg/ppg-18/18 dimethicone, dimethicone/vinyl dimethicone crosspolymer, sodium pca, polysilicone-11, lecithin, phenoxyethanol, silica, sodium chloride, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, fragrance, panthenol, tocopheryl acetate, saccharomyces lysate, perfluorohexylethyl triethoxysilane, disodium succinate, glutamic acid, glycine, threonine, valine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.
MAY CONTAIN: titanium dioxide, iron oxides.

5% complejo con Niacinamida
*Complejo contiene: Hidroxietil urea, niacinamida.
*Complex contains: Hydroxyethyl urea, niacinamide.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

L'BEL

SOLUTIONS PRO - NUDE SKIN

NIACINAMIDA



BASE SÉRUM ULTRALIGERA
CON NIACINAMIDA FPS 20

ULTRA-LIGHT SERUM
FOUNDATION WITH
NIACINAMIDE SPF 20

0.87 fl. oz. | 26 ml



*El empaque tiene fondo sin contenido de producto
The packaging has a base without product content.

LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH NIACINAMIDE SPF 20 CHAMPAGNE 170N

octinoxate, zinc oxide emulsion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14141-377 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-----------------|
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 60 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 29.4 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794) | |
| DISODIUM SUCCINATE (UNII: V8ZGC8ISR3) | |
| GLUTAMIC ACID (UNII: 3KX376GY7L) | |
| VALINE (UNII: HG18B9YRS7) | |
| AMYL SALICYLATE (UNII: VZ09C30208) | |

| |
|--|
| TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE) |
| SODIUM PCA (UNII: 469OTG57A2) |
| NIACINAMIDE (UNII: 25X51I8RD4) |
| PANTHENOL (UNII: WW9CM0067Z) |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9) |
| ISODODECANE (UNII: A8289P68Y2) |
| LECITHIN, SUNFLOWER (UNII: 834K0WOS5G) |
| WATER (UNII: 059QF0KO0R) |
| GLYCINE (UNII: TE7660XO1C) |
| THREONINE (UNII: 2ZD004190S) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| CHLORPHENESIN (UNII: I670DAL4SZ) |
| SACCHAROMYCES LYSATE (UNII: R85W246Z1C) |
| FERROUS OXIDE (UNII: G7036X8B5H) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| MICA (UNII: V8A1AW0880) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| ALCOHOL (UNII: 3K9958V90M) |
| TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:14141-377-01 | 1 in 1 BOX | 03/03/2025 | |
| 1 | | 26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 03/03/2025 | |

LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH NIACINAMIDE SPF 20 CAPUCCINO 310C

octinoxate, zinc oxide emulsion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14141-381 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 60 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 29.4 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794) | |
| DISODIUM SUCCINATE (UNII: V8ZGC8ISR3) | |
| GLUTAMIC ACID (UNII: 3KX376GY7L) | |
| VALINE (UNII: HG18B9YRS7) | |
| AMYL SALICYLATE (UNII: VZ09C30208) | |
| TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE) | |
| SODIUM PCA (UNII: 469OTG57A2) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| PANTHENOL (UNII: WW9CM0067Z) | |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| LECITHIN, SUNFLOWER (UNII: 834K0WOS5G) | |
| WATER (UNII: 059QF0KO0R) | |
| GLYCINE (UNII: TE7660XO1C) | |
| THREONINE (UNII: 2ZD004190S) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| SACCHAROMYCES LYSATE (UNII: R85W246Z1C) | |
| FERROUS OXIDE (UNII: G7036X8B5H) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| MICA (UNII: V8A1AW0880) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| ALCOHOL (UNII: 3K9958V90M) | |

TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:14141-381-01 | 1 in 1 BOX | 03/03/2025 | |
| 1 | | 26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 03/03/2025 | |

LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH NIACINAMIDE SPF 20 LATTE 180F

octinoxate, zinc oxide emulsion

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14141-378 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-----------------|
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 60 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 29.4 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| PEG/PPG-18/18 DIMETHICONE (UNII: 9H0A07T794) | |
| DISODIUM SUCCINATE (UNII: V8ZGC8ISR3) | |
| GLUTAMIC ACID (UNII: 3KX376GY7L) | |
| VALINE (UNII: HG18B9YRS7) | |
| AMYL SALICYLATE (UNII: VZ09C30208) | |
| TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE) | |
| SODIUM PCA (UNII: 469OTG57A2) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| PANTHENOL (UNII: WW9CM0067Z) | |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC) | |

| |
|--|
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9) |
| ISODODECANE (UNII: A8289P68Y2) |
| LECITHIN, SUNFLOWER (UNII: 834K0WOS5G) |
| WATER (UNII: 059QF0KO0R) |
| GLYCINE (UNII: TE7660XO1C) |
| THREONINE (UNII: 2ZD004190S) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| CHLORPHENESIN (UNII: I670DAL4SZ) |
| SACCHAROMYCES LYSATE (UNII: R85W246Z1C) |
| FERROUS OXIDE (UNII: G7036X8B5H) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| MICA (UNII: V8A1AW0880) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| ALCOHOL (UNII: 3K9958V90M) |
| TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:14141-378-01 | 1 in 1 BOX | 03/03/2025 | |
| 1 | | 26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 03/03/2025 | |

LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH NIACINAMIDE SPF 20 ALMENDRA 230N

octinoxate, zinc oxide emulsion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14141-380 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 60 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 29.4 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794) | |
| DISODIUM SUCCINATE (UNII: V8ZGC8ISR3) | |
| GLUTAMIC ACID (UNII: 3KX376GY7L) | |
| VALINE (UNII: HG18B9YRS7) | |
| AMYL SALICYLATE (UNII: VZ09C30208) | |
| TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE) | |
| SODIUM PCA (UNII: 469OTG57A2) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| PANTHENOL (UNII: WW9CM0067Z) | |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| LECITHIN, SUNFLOWER (UNII: 834K0WOS5G) | |
| WATER (UNII: 059QF0KO0R) | |
| GLYCINE (UNII: TE7660XO1C) | |
| THREONINE (UNII: 2ZD004190S) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| SACCHAROMYCES LYSATE (UNII: R85W246Z1C) | |
| FERROUS OXIDE (UNII: G7036X8B5H) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| MICA (UNII: V8A1AW0880) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|----------------------------|-----------------------------|---------------------------|
| | NDC: 141-41 | | | |

| 1 | NDC:14141-380-01 | 1 in 1 BOX | 03/03/2025 | |
|-----------------------|--|---|----------------------|--------------------|
| 1 | | 26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M020 | | 03/03/2025 | |

LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH NIACINAMIDE SPF 20 BEIGE 220C

octinoxate, zinc oxide emulsion

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14141-379 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | |
|---|-------------------|-----------------|
| Ingredient Name | Basis of Strength | Strength |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 60 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 29.4 mg in 1 mL |

| Inactive Ingredients | |
|---|----------|
| Ingredient Name | Strength |
| PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794) | |
| DISODIUM SUCCINATE (UNII: V8ZGC8ISR3) | |
| GLUTAMIC ACID (UNII: 3KX376GY7L) | |
| VALINE (UNII: HG18B9YRS7) | |
| AMYL SALICYLATE (UNII: VZ09C30208) | |
| TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE) | |
| SODIUM PCA (UNII: 469OTG57A2) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| PANTHENOL (UNII: WW9CM0067Z) | |
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| LECITHIN, SUNFLOWER (UNII: 834K0WOS5G) | |

| |
|--|
| WATER (UNII: 059QF0KO0R) |
| GLYCINE (UNII: TE7660XO1C) |
| THREONINE (UNII: 2ZD004190S) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| CHLORPHENESIN (UNII: I670DAL4SZ) |
| SACCHAROMYCES LYSATE (UNII: R85W246Z1C) |
| FERROUS OXIDE (UNII: G7036X8B5H) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| MICA (UNII: V8A1AW0880) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| ALCOHOL (UNII: 3K9958V90M) |
| TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:14141-379-01 | 1 in 1 BOX | 03/03/2025 | |
| 1 | | 26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 03/03/2025 | |

Labeler - BEL STAR S.A. (880160197)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------|---------|-----------|--|
| BEL STAR S.A. | | 880160197 | manufacture(14141-377, 14141-378, 14141-379, 14141-380, 14141-381) |

Revised: 8/2025

BEL STAR S.A.