

**LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH
NIACINAMIDE SPF 20 CHAMPAGNE 170N- octinoxate, zinc oxide emulsion
LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH
NIACINAMIDE SPF 20 CAPUCCINO 310C- octinoxate, zinc oxide emulsion
LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH
NIACINAMIDE SPF 20 LATTE 180F- octinoxate, zinc oxide emulsion
LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH
NIACINAMIDE SPF 20 ALMENDRA 230N- octinoxate, zinc oxide emulsion
LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH
NIACINAMIDE SPF 20 BEIGE 220C- octinoxate, zinc oxide emulsion
BEL STAR S.A.**

**LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH
NIACINAMIDE SPF 20**

Drug Facts

Active Ingredients

OCTINOXATE 6.00 %

ZINC OXIDE 2.94 %

Purpose

Sunscreen

Uses

- Helps prevent sunburn

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Dimethicone, isododecane, water, mica, glycerin, trimethylsiloxysilicate, peg-10 dimethicone, hdi/trimethylol hexyllactone crosspolymer, alcohol denat., hydroxyethyl urea, peg/ppg-18/18 dimethicone, dimethicone/vinyl dimethicone crosspolymer, sodium pca, polysilicone-11, lecithin, phenoxyethanol, silica, sodium chloride, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, fragrance, panthenol, tocopheryl acetate, saccharomyces lysate, perfluorohexylethyl triethoxysilane, disodium succinate, glutamic acid, glycine, threonine, valine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes. **MAY CONTAIN** : titanium dioxide, iron oxides.

Product Label CHAMPAGNE 170N

5% complejo con Niacinamida
***Complejo contiene:** Hidroxietil urea, niacinamida.
***Complex contains:** Hydroxyethyl urea, niacinamide.

Drug Facts

Active Ingredients Purpose

OCTINOXATE 6.00 % Sunscreen
 ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

TONE: CHAMPAGNE 170N

Drug Facts

(continued)

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:

Dimethicone, isododecane, water, mica, glycerin, trimethylsiloxy silicate, peg-10 dimethicone, hdi/trimethylol hexyllactone crosspolymer, alcohol denat., hydroxyethyl urea, peg/ppg-18/18 dimethicone, dimethicone/vinyl dimethicone crosspolymer, sodium pca, polysilicone-11, lecithin, phenoxyethanol, silica, sodium chloride, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, fragrance, panthenol, tocopheryl acetate, saccharomyces lysate, perfluorohexylethyl triethoxysilane, disodium succinate, glutamic acid, glycine, threonine, valine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes. **MAY CONTAIN:** titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

L'BEL

SOLUTIONS
 PRO - NUDE SKIN

NIACINAMIDE



BASE SÉRUM ULTRALIGERA
 CON NIACINAMIDA FPS 20
 ULTRA-LIGHT SERUM
 FOUNDATION WITH
 NIACINAMIDE SPF 20

0.87 fl. oz. | 26 ml

Product Label LATTE 180F

5% complejo con Niacinamida
 *Complejo contiene: Hidroxietil urea, niacinamida.
 *Complex contains: Hydroxyethyl urea, niacinamide.

Drug Facts	
Active Ingredients	Purpose
OCTINOXATE 6.00 %	Sunscreen
ZINC OXIDE 2.94 %	Sunscreen
Uses	
■ Helps prevent sunburn.	
Warnings	
Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.	
For external use only.	
Do not use on damaged or broken skin.	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
■ Apply liberally and evenly 15 minutes before sun exposure.	
■ Reapply at least every 2 hours.	
■ Use a water resistant sunscreen if swimming or sweating.	
■ Children under 6 months of age: Ask a doctor.	

TONE: LATTE 180F

Drug Facts (continued)
Other information
■ Protect the product in this container from excessive heat and direct sun.
Inactive ingredients:
Dimethicone, isododecane, water, mica, glycerin, trimethylsiloxysilicate, peg-10 dimethicone, hdi/trimethylol hexyllactone crosspolymer, alcohol denat., hydroxyethyl urea, peg/ppg-18/18 dimethicone, dimethicone/vinyl dimethicone crosspolymer, sodium pca, polysilicone-11, lecithin, phenoxyethanol, silica, sodium chloride, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, fragrance, panthenol, tocopheryl acetate, saccharomyces lysate, perfluorohexylethyl triethoxysilane, disodium succinate, glutamic acid, glycine, threonine, valine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.
MAY CONTAIN: titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

L'BEL

SOLUTIONS
 PRO - NUDE SKIN
 NIACINAMIDE



BASE SÉRUM ULTRALIGERA
 CON NIACINAMIDA FPS 20
 ULTRA-LIGHT SERUM
 FOUNDATION WITH
 NIACINAMIDE SPF 20

0.87 fl. oz. | 26 ml

Product Label BEIGE 220C

5% complejo con Niacinamida
***Complejo contiene:** Hidroxietil urea, niacinamida.
***Complex contains:** Hydroxyethyl urea, niacinamide.

Drug Facts

Active Ingredients Purpose
 OCTINOXATE 6.00 % Sunscreen
 ZINC OXIDE 2.94 % Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age: Ask a doctor.

TONE: BEIGE 220C

Drug Facts
 (continued)

Other information
 ■ Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:
 Dimethicone, isododecane, water, mica, glycerin, trimethylsiloxy silicate, peg-10 dimethicone, hdi/trimethylol hexyllactone crosspolymer, alcohol denat., hydroxyethyl urea, peg/ppg-18/18 dimethicone, dimethicone/vinyl dimethicone crosspolymer, sodium pca, polysilicone-11, lecithin, phenoxyethanol, silica, sodium chloride, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, fragrance, panthenol, tocopheryl acetate, saccharomyces lysate, perfluorohexylethyl triethoxysilane, disodium succinate, glutamic acid, glycine, threonine, valine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.
MAY CONTAIN: titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp., Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

L'BEL

SOLUTIONS
 PRO - NUDE SKIN
 NIACINAMIDE



BASE SÉRUM ULTRALIGERA
 CON NIACINAMIDA FPS 20
 ULTRA-LIGHT SERUM
 FOUNDATION WITH
 NIACINAMIDE SPF 20

0.87 fl. oz. | 26 ml

Product Label ALMENDRA 230N

5% complejo con Niacinamida
 *Complejo contiene: Hidroxietyl urea, niacinamida.
 *Complex contains: Hydroxyethyl urea, niacinamide.

Drug Facts

Active Ingredients Purpose
 OCTINOXATE 6.00 % Sunscreen
 ZINC OXIDE 2.94 % Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
Skin Cancer / Skin Aging Alert:
 Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Apply liberally and evenly 15 minutes before sun exposure.
 ■ Reapply at least every 2 hours.
 ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age: Ask a doctor.

TONE: ALMENDRA 230N

Drug Facts
 (continued)

Other information
 ■ Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:
 Dimethicone, isododecane, water, mica, glycerin, trimethylsiloxy silicate, peg-10 dimethicone, hdi/trimethylol hexyllactone crosspolymer, alcohol denat., hydroxyethyl urea, peg/ppg-18/18 dimethicone, dimethicone/vinyl dimethicone crosspolymer, sodium pca, polysilicone-11, lecithin, phenoxyethanol, silica, sodium chloride, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, fragrance, panthenol, tocopheryl acetate, saccharomyces lysate, perfluorohexylethyl triethoxysilane, disodium succinate, glutamic acid, glycine, threonine, valine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.
MAY CONTAIN: titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

L'BEL

SOLUTIONS
 PRO - NUDE SKIN
 NIACINAMIDE



BASE SÉRUM ULTRALIGERA
 CON NIACINAMIDA FPS 20
 ULTRA-LIGHT SERUM
 FOUNDATION WITH
 NIACINAMIDE SPF 20

0.87 fl. oz. | 26 ml

Product Label CAPUCCINO 310C

5% complejo con Niacinamida
***Complejo contiene:** Hidroxietil urea, niacinamida.
***Complex contains:** Hydroxyethyl urea, niacinamide.

Drug Facts

Active Ingredients Purpose

OCTINOXATE 6.00 % Sunscreen
 ZINC OXIDE 2.94 % Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

TONE: CAPUCCINO 310C

Drug Facts
(continued)

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:

Dimethicone, isododecane, water, mica, glycerin, trimethylsiloxysilicate, peg-10 dimethicone, hdi/trimethylol hexyllactone crosspolymer, alcohol denat., hydroxyethyl urea, peg/ppg-18/18 dimethicone, dimethicone/vinyl dimethicone crosspolymer, sodium pca, polysilicone-11, lecithin, phenoxyethanol, silica, sodium chloride, niacinamide, silica dimethyl silylate, triethoxycaprylylsilane, caprylyl glycol, disteardimonium hectorite, chlorphenesin, fragrance, panthenol, tocopheryl acetate, saccharomyces lysate, perfluorohexylethyl triethoxysilane, disodium succinate, glutamic acid, glycine, threonine, valine, amyl salicylate, tetramethyl acetyloctahydronaphthalenes.
MAY CONTAIN: titanium dioxide, iron oxides.

U.S.A. & PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

L'BEL

SOLUTIONS
 PRO - NUDE SKIN

NIACINAMIDE



BASE SÉRUM ULTRALIGERA
 CON NIACINAMIDA FPS 20
 ULTRA-LIGHT SERUM
 FOUNDATION WITH
 NIACINAMIDE SPF 20

0.87 fl. oz. | 26 ml

LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH NIACINAMIDE SPF 20 CHAMPAGNE 170N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-377
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0A07T794)	
DISODIUM SUCCINATE (UNII: V8ZGC8ISR3)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
VALINE (UNII: HG18B9YRS7)	
AMYL SALICYLATE (UNII: VZ09C30208)	

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)
SODIUM PCA (UNII: 469OTG57A2)
NIACINAMIDE (UNII: 25X5118RD4)
PANTHENOL (UNII: WW9CM0067Z)
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
GLYCERIN (UNII: PDC6A3C0OX)
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
ISODODECANE (UNII: A8289P68Y2)
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)
WATER (UNII: 059QF0KO0R)
GLYCINE (UNII: TE7660XO1C)
THREONINE (UNII: 2ZD004190S)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
CHLORPHENESIN (UNII: I670DAL4SZ)
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)
IRON OXIDES (UNII: 1K09F3G675)
DIMETHICONE (UNII: 92RU3N3Y10)
MICA (UNII: V8A1AW0880)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
ALCOHOL (UNII: 3K9958V90M)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-377-01	1 in 1 BOX	03/03/2025	
1		26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/03/2025	

LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH NIACINAMIDE SPF 20 CAPUCCINO 310C

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-381
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DISODIUM SUCCINATE (UNII: V8ZGC8ISR3)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
VALINE (UNII: HG18B9YRS7)	
AMYL SALICYLATE (UNII: VZ09C30208)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
SODIUM PCA (UNII: 469OTG57A2)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PANTHENOL (UNII: WW9CM0067Z)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLYCERIN (UNII: PDC6A3C0OX)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
WATER (UNII: 059QF0KO0R)	
GLYCINE (UNII: TE7660XO1C)	
THREONINE (UNII: 2ZD004190S)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
IRON OXIDES (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
MICA (UNII: V8A1AW0880)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ALCOHOL (UNII: 3K9958V90M)	

TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-381-01	1 in 1 BOX	03/03/2025	
1		26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/03/2025	

LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH NIACINAMIDE SPF 20 LATTE 180F

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-378
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0A07T794)	
DISODIUM SUCCINATE (UNII: V8ZGC8ISR3)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
VALINE (UNII: HG18B9YRS7)	
AMYL SALICYLATE (UNII: VZ09C30208)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
SODIUM PCA (UNII: 469OTG57A2)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PANTHENOL (UNII: WW9CM0067Z)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
GLYCERIN (UNII: PDC6A3C0OX)
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
ISODODECANE (UNII: A8289P68Y2)
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)
WATER (UNII: 059QF0KO0R)
GLYCINE (UNII: TE7660XO1C)
THREONINE (UNII: 2ZD004190S)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
CHLORPHENESIN (UNII: I670DAL4SZ)
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)
IRON OXIDES (UNII: 1K09F3G675)
DIMETHICONE (UNII: 92RU3N3Y1O)
MICA (UNII: V8A1AW0880)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
ALCOHOL (UNII: 3K9958V90M)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-378-01	1 in 1 BOX	03/03/2025	
1		26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/03/2025	

LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH NIACINAMIDE SPF 20 ALMENDRA 230N

octinoxate, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-380
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DISODIUM SUCCINATE (UNII: V8ZGC8ISR3)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
VALINE (UNII: HG18B9YRS7)	
AMYL SALICYLATE (UNII: VZ09C30208)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
SODIUM PCA (UNII: 469OTG57A2)	
NIACINAMIDE (UNII: 25X5118RD4)	
PANTHENOL (UNII: WW9CM0067Z)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLYCERIN (UNII: PDC6A3C0OX)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
WATER (UNII: 059QF0KO0R)	
GLYCINE (UNII: TE7660XO1C)	
THREONINE (UNII: 2ZD004190S)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
IRON OXIDES (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
MICA (UNII: V8A1AW0880)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ALCOHOL (UNII: 3K9958V90M)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC 141 41			

1	NDC:14141-380-01	1 in 1 BOX	03/03/2025	
1		26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		03/03/2025	

LBEL SOLUTIONS PRO-NUDE SKIN ULTRA-LIGHT SERUM FOUNDATION WITH NIACINAMIDE SPF 20 BEIGE 220C

octinoxate, zinc oxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14141-379
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	29.4 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DISODIUM SUCCINATE (UNII: V8ZGC8ISR3)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
VALINE (UNII: HG18B9YRS7)	
AMYL SALICYLATE (UNII: VZ09C30208)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
SODIUM PCA (UNII: 469OTG57A2)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PANTHENOL (UNII: WW9CM0067Z)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
GLYCERIN (UNII: PDC6A3C0OX)	
HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
ISODODECANE (UNII: A8289P68Y2)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	

WATER (UNII: 059QF0KO0R)
GLYCINE (UNII: TE7660XO1C)
THREONINE (UNII: 2ZD004190S)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
CHLORPHENESIN (UNII: I670DAL4SZ)
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)
IRON OXIDES (UNII: 1K09F3G675)
DIMETHICONE (UNII: 92RU3N3Y1O)
MICA (UNII: V8A1AW0880)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
ALCOHOL (UNII: 3K9958V90M)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14141-379-01	1 in 1 BOX	03/03/2025	
1		26 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/03/2025	

Labeler - BEL STAR S.A. (880160197)

Establishment

Name	Address	ID/FEI	Business Operations
BEL STAR S.A.		880160197	manufacture(14141-377, 14141-378, 14141-379, 14141-380, 14141-381)

Revised: 3/2025

BEL STAR S.A.